

**SOCIO-ECONOMIC SURVEY
OF
SMALLHOLDER FARMING SYSTEMS IN SOLOMON ISLANDS**

**SIMBO
WESTERN PROVINCE**

**Agricultural Economics Section
Rural Services Project
Ministry of Agriculture and Lands
Solomon Islands**

June 1989

Table of Contents

| | | | |
|----------|-----|--|-----|
| Chapter: | 1. | Introduction | 8 |
| | 2. | Summary and Main Findings | 18 |
| | 3. | Household Composition | 26 |
| | 4. | Income Earning Activities | 31 |
| | 5. | Extension and Mass Media | 37 |
| | 6. | Livestock | 40 |
| | 7. | Holding Size Distribution | 44 |
| | 8. | Labour Density | 56 |
| | 9. | Cropping Patterns | 60 |
| | 10. | Coconut and Cocoa | 69 |
| | 11. | Fallow | 75 |
| | 12. | Landform | 84 |
| | 13. | Adverse Factors Affecting Production | 93 |
| | 14. | Crop Yields | 97 |
| | 15. | Smallholder Production | 110 |
| | 16. | Labour | 111 |
| | 17. | Crop and Farm Budgets | 122 |
| | 18. | Cash Crop Processing | 123 |
| | 19. | Marketing | 126 |
| Annex | 1. | Crop Names and Codes | 132 |
| | 2. | Labour Budgets | 136 |
| | 3. | Crop Damage | 172 |
| | 4. | References | 188 |

List of Tables

| | | |
|------|--|----|
| 1.1 | Solomon Islands Key Data | 10 |
| 2.1 | Labour Summary | 24 |
| 3.1 | Population Characteristics | 26 |
| 3.2 | Household Composition | 28 |
| 3.3 | Household Labour Availability | 30 |
| 4.1 | 1982 Income and Expenditure Survey: Sales | 31 |
| 4.2 | Income Earning Activities | 33 |
| 5.1 | Extension and Mass Media | 37 |
| 6.1 | Cattle Distribution in 1985 | 40 |
| 6.2 | Livestock Distribution in 1982 | 41 |
| 6.3 | Livestock | 42 |
| 7.1 | Holding Size Distribution - All Crops | 46 |
| | Holdings With Tree Crops . | 48 |
| | Without Tree Crops | 50 |
| | Excluding Tree Crops | 52 |
| | Tree Crops Only | 54 |
| 8.1 | Labour Density - All Holdings | 56 |
| 8.2 | Labour density - Non-Tree Crop holdings | 58 |
| 8.3 | Labour Density - Tree Crop Holdings | 59 |
| 9.1 | Crop Composition | 61 |
| 9.2 | Cropping Patterns | 62 |
| 9.3 | Detailed Cropping Patterns | 66 |
| 9.4 | Tree Crops in Gardens | 68 |
| 10.1 | Copra Area and Production by Province (1984) | 70 |
| 10.2 | Coconuts and Cocoa | 72 |

| | | |
|------|--|-----|
| 11.1 | Length of Bush Fallow (1975) | 77 |
| 11.2 | Length of Cultivation (1975) | 78 |
| 11.3 | Cropping Intensity | 79 |
| 11.4 | Fallow Period | 80 |
| 11.5 | Fallow Range | 81 |
| 11.6 | Fallow Type | 82 |
| 11.7 | Management and Application of Agricultural Inputs | 83 |
| 12.1 | Landform | 85 |
| 12.2 | Slope | 87 |
| 12.3 | Conservation and Alley Cropping | 88 |
| 13.1 | Site Conditions | 93 |
| 13.2 | Crop Damage | 95 |
| 13.3 | Summary of Crop Damage | 96 |
| 14.1 | Crop Variety and Spacing | 97 |
| 14.2 | Crop Dominance in Mixtures | 99 |
| 14.3 | Crop Production | 100 |
| 14.4 | Coconut Production from 1974-75 Agricultural Survey .. | 101 |
| 14.5 | Smallholder Crop Yields | 109 |
| 15.1 | Smallholder Production Summary | 110 |
| 16.1 | Labour Constraints | 111 |
| 16.2 | Annual Labour Input by Holding | 114 |
| 16.3 | Summary of Labour Input | 118 |
| 17.1 | Elements of a Farm Budget | 122 |
| 18.1 | Annual Copra Production and Labour Expenditure | 124 |
| 18.2 | Copra Gross Margin | 125 |
| 19.1 | Marketing Time and Crop Prices | 127 |
| 19.2 | Income From Marketing | 128 |
| 19.3 | Market Location | 129 |
| 19.4 | Crop Price Perception and Sale Volumes | 130 |
| 19.5 | Marketing Problems | 131 |

| | | |
|-------|---|-----|
| A1.1 | Crop Names and Codes | 133 |
| A2.1 | Labour Operations on Land Clearance | 139 |
| A2.2 | Labour Operations on Cultivation | 141 |
| A2.3 | Labour Operations on Planting | 143 |
| A2.4 | Labour Operations on Tree Crops Establishment | 145 |
| A2.5 | Labour Operations on Tree Crops Maintenance | 147 |
| A2.6 | Labour Operations on First Weeding | 149 |
| A2.7 | Labour Operations on Second Weeding | 151 |
| A2.8 | Labour Operations on Third Weeding | 153 |
| A2.9 | Labour Operations on Harvesting | 155 |
| A3.1 | Crop Damage Due to Insects | 173 |
| A3.2 | Crop Damage Due to Disease | 176 |
| A3.3 | Crop Damage Due to Humans | 179 |
| A3.4 | Crop Damage Due to Fire | 180 |
| A3.5 | Crop Damage Due to Flood | 181 |
| A3.6 | Crop Damage Due to Wind | 182 |
| A3.7 | Crop Damage Due to Rats | 183 |
| A3.8 | Crop Damage Due to Birds | 184 |
| A3.9 | Crop Damage Due to Bats | 185 |
| A3.10 | Crop Damage Due to Livestock | 186 |
| A3.11 | Crop Damage Due to Other Factors | 187 |

List of Diagrams

| | | |
|------|--|----|
| 1.1 | Population Composition | 11 |
| 1.2 | Land Area | 11 |
| 1.3 | Government Finance | 13 |
| 1.4 | Location of the Survey | 16 |
| 1.5 | Survey Area | 17 |
| 3.1 | Household Age Structure | 28 |
| 4.1 | Income Earning Activities | 35 |
| 5.1 | Extension Visits | 38 |
| 7.1 | Holding Size Distribution - All Crops | 47 |
| 7.2 | Lorenz Curve - All Crops | 47 |
| 7.3 | Holding Size Distribution - Holdings With Tree Crops . | 49 |
| 7.4 | Lorenz Curve - Holdings With Tree Crops | 49 |
| 7.5 | Holding Size Distribution - Without Tree Crops | 51 |
| 7.6 | Lorenz Curve - Holdings Without Tree Crops | 51 |
| 7.7 | Holding Size Distribution - Excluding Tree Crops | 53 |
| 7.8 | Lorenz Curve - All Holdings Excluding Tree Crops | 53 |
| 7.9 | Holding Size Distribution - Tree Crops Only | 55 |
| 7.10 | Holding Size Distribution - Tree Crops Only | 55 |
| 8.1 | Labour Density | 57 |
| 9.1 | Cropping Patterns - All Farmers | 64 |
| 9.2 | Cropping Patterns - Farmers With No Tree Crops | 65 |
| 9.3 | Cropping patterns - Farmers With Tree Crops | 65 |
| 10.1 | Coconut and Cocoa Maintenance | 73 |
| 12.1 | Landform | 86 |
| 12.2 | Garden Distance - All Crops | 90 |
| 12.3 | Garden Distance - Tree Crops | 91 |
| 12.4 | Garden Distance - Food Crops | 92 |
| 13.1 | Site Conditions | 94 |
| 13.2 | Crop Damage | 96 |

| | | |
|------|---------------------------------------|-----|
| 16.1 | Labour Constraints | 112 |
| 16.2 | Labour by Crop | 119 |
| 16.3 | Labour by Operation | 120 |
| 16.4 | Labour by Operator | 121 |
| 18.1 | Copra Annual Labour | 123 |
| A2.1 | Annual Labour on Land Clearance | 157 |
| A2.2 | Cultivation | 157 |
| A2.3 | Planting | 158 |
| A2.4 | Crops Establishment | 158 |
| A2.5 | Crops Maintenance | 159 |
| A2.6 | First Weeding | 159 |
| A2.7 | Second Weeding | 160 |
| A2.8 | Third Weeding | 160 |
| A2.9 | Harvesting | 161 |

Abbreviations and Units of Measure

| | |
|------|---|
| AES | Agricultural Economics Section (RSP) |
| CEMA | Commodities Exporting and Marketing Authority |
| DCRS | Dodo Creek Research Station |
| LDA | Livestock Development Authority |
| MAL | Ministry of Agriculture and Lands |
| PBME | Project Beneficiary Monitoring and Evaluation (RSP) |
| RDC | Rural Development Centre (RSP) |
| RSP | Rural Services Project |
| km | kilometre = 1,000 m |
| ha | hectare = 10,000 sq m |
| m | metre |
| MT | metric tonne = 1,000 kg |
| SI\$ | Solomon Islands Dollar |

Acknowledgements

The present report is produced by the staff of the Agricultural Economics Section. The Section was established under the ADB/IDA/IFAD assisted Rural Services Project and is engaged in a two years socio-economic study of smallholder farming systems throughout Solomon Islands, extending from 1987 to 1989.

Many others contributed to the planning of the programme and in its implementation. The study would not have been possible without the support and patience of local people. To them we are grateful and hope that the present report will be in some way of benefit.

We would like to thank members of the Ministry of Agriculture and Lands, in particular the Director of the Rural Services Project and staff, and the Chief Research Officer and staff for their support throughout.

The Statistics Office of the Ministry of Finance has assisted the survey through the generous lending of equipment, canoes and outboards, and in sampling. Thanks are especially due to Richard Harris, Rural Statistician, for his interest in the survey from the outset.

Not least, thanks are extended to the Premier of Western Province, the Provincial Secretary and staff, the Principal Field Officer and members of the agricultural extension service for their support in establishing the survey. It is especially hoped that the present report will find a practical application in development works being undertaken in the Province.

E. C. Mackey
Agricultural Economist

Agricultural Economics Section
Rural Services Project
Ministry of Agriculture and Lands
Solomon Islands

Chapter: 1

INTRODUCTION

1.1 The Solomon Islands comprise a double chain of islands extending in a north-west south-east direction over 860km of the south-west Pacific between latitudes 5° - 12° S and longitudes 155° - 170° E. The islands lie directly along a major line of crustal weakness traversing the western Pacific and are the surface expressions of fault-bounded blocks and troughs originating in a zone of geologically intense activity. Warping and block movement are the most significant geomorphic processes responsible for the elevation of land to its present altitude, with marine sediments occurring on some of the highest ranges. Such processes continue spasmodically and raised reefs at various heights occur in many parts of the country, as does intense faulting. Earthquakes are frequent and often initiate land movements in ground already close to shearing point such as saturated soil at the heads of steeply incised gullies, resulting in debris slides among the high ridges (10).

1.2 Solomon Islands lies well within the geographical tropics in an oceanic area where two contrasting trade winds meet, a low-pressure belt of ascending air known as the "inter-tropical convergence zone" (ITCZ). In this zone warm and humid air masses drawn from equatorial regions meet relatively cool and dry sub-tropical air derived from the south-east. From about March to November the islands experience steady, shallow, south-easterly winds. During November and December unsettled weather is likely as the ITCZ moves south over the islands, from which follows steady north-westerly winds. March and April are again unsettled as the ITCZ returns northwards until the south-easterly trade winds become re-established. Cyclonic disturbances may be generated, particularly around December and April when the convergence of the two air streams is strongest. Weather is varied, both temporally and spatially, but is characterised by continually high average temperatures and humidity. Most land areas have a mean annual rainfall of 3,000-5,000mm with variations depending on latitude and orientation to prevailing winds. Temperatures are more uniform, at around 26° C in the lowlands, and never reach extremes which would restrict plant growth. Night time humidity exceeds 90%. This may fall to 60% on clear sunny days, or remain close to saturation point during cyclonic conditions (10).

1.3 The islands are rugged, with a predominance of ridge-valley landscapes and high relief. Undulating rolling landscapes have a limited distribution and extensive fluvial plains are uncommon. Chemical weathering is intense under conditions of continuously high temperature and moisture, however, soil depths are not generally great. Most hill areas have slopes exceeding $12-15^{\circ}$ and commonly reach $35-55^{\circ}$ among the mountain ridges. Continual soil wash and creep and periodic mass movements effectively keep pace with rock weathering. Only on stable flatter sites do deep profiles develop. The islands for the most part are covered in dense forest, some fire disclimax grassland in parts of Guadalcanal⁽¹⁰⁾ and Florida Islands, and land cleared or cultivated.

1.4 The population of Solomon Islands from the 1986 census was 285,176, with an annual growth rate of 3.5%. The land area of 28,370sq km gives a low overall population density of 10 persons per sq km. Settlements are mostly along the coastal margins so that in some parts of the country population densities are high.

1.5 The population distribution of Solomon Islands is summarised in diagram 1.1 and key socio-economic data are presented in table 1.1

1.6 There is a considerable variation between land area and population among the provinces. While Western Province accounts for 33% of the national land area it contains only 19% of the population. The West is characterised by low population density compared to provinces such as Central, Malaita and Temotu. Although Temotu contains 5% of the national population it also accounts for only 3% of the national land area, and therefore has a relatively high mean population density. Land area in Solomon Islands is summarised in diagram 1.2.

Table: 1.1
SOLOMON ISLANDS KEY DATA

| Province | I | Western | Ysabel | Central | Guadalcanal | Honiara | I |
|--|---|---------|--------|---------|-------------|---------|---|
| POPULATION | | | | | | | |
| 1986 population | I | 55,250 | 14,616 | 18,457 | 49,831 | 30,413 | I |
| annual growth rate | I | 3.0 | 3.2 | 2.9 | 4.3 | 6.8 | I |
| % national population | I | 19 | 5 | 6 | 17 | 11 | I |
| peri-urban population | I | 3,710 | 1,901 | 1,622 | | 30,413 | I |
| % peri-urban | I | 7 | 13 | 9 | 38 | | I |
| number of households | I | 7,942 | 2,362 | 3,079 | 8,072 | 4,317 | I |
| LAND AREA | | | | | | | |
| land area (sq km) | I | 9,312 | 4,136 | 1,286 | 5,336 | 22 | I |
| % land area | I | 33 | 15 | 5 | 19 | 0 | I |
| population density/sq km | I | 6 | 4 | 14 | 9 | 1,382 | I |
| 1987 PROVINCIAL GOVERNMENT REVENUE AND EXPENDITURE (SIS'000) | | | | | | | |
| revenue | I | 443 | 173 | 191 | 281 | 1,033 | I |
| grants | I | 2,556 | 634 | 623 | 1,247 | 704 | I |
| current expenditure | I | 3,504 | 849 | 750 | 1,431 | 1,561 | I |
| capital expenditure | I | 200 | 58 | 88 | 192 | 177 | I |
| net revenue (negative) | I | (705) | (100) | (24) | (96) | (2) | I |

| Province | I | Malaita | Makira | Temotu | I | Total | I |
|--|---|---------|--------|--------|---|---------|---|
| POPULATION | | | | | | | |
| 1986 population | I | 80,032 | 21,796 | 14,781 | I | 285,176 | I |
| annual growth rate | I | 2.7 | 3.6 | 2.8 | I | 3.5 | I |
| % national population | I | 28 | 8 | 5 | I | 100 | I |
| peri-urban population | I | 3,252 | 2,588 | 1,295 | I | 44,781 | I |
| % peri-urban | I | 4 | 12 | 9 | I | 16 | I |
| number of households | I | 12,417 | 3,278 | 2,375 | I | 43,842 | I |
| LAND AREA | | | | | | | |
| land area (sq km) | I | 4,225 | 3,188 | 865 | I | 28,370 | I |
| % land area | I | 15 | 11 | 3 | I | 100 | I |
| population density/sq km | I | 19 | 7 | 17 | I | 10 | I |
| 1987 PROVINCIAL GOVERNMENT REVENUE AND EXPENDITURE (SIS'000) | | | | | | | |
| revenue | I | 339 | 485 | 160 | I | 3,103 | I |
| grants | I | 1,891 | 1,095 | 445 | I | 9,195 | I |
| current expenditure | I | 2,190 | 1,472 | 615 | I | 12,371 | I |
| capital expenditure | I | 331 | 600 | 0 | I | 1,646 | I |
| net revenue (negative) | I | (291) | (492) | (10) | I | (1,719) | I |

Source: Statistics Office Statistical Bulletin 15/87 "Provincial Statistics"
Population data revised from Statistics Office Statistical Bulletin 3/88 "Solomon Islands Population Census"

POPULATION COMPOSITION

% by province




Diagram: 1.1

LAND AREA

% by province





Diagram: 1.2

1.7 While a provincial comparison presents a broad indication of population densities throughout the country, differences within provinces are of significance to agricultural policy. With improvements in communications and administrative links there has been a general migration to the coastal margins where travel and marketing are easier, and where services such as schooling and health are more readily available. The highland interior tends to be sparsely populated in comparison.

1.8 While the overall population density is low, in some areas a growing population pressure is causing concern. Traditional farming systems based on forest fallow may be sustained under conditions of low pressure, but run into soil fertility and related problems when fallow periods are reduced and cropping intensified. Conversely, there are sparsely populated areas of agricultural potential where communications and services are poorly developed. The Rural Services Project is developing facilities in areas of high agricultural potential, providing marketing and transport infrastructure, agricultural and training services, and extending the coverage of adaptive research. These provide new opportunities for agricultural development.

1.9 The capacity of government to implement development programmes is to a large extent determined by funds and resources available. Diagram 1.3 summarises provincial government revenue and expenditure in 1987. Nationally there was a deficit of SI\$1.7 million arising through over expenditure in all provinces. Provincial finance is characterised by a low revenue earning capacity, being nationally about one third of the level of central government grants. Revenue and grants are expended almost entirely on basic operating costs, although these remain severely constrained and under-funded. There are little or no funds for development, and investment amounted to only 12% of total expenditure in 1987.

1.10 Agriculture accounted for 42% of export earnings in 1985⁽¹¹⁾, although this has dropped from the much higher level of 87% in 1960. It is the major employment activity in the country and the source of livelihood for the majority of the population.



1.11 Despite various studies undertaken in the past, there is little hard socio-economic data on smallholder farming systems which would assist agricultural policy makers, trainers, extension workers and researchers in the planning, implementation and evaluation of development activities. A national sample survey of agriculture was conducted in 1974-75⁽⁵⁾, but these data are no longer able to satisfy information requirements.

1.12 The Agricultural Economics Section (AES) was established under the Rural Services Project (RSP) inter alia in order to generate statistical information on smallholder production systems for the quantification of constraints to agricultural development and the devising of appropriate agricultural research programmes. The present study is part of a national survey programme to generate detailed base-line data on smallholder farming systems.

1.13 Since September 1987 AES has conducted a series of farming systems surveys in selected sites throughout the country, such as in the immediate areas of influence of Rural Development Centres or in other areas of special agricultural interest. It is intended that the findings of the survey will find application in the evaluation of development activities, and will assist in the assessment of changes taking place in Solomon Islands agriculture and the formulation of development strategies. The background and justification for the survey programme are documented in the AES Inception Report of 1987⁽²⁰⁾. Methodologies are described in the Agricultural Economics Field Survey Manual⁽²¹⁾ and related documents produced by AES.

1.14 The Simbo survey was conducted at the request of Western Province, being an island of high population density for which the allocation of land for settlement and agricultural development elsewhere in the province is becoming necessary. Detailed information on the farming systems of Simbo will therefore assist in the planning of agricultural strategies. Field work was conducted from March to April 1989 in which a sample of 40 rural households was covered. Two stage systematic random sampling was guided by the Statistics Office based on equal probability of household selection. Villages were listed from the 1986 population census and selected by systematic random sampling. A pre-determined number of households within each village (or cluster of small villages) were then selected by simple random sampling. Maps of the survey area are presented in diagrams 1.4 and 1.5.

1.15 The survey is designed to investigate the structure and dynamics of smallholder crop and management systems. Of particular importance in the socio-economics of smallholder agriculture is the allocation of labour, since few cash inputs are applied and little wage labour is employed.

1.16 All cultivated areas, including cropped and cleared land, are measured by tape and compass to an error tolerance of 5%. Crop areas are computed and checked in the field by programmable calculator. Data are processed in "dBASE III Plus" databases and analysed through "SPSS/PC+". Raw output is transferred to "Lotus 123 v2" spreadsheets for tabulation and secondary processing. Text tables are incorporated into "Wordstar Professional v4" and graphics are edited in "Harvard Presentation Graphics".

1.17 The Agricultural Economics Programme is sponsored under the Rural Services Project of the Ministry of Agriculture and Lands which is co-financed by the Government of Solomon Islands and ADB/IDA/IFAD. Data processing and the presentation of results has been made possible by the generosity of the Government of New Zealand through its Miscellaneous Technical Assistance Programme. This has overcome a primary constraint to work of this kind in the Ministry of Agriculture and Lands through the provision of computing hardware.

S O U T H P A C I F I C O C E A N

Diagram: 1.4
LOCATION OF THE SURVEY AREA






Diagram: 1.5
SURVEY AREA

S E A



Chapter: 2

SUMMARY AND MAIN FINDINGS

Household Composition

2.1 The mean household size in the survey area is 6.03, comprised of 3.30 males to 2.73 females, a ratio of 1:0.83 males to females.

2.2 In the sample of 40 households the available labour composition of rural households in the survey area is 52% male and 48% female, a ratio of 1.86male:1.71female out of a total of 3.57 adult equivalent labour units per household.

Income Earning Activities

2.3 Agricultural income earning activities in the survey area are predominantly the sale of copra, food crops and fishing, but there is also a high level of formal employment. 60% of sampled households earn income from copra sales and 28% earn income from food crops. 5% of households earn income from minor cash crops and 5% from livestock. 33% of households earn income from fishing.

2.4 33% of households earn income from a profession, in government service but also in a variety of other professions such as pastor, artist, and others. 13% of households have a skilled trade, including chainsaw operation, canoe building and graphic printing.

Extension and Mass Media

2.5 57% of households listen to agricultural programmes on the radio. Simple written materials may be appropriate in extension since 100% of households have at least one member with some reading and writing ability.

2.6 18% of households are visited by agricultural extension workers and 20% of farmers have attended an agricultural training course.

Livestock

2.7 There is a low level of commercialism in livestock management where the most important livestock are pigs and chickens.

2.8 28% of farmers keep pigs with a mean herd size of 2.00 among owners.

2.9 Chickens are kept by 50% of households with a mean flock size of 15.95 among owners.

Holding Size Distribution

2.10 The mean holding size in terms of area farmed is 0.899ha and the holding size distribution is only moderately skewed.

2.11 While holdings are on the whole small, there is some inequality in holding size is due to a high proportion of farmers with very small holdings without coconuts and a few relatively larger holdings which account for a substantial proportion of the cropped area. Tree crop holdings tend to be larger than non-tree cropping holdings, with a mean size of 1.349ha and represent 63% of farmers. Conversely non-tree cropping farmers have a mean holding size of 0.149ha and represent 37% of sampled farmers.

2.12 The mean food crop area among all farmers is 0.145ha and the mean tree crop area among tree cropping farmers is 1.212ha.

Labour Density

2.13 The mean labour availability is 3.56 adult equivalent labour units per farming household, resulting in a mean labour density of 3.96 labour units per hectare. There is no apparent association between labour availability and holding size but labour density per unit area falls rapidly from 25.59 labour units per hectare on holdings of less than 0.25ha in size to 1.12 labour units per hectare on holdings of 2.5 - 3ha in size. On non-tree cropping holdings the mean labour density is 22.40 labour units per hectare compared with 2.74 labour units per hectare on tree-crop holdings. Land availability, rather than labour availability, is the major limitation.

Cropping Patterns

2.14 The average holding size is 0.90ha, however, a distinction is made between farmers with tree crops and those with no tree crops. Of households with tree crops the mean holding size is 1.34ha, of which 1.21ha is under tree crops and 0.13ha is food crops. In contrast non-tree crop farmers have a mean holding size of 0.15ha under food crops. Despite the small size of holdings smallholder cropping patterns include 7 dominant crops and 31 distinct mixtures.

Coconuts and Cocoa

2.15 Maintenance standards in the survey area are reasonably high, with most plots brushed at least to shoulder height. 67% of plots are brushed to ground level, 22% are brushed to shoulder height and 11% have a ground cover of secondary bush.

2.16 In the survey the coconut variety is mainly local tall. 2% are less than eight years of age, 7% are in the age band 9-16 years, 80% are 17-40 years of age and 11% are older than 40 years. In one plot of cocoa under coconuts the age of cocoa is 6 to 25 years.

Fallow

2.17 Fallow in Solomon Islands farming systems is necessary for the maintenance of soil fertility, particularly for the replenishment of potassium in ash following burning. Shifting cultivation has other valuable characteristics, not least its phytosanitary qualities. The fallow period is an indicator of land pressure, and possible fertility and pest problems associated with intensive cultivation. On food gardens where it is known, there is a fallow period of 3.9 years, but 28% have a fallow longer than memory extending over 43% of the food garden area. Root crops are typically grown over 2 to 4 harvests before reverting to fallow.

2.18 74% of all gardens have a fallow of primary or secondary forest extending over 81% of the farmed area. Only 11% of food gardens are cut from primary forest, representing an insignificant area. 41% of tree gardens are cut from primary forest on 49% of the tree crop area. Such results suggest that the area for expansion in the survey area is very limited and that cropping is becoming intensive.

2.19 In the survey there was no application of any type of input encountered.

Landform

2.20 67% of tree gardens representing 74% of the tree garden area are on lowland sites, with 33% of gardens on 26% of the tree garden area on upland sites of varying steepness. 39% of food crop gardens representing 40% of the food garden area are on lowland sites, while 61% of gardens representing 60% of the food garden area are on upland sites.

2.21 The mean slope is 4 degrees, with 77% of plots representing 74% of the cropped area on land of less than 5 degrees slope. Only 6% of gardens on 12% of the cropped area are on slopes of greater than 10 degrees. No conservation practices or alley cropping were encountered in the survey.

2.22 The mean time taken to reach gardens is .273 hours or about 16 minutes, with a maximum time of 2.10 hours. The mean time taken to reach tree crop gardens is .216 hours and the mean time taken to reach food gardens is .300 hours.

Adverse Factors Affecting Production

2.23 73% of gardens representing 69% of the cultivated area have no apparent site limitations. Poor soil and site factors are regarded as constraints on 5% of gardens (3% of area); pests and disease are a problem on 20% of gardens (23% of area); weeds are a problem on 5% of gardens affecting 6% of the cultivated area.

Crop Yields

2.24 Production data from the farming systems survey need to be reinforced with further yield studies to be undertaken by AES in 1989 and beyond. Indicative yields derived from secondary sources are presented in chapter 14.

2.25 In the survey the following yields were obtained:

Yield data from the farming systems survey

| | <u># obs</u> | <u>kg/ha</u> |
|--------------|--------------|--------------|
| Copra | 19 | 395 |
| Sweet Potato | 1 | 6,696 |
| Yam | 1 | 9,511 |
| Cassava | 1 | 26,667 |

Labour

2.26 68% of gardens on 64% of the farmed area have no important constraints, due to a high proportion of very small holdings and a small overall mean holding size. The dominant constraints are on tree crops, and the dominant constraints are inputs and cash and labour rather than distance of gardens from the household. A summary of constraints expressed as percentages of gardens by each crop type [and in brackets as the corresponding % area] is as follows:

| limitation | <----- garden type -----> | | | |
|----------------|---------------------------|------|--------------------------|------------|
| | tree crops | | short term cash crops | food crops |
| No limitation | 56 | [64] | | 74 [65] |
| Lack of labour | 22 | [19] | | 14 [18] |
| Lack of inputs | 15 | [19] | | |
| Garden too far | 11 | [7] | | 12 [18] |

2.27 Labour expenditure on the average holding is summarised in table 2.1 - presented firstly by crop (aggregating all operations) and secondly by operation (aggregating all crops).

2.28 Overall men provide 56% of labour and women provide 43%, with 1% of farm labour accounted for by hired labour. There are 500 work days per year required on an "average" holding of which 280 are provided by men, 215 by women and 5 by hired labour. The average adult man in the household spends 151 days working on the holding and the average adult woman spends 126 days.

Table: 2.1
SUMMARY OF LABOUR INPUT

| | <----- work days per year -----> | | | | | <- % contribution -> | | | labour cost (SIS) |
|--------------------------|----------------------------------|-------|------|-------|---------|----------------------|-------|------|-------------------------|
| | <----- per holding -----> | | | | per ha | men | women | paid | |
| i) By Crop | men | women | paid | total | average | | | | |
| Cleared Land | 1 | | | 1 | | 100 | | | |
| Coconut | 156 | 67 | 3 | 226 | | 69 | 30 | 1 | 4 |
| Grain Crops | | | | | | | | | |
| Banana | 2 | 3 | | 5 | 220 | 40 | 60 | | |
| Sweet Potato | 117 | 143 | 2 | 262 | 999 | 45 | 55 | 1 | 2 |
| Cassava | 4 | 2 | | 6 | 2222 | 67 | 33 | | |
| All Crops | 280 | 215 | 5 | 500 | | 56 | 43 | 1 | 6 |
| ii) By Operation | | | | | | | | | |
| Land Clearance | 65 | 31 | 1 | 97 | | 67 | 32 | 1 | 1 |
| Cultivation | 25 | 9 | 1 | 35 | | 71 | 26 | 3 | 1 |
| Planting | 61 | 41 | | 102 | | 60 | 40 | | |
| Tree Crops Establishment | | | | | | | | | |
| Tree Crops Maintenance | 38 | 3 | 3 | 44 | | 86 | 7 | 7 | 4 |
| First Weeding | 8 | 13 | | 21 | | 38 | 62 | | |
| Second Weeding | 4 | 7 | | 11 | | 36 | 64 | | |
| Third Weeding | 2 | 3 | | 5 | | 40 | 60 | | |
| Harvesting | 77 | 108 | | 185 | | 42 | 58 | | |
| All Operations | 280 | 215 | 5 | 500 | | 56 | 43 | 1 | 6 |
| Available labour units | :1.86 | 1.71 | | | | | | | |
| Days per unit labour | : 151 | 126 | 5 | | | | | | |

2.29 Coconuts account for 45% of the holding labour budget and sweet potato accounts for 52%. Men and women share most operations. Of the annual labour budget of 500 days, land clearance accounts for 19% of labour expended, cultivation accounts for 7%, planting 20%, establishment and maintenance 9%, weeding or brushing 7% and harvesting 37%.

Cash Crop Processing

2.30 Copra manufacture requires 227 work days per annum to produce 1,126kg copra, or one work day per 5kg copra produced. 152 work days are spent on picking and shelling the nuts which account for 67% of the total production time. Firewood collection takes 14 days or 6% of the time; and drying, bagging and transport take 61 days or 27% of the time.

2.31 From an annual production of 1,126kg valued at the prevailing price of 33 cents per kilo the gross return is SI\$372. Inputs costs from bags and twine amount to SI\$16.32. The net income is SI\$356 which, at a requirement of 227 household labour days, represents a net return to labour of SI\$1.57 per household work day.

2.32 No cocoa production was undertaken by sampled farmers.

Marketing

2.33 Sale volumes and prices are generally regarded as "average" with most sales taking place locally or to Gizo. Marketing problems are generally slight. Local market prices were not available during the survey.

Chapter: 3

HOUSEHOLD COMPOSITION

3.1 The analysis of household composition in the farming systems survey is to set production and management information in a social context and to establish labour availability. New demographic data are becoming available from the 1986 census and these provide background to survey results. Table 3.1 summarises some early results of the census⁽¹⁾.

Table: 3.1
POPULATION CHARACTERISTICS
(from the 1986 census)

| Province | Western | Ysabel | Central | Guadal | Honiara | Malaita | Makira | Temotu | Total |
|-----------------------|---------|--------|---------|--------|---------|---------|--------|--------|---------|
| 1986 population | 55,250 | 14,616 | 18,457 | 49,831 | 30,413 | 80,032 | 21,796 | 14,781 | 285,176 |
| annual growth rate | 3.0 | 3.2 | 2.9 | 4.3 | 6.8 | 2.7 | 3.6 | 2.8 | 3.5 |
| % national population | 19 | 5 | 6 | 17 | 11 | 28 | 8 | 5 | 100 |
| peri-urban population | 3,710 | 1,901 | 1,622 | | 30,413 | 3,252 | 2,588 | 1,295 | 44,781 |
| % peri-urban | 7 | 13 | 9 | 38 | | 4 | 12 | 9 | 16 |
| males | 29,202 | 7,329 | 9,850 | 26,251 | 17,293 | 39,605 | 11,174 | 7,268 | 147,972 |
| females | 26,048 | 7,287 | 8,607 | 23,580 | 13,120 | 40,427 | 10,622 | 7,513 | 137,204 |
| sex-ratio | 112 | 101 | 114 | 111 | 132 | 98 | 105 | 97 | 108 |
| number of households | 7,942 | 2,362 | 3,079 | 8,072 | 4,317 | 12,417 | 3,278 | 2,375 | 43,842 |
| household size | 6.96 | 6.19 | 5.99 | 6.17 | 7.04 | 6.45 | 6.65 | 6.22 | 6.50 |
| Age composition (%) | | | | | | | | | |
| 0 - 14 | 46.4 | 48.8 | 45.7 | 46.8 | 39.2 | 50.2 | 50.7 | 49.6 | 47.3 |
| 15 - 29 | 27.2 | 22 | 26 | 27.2 | 35.7 | 21.7 | 23.3 | 23.3 | 25.8 |
| 30 - 44 | 13.5 | 13.9 | 14.4 | 14 | 17.1 | 13.2 | 13.1 | 13.3 | 13.9 |
| 45 - 59 | 8 | 8.5 | 8.2 | 7.3 | 5.8 | 9.1 | 8.2 | 8.5 | 8.1 |
| 60 + | 4.9 | 6.7 | 5.7 | 4.6 | 2.1 | 5.7 | 4.6 | 5.5 | 4.9 |

Source: Statistics Office Statistical Bulletin 3/88

3.2 In November 1986 the population of Solomon Islands was 285,176 with an annual growth rate of 3.5%. The national mean household size was 6.5, resulting in a total of 43,842 households, of which at least 84% are rural. Guadalcanal, Malaita and Western Provinces account for 77% of the national population.

3.3 The age composition of the Solomon Islands population is young with a wide based, tapering population pyramid. The "dependency ratio" (the number of persons under 15 years and over 60 years of age per 100 persons aged 15 to 59 years) is 109⁽²⁾.

3.4 The total fertility rate is 6.4 children per woman at the end of her child bearing age. The life expectancy at birth among males is 59.9 years, and among females is 61.4 years. Male infant mortality is 40 per thousand live births compared with a female infant mortality of 36 per thousand live births⁽²⁾.

3.5 In the census 40,046 persons attended school during 1986, although some disruption was caused by Cyclone Namu. Among all persons aged 5 years and over not attending school in 1986, 51% had no education. Primary school attendance spans a wide age range, but 20% of age group 10 to 24 never attended school.


3.6 94.2% of the Solomon Islands population is Melanesian, 3.7% Polynesian and 2.1% other ethnic groups, but mainly Kiribati. 17% of the census population were residing in a province other than that of their birth, indicating a considerable level of internal migration. Onward movement is particularly strong from Malaita, resulting in net out-movement. This is true for provinces other than Central and Guadalcanal which experience a net in-movement. All provinces showed a net movement to Honiara.

3.7 Household composition results from the farming systems survey are summarised in table 3.2. Age categories are chosen to provide approximate conversion into "available labour units". The membership of a household often includes relatives and, less commonly, non-relatives (these are both referred to as "relatives" in the table). Both family and non-family members define the "de facto" household size which is the actual number of people residing in the household, and is illustrated in diagram 3.1. A second measure of household composition is the number of immediate family members (father, mother, sons and daughters) either living at home or living away. This is known as the "de jure" family size.

Table: 3.2
HOUSEHOLD COMPOSITION

Mean Number of Household Members:

| MALE | | | | | I | I | FEMALE | | | | | | | | |
|-----------------|--------|----------|------|--------|---|-------|-----------|----------------|--------|----------|------|--------|------|------|------|
| living at HOME | | | | | : | AWAY | I | living at HOME | | | | | : | AWAY | |
| | | | | | I | AGE | I | | | | | | I | | |
| | | | | | I | GROUP | I | | | | | | I | | |
| Head | Family | Relative | : | Family | I | | I | Head | Family | Relative | : | Family | I | | |
| 0.08 | : | 0.03 | : | : | I | > 55 | I | : | 0.03 | : | : | : | : | : | |
| 0.87 | : | 0.25 | : | 0.35 | : | 0.45 | I 16 - 55 | I | 0.03 | : | 1.30 | : | 0.15 | : | 0.23 |
| : | : | 1.03 | : | 0.05 | : | 0.08 | I 6 - 15 | I | : | : | 0.68 | : | 0.03 | : | 0.05 |
| : | : | 0.28 | : | 0.18 | : | : | I 2 - 5 | I | : | : | 0.40 | : | 0.08 | : | : |
| : | : | 0.13 | : | 0.05 | : | : | I 0 - 1 | I | : | : | 0.03 | : | : | : | : |
| total | | | | | | | | | | | | | | | |
| Category total: | 0.95 | 1.72 | 0.63 | 0.53 | | | | 0.03 | 2.44 | 0.26 | 0.28 | | | | 6.84 |
| Family at home: | | 2.67 | | | | | | | 2.47 | | | | | | 5.14 |
| De Facto total: | | | 3.30 | | | | | | | 2.73 | | | | | 6.03 |
| De Jure total : | | | | 3.20 | | | | | | | 2.75 | | | | 5.95 |



3.8 In the survey area the average family size is 5.95. With 14% of family members living away from home, a household has on average 6.03 members, of which 5.14 are immediate family and the remainder relatives or others residing in the household. Of the family members living away 0.68 are in the economically active age group 16 - 55 and 0.13 are younger than 15 . Of 3.20 male family members 2.67 live at home, representing a net onward movement of 14% among male family members. This is not compensated for by non-family male household members, since there are 3.30 males in the household.

3.9 Of 2.75 female family members 2.47 live at home, representing an onward movement of 10% . This is compensated for by additional non-family female members living in the household since there are 2.73 female members of the household.

3.10 There is then a 3% net inward movement of males and a 1% net outward movement of females. This results in a household gender composition of 3.30 male household members to 2.73 females, a ratio of 1:0.83 males to females.

3.11 Household composition is converted into "adult equivalent labour units" in table 3.3 according to factors employed by Bathgate⁽¹⁸⁾ (although there are slight differences in age classes between the two studies). An average household of 3.57 labour units is made up of 1.86 male units and 1.71 female units, a ratio of 1:0.92 male to female labour units.

Table: 3.3

HOUSEHOLD LABOUR AVAILABILITY

Mean number of members by age group:

| <----- MALES -----> | | | I | AGE | I | <----- FEMALES -----> | | | <----- TOTAL -----> | | |
|---------------------|----------|--------|------|---------|---|-----------------------|----------|--------|---------------------|----------|--------|
| de Jure | de Facto | labour | I | GROUP | I | de Jure | de Facto | labour | de Jure | de Facto | labour |
| | | | I | | I | | | | | | |
| 0.11 | 0.11 | 0.06 | I | > 55 | I | 0.03 | 0.03 | 0.02 | 0.14 | 0.14 | 0.08 |
| 1.57 | 1.47 | 1.48 | I | 16 - 55 | I | 1.56 | 1.48 | 1.48 | 3.13 | 2.95 | 2.96 |
| 1.11 | 1.08 | 0.32 | I | 6 - 15 | I | 0.73 | 0.71 | 0.21 | 1.84 | 1.79 | 0.53 |
| 0.28 | 0.46 | | I | 2 - 5 | I | 0.40 | 0.48 | | 0.68 | 0.94 | |
| 0.13 | 0.18 | | I | 0 - 1 | I | 0.03 | 0.03 | | 0.16 | 0.21 | |
| | | | I | | I | | | | | | |
| Total | 3.20 | 3.30 | 1.86 | | | 2.75 | 2.73 | 1.71 | 5.95 | 6.03 | 3.57 |

Labour availability assumes the following conversion factors:

| age class | factor |
|-----------|--------|
| > 55 | 0.6 |
| 16 - 55 | 1.0 |
| 6 - 15 | 0.3 |
| 0 - 5 | 0.0 |

Chapter: 4

INCOME EARNING ACTIVITIES

4.1 2.5% of rural households in the country were enumerated in the 1982 Household Income and Expenditure Survey ⁽³⁾ conducted by the Statistics Office of the Ministry of Finance. Virtually all rural households had food gardens. 39% sold copra and 41% sold garden produce, with an average monthly income from sales of SI\$ 56. A summary of income earning activities according to the 1982 survey compared with the 1986 population census is presented in table 4.1.

Table: 4.1
1982 INCOME AND EXPENDITURE SURVEY: SALES

| activity | % households earning income | |
|-----------------|-----------------------------|------|
| | 1982 | 1986 |
| copra | 39 | 29 |
| coconut | 18 | |
| cocoa | 0.38 | 9 |
| betel nut | 1.25 | 17 |
| other cash crop | 12 | |
| garden produce | 41 | 34 |
| cattle | | 2 |
| pigs | | 12 |
| poultry | | 10 |
| fish | 24 | 17 |
| crabs, lobster | | 4 |
| beche de mer | | 12 |
| shells | 7 | |
| carvings | 4 | |
| hand crafts | 0.38 | 4 |
| canoes | | 3 |
| mats, baskets | | 10 |
| thatch | | 4 |
| houses | | 5 |
| other sales | 1.13 | |

Source: Statistics Office National Accounts Discussion Document No 2
Statistics Office Bulletin 12/88

4.2 These figures show the importance of garden produce sales as an income earning activity, although the relative magnitude of earnings is not known. Copra is the major cash earning commodity, showing an apparent contraction in the proportion of rural sales. Cocoa sales have, in contrast, expanded.

4.3 In the 1982 survey 27% of rural households had at least one member in paid employment, from which the average monthly wage was SI\$103. 16% had their own business and 39% of households had a share in a cooperative (although it is stated that this result should be treated with caution). 10% of households held a loan, with an average monthly repayment of SI\$87.

4.4 On average a household spent SI\$57 per month on goods and services of which 47%, or SI\$27, was on food. Less frequent expenditures amounted to SI\$5 per month.

4.5 Reported (cash and non-cash) income was SI\$147 compared to monthly expenditures of SI\$131. The average cash component of income amounted to SI\$86 per month compared with expenditures of SI\$74. The excess of 17% in income over expenditure was believed to be due to the underestimation of production costs rather than the true value of rural savings.

4.6 The 1986 census ⁽²⁾ found that 25% of the population aged 14 years and over was working for money (the week before the census enumeration), and about half of those also performed village work such as track clearing and church construction. About 80% of those not engaged in cash employment performed village work.

4.7 35% of males were engaged in cash employment compared with 13% of females. The 1982 Household Income and expenditure survey also states that "generally boys had a better chance of attending school than girls".

4.8 The rural economy is diverse, with a variety of farm and off-farm activities which contribute to household income. Results from the farming systems survey are presented in table 4.2. The table describes the proportion of households undertaking income earning activities in the survey area. Rural income and expenditure patterns are covered by other (non AES) surveys - planned or recently undertaken - and so the present survey does not investigate the relative importance of activities undertaken in terms of income earned, except in Chapter 19 on marketing.

Table: 4.2

INCOME EARNING ACTIVITIES

| | <---- % households ----> by activity | | |
|--|---|-------|----------------------------------|
| | individual | group | summary of individual activities |
| Households Earning Income Over the Past Year From: | | | |
| COCONUTS | | | |
| Coconuts | | 3 | |
| Copra | 58 | 60 | +++++ |
| Coconuts and Copra | 3 | | + |
| Total | 60 | | |
| COCOA | | | |
| Wet beans | | | |
| Dry Beans | | | |
| Wet and Dry Beans | | | |
| Total | | | |
| OTHER CROPS | | | |
| Food Crops | 28 | 28 | +++++ |
| Other Cash Crops | 5 | 5 | ++ |
| Food and Cash Crops | | | |
| Livestock | 5 | 5 | ++ |
| Food crops and Livestock | | | |
| Cash Crops and Livestock | | | |
| Food, Cash Crops and Livestock | | | |
| Total | 38 | | |
| FISHING | | | |
| Fish | 28 | 33 | +++++ |
| Shellfish | | 3 | |
| Fish and shellfish | 3 | | + |
| Crabs, etc | | 3 | |
| Fish and Crabs | 3 | | + |
| Shellfish and Crabs | | | |
| Fish, Shellfish and Crabs | | | |
| Total | 33 | | |
| LOGGING/MINING | | | |
| Logging | | | |
| Sawmill | | | |
| Logging and Sawmill | | | |
| Mining | | | |
| Logging and Mining | | | |
| Sawmill and Mining | | | |
| Logging, Sawmill and Mining .. | | | |
| Total | | | |


INCOME EARNING ACTIVITIES (continued)

| | (<---- % households ----> by activity | | |
|--------------------------------|--|-------|----------------------------------|
| | individual | group | summary of individual activities |
| PROFESSION | | | |
| Teacher | | | |
| Government Employee | 15 | 15 | ++++++ |
| Other Profession | 18 | 18 | ++++++ |
| Total | 33 | | |
| COOPERATIVE | | | |
| Crop Production Cooperative .. | | | |
| Marketing Cooperative | 3 | 3 | + |
| Crop and Marketing | | | |
| Cooperative Shop | 55 | 55 | +++++ |
| Crop and Shop | | | |
| Marketing and Shop | | | |
| Crop, Marketing and Shop | | | |
| Total | 58 | | |
| BUSINESS | | | |
| Private shop | 10 | 10 | ++++ |
| Vehicle Hire | 3 | 3 | + |
| Shop and Vehicle | | | |
| Crafts | 3 | 3 | + |
| Shop and Crafts | | | |
| Vehicle and Crafts | | | |
| Shop, Vehicle and Crafts | | | |
| Total | 15 | | |
| SKILLED TRADE | | | |
| Joiner/housebuilder | 3 | 3 | + |
| Mechanical Trade | 3 | 3 | + |
| Joiner and Mechanical | | | |
| Other Skilled Trade | 8 | 8 | +++ |
| Joiner and Other | | | |
| Mechanical and Other | | | |
| Joiner, Mechanical and Other . | | | |
| Total | 13 | | |

4.9 In the table are two columns, entitled "individual" and "group". Individual activities distinguish between combinations of activities - treating for instance "food crops" (only), "livestock" (only) and both "food crops and livestock" as three distinct activities. The percentages of households for individual activities are additive, and are shown as a "total" for each set of related activities in the table.

4.10 Under group activities - all occurrences of "food crops" and all occurrences of "livestock" are summarised under the two main headings, since "livestock" and "food crops and livestock" are both livestock activities. "Group" activities represent an alternative summary for the data set, and are non additive.

4.11 To the right of table 4.2 is a histogram summary of individual activities. Diagram 4.1 provides a visual summary of grouped activities.



4.12 Agricultural income earning activities in the survey area are predominantly the sale of copra, food crops and fishing, and there is a high level of formal employment. 60% of sampled households earn income from copra sales and 28% earn income from food crops. 5% of households earn income from minor cash crops and 5% from livestock. 33% of households earn income from fishing.

4.13 33% of households earn income from a profession, in government service but also in a variety of other professions such as pastor, artist, and others. 13% of households have a skilled trade, including chainsaw operation, canoe building and graphic printing.

Chapter: 5

EXTENSION AND MASS MEDIA

5.1 Table 5.1 summarises the penetration of mass media and extension in the survey area.


Table: 5.1
EXTENSION AND MASS MEDIA

| | % households | summary |
|--|--------------|---------|
| i) Households Listening to Agricultural Programmes on the Radio: | | |
| Never listen | 43 | +++++++ |
| Listen weekly | 8 | + |
| " monthly | 8 | + |
| " occasionally | 43 | +++++++ |
| Total | 100 | |
| ii) Households with Members who can Read and Write: | | |
| Not able to read or write | | |
| Able to read | | |
| " write | | |
| " read and write | 100 | +++++ |
| | 100 | |
| iii) Households Visited by (any type of) Extension Worker: | | |
| Never been visited | 75 | +++++ |
| Visited very occasionally | 3 | . |
| " once per year | 5 | + |
| " " 6 months | 8 | + |
| " " 3 months | 3 | . |
| " " month | | |
| " " week | | |
| Don't know | 8 | + |
| | 100 | |
| iv) Households in which Members have Attended Training: | | |
| Never attended training | 80 | +++++ |
| Attended village meeting | 3 | . |
| " day course at training centre | 5 | + |
| " village meeting and day course | | |
| " residential course | 10 | ++ |
| " village meeting and residential course | 3 | . |
| " day and residential course | | |
| " village meeting, day and residential course ... | | |
| | 100 | |
| | 100 | |

5.2 Travel and communication are difficult in Solomon Islands, with scattered islands of low population densities. Radio offers a means of transmitting information throughout the country, albeit one-way, and in a medium which makes few demands on literacy. In the survey 53% of households listen to agricultural programmes on the radio, although mostly on an occasional basis. The communication of agricultural and other development information by radio may be extended further by word of mouth.

5.3 The second part of the table shows the proportion of households in which at least one member is able to read or write. According to these results 100% of households have at least one member with some reading and writing skills. The survey was unable to verify the level of skills or to substantiate this finding objectively, but the result suggests that simple written materials are an appropriate extension medium. In more general terms, pictorial materials would be popular together with simple text and annotation.

5.4 The frequency of extension visits is investigated in the third part of the table, and is illustrated in diagram 5.1.



5.5 Extension in the present study refers to any agricultural worker in government extension, research, NGOs or other organisations. 18% of households have been visited by extension, but only infrequently, and 20% have received some form of agricultural training.

Chapter: 6

LIVESTOCK

6.1 Livestock, particularly small stock such as pigs and chickens, are an important feature of smallholder agriculture in Solomon Islands.

6.2 The number of cattle in the 1985 census was 19,750 - a fall of 13.1% from 1984 due largely to destocking in the plantation sector. Overall the national herd was 22% below its peak of 1978, with an average annual fall of 3.4%⁽⁴⁾.

6.3 The smallholder sector accounted for 7,612 cattle, 39% of the national herd, showing a decline of 4.1% from the 1984 census. The distribution of cattle throughout the country is shown in table 6.1.

Table: 6.1
CATTLE DISTRIBUTION IN 1985

| Province | total cattle | % distribution |
|-------------|-----------------|-------------------|
| Western | 4,841 | 25 |
| Ysabel | 1,110 | 6 |
| Central | 2,081 | 10 |
| Guadalcanal | 6,292 | 32 |
| Malaita | 3,810 | 19 |
| Makira | 1,462 | 7 |
| Temotu | 217 | 1 |
| Total | 19,750 | 100 |

Source: Statistics Office, 1985 Cattle Census

6.4 In the 1982 Income and Expenditure Survey⁽³⁾ it was found that 37% of households owned pigs, 30% owned chickens, but only 8% owned cattle. The provincial breakdown is shown in table 6.2.

6.5 According to the 1986 Population Census⁽²⁾ 2% of households earned income from cattle, 12% earned income from pigs and 10% earned income from poultry.

Table: 6.2
LIVESTOCK DISTRIBUTION IN 1982

| Province | % households owning | | |
|-------------|---------------------|------|----------|
| | cattle | pigs | chickens |
| Western | 2 | 19 | 24 |
| Ysabel | 42 | 25 | 47 |
| Central | | 28 | 7 |
| Guadalcanal | 2 | 63 | 41 |
| Malaita | 9 | 35 | 28 |
| Makira | 10 | 69 | 63 |
| Temotu | | 40 | 4 |
| Total | 8 | 37 | 30 |

Source: Statistics Office, 1982 HH Income and Expenditure Survey

6.6 5% of households earned income from livestock (table 4.2) sales.

6.7 Table 6.3 summarises livestock ownership in the survey area, and is divided into three columns. The first, entitled "ownership %", specifies the percentage of households which own livestock. The middle two columns show mean stock held: firstly among livestock owning households (owners); and secondly as an average of all farmers in the survey area (both owners and non-owners). To the right of the table is a histogram summary of ownership based on the mean among all farmers.

6.8 The table is divided horizontally into three main parts. The first part specifies stock numbers kept predominantly for home use, but which may include occasional sales. The second part specifies stock numbers where livestock comprise an income earning enterprise. The third part is the overall mean of livestock ownership irrespective of type of enterprise. (Note that overall mean ownership figures are derived from the original data and may not be obtained from summation of the table entries above).

6.9 At the foot of the table is a component on novel livestock enterprises, such as bees, butterflies and crocodile farming, however, these were not encountered in the survey.

Table: 6.3
LIVESTOCK

Livestock Ownership:

| | ownership % | <-- mean ownership among --> owners all farmers | | summary all farmers |
|--|---|--|------|---------------------|
| i) Home Use | | | | |
| Cattle | | | | |
| Pigs | 28 | 2.00 | 0.55 | ++ |
| Goats | | | | |
| Chickens | 50 | 13.25 | 6.62 | +++++ |
| Ducks | | | | |
| Horses | | | | |
| ii) Commercial | | | | |
| Cattle | | | | |
| Pigs | | | | |
| Goats | | | | |
| Chickens | 3 | 70.00 | 1.75 | +++++ |
| Ducks | | | | |
| Horses | | | | |
| iii) Total | | | | |
| Cattle | | | | |
| Pigs | 28 | 2.00 | 0.55 | ++ |
| Goats | | | | |
| Chickens | 53 | 15.95 | 8.38 | +++++ |
| Ducks | | | | |
| Horses | | | | |
| iv) Households Earning Income | | | | |
| | <---- % households ----> by activity | | | |
| | individual | group | | |
| Income from: | | | | |
| 1. Bees or honey | | | | |
| 2. Butterflies | | | | |
| 3. Bees and Butterflies | | | | |
| 4. Crocodiles | | | | |
| 5. Bees and crocodiles | | | | |
| 6. Butterflies and crocodiles | | | | |
| 7. Bees, butterflies and crocodiles .. | | | | |

6.10 Livestock in small numbers, particularly small stock such as pigs and chickens, are a feature of smallholder agriculture in Simbo. Farmers report that they do not keep cattle and goats because of the shortage of land, but land may be made available for settlement on Kolombangara in the future.

6.11 Pigs play a less important role in the custom and life of rural households in Simbo than in many other parts of the country. The bride price is not paid in Simbo and so a major reason for keeping pigs is absent on the island. Pigs are kept mainly for special occasions such as Christmas and birthdays, and may be sold for cash - particularly to Ranongga. 28% of sampled farmers keep pigs with a mean herd size of 2.00 among owners. Pigs are generally kept in bamboo compounds, commonly roofed, and are fed in the morning and evening on staples such as sweet potato, coconut meat and scraps.

6.12 Chickens are kept mainly for family consumption, particularly at Christmas, birthdays and funerals when they are usually eaten on the fourth day after burial. Chickens are generally allowed to free range, requiring minimal management. Chickens are kept by 50% of sampled households with a mean flock size of 15.95 among owners.

6.13 A special feature of livestock in Simbo is the Megapod, a wild ground nesting bird which has been semi-domesticated through the staking of claims to, and protection of, nesting sites. Shelters are built over nesting sites and the soil softened so that the bird is able to dig easily. The average number of eggs which would be collected from a 40-60 sq m nesting site is about 60 to 100 eggs per fortnight.

6.14 Megapod eggs are a common and important part of the Simbo diet and are highly prized. They are also a source of income commanding a price of 20c to 30c per egg. Many eggs are consumed at church festivals and funerals, but are consumed by most families every week. The Megapod itself is strictly protected, with fines imposed on anyone killing a bird.

Chapter: 7

HOLDING SIZE DISTRIBUTION

7.1 Holding size distribution is of interest because it provides an understanding of the structure of agriculture and may help to explain constraints faced by farmers or response to services.

7.2 Table 7.1.i describes the holding size distribution of the survey area. Holdings are in general small and a high proportion of farmers have very small areas, with a mean holding size of 0.899ha. This can be seen in diagram 7.1 which shows that inequality in the holding size distribution arises largely because a high proportion of farmers fall in the very low holding size class of 0 to 0.25ha while a small proportion of farmers account for a disproportionate part of the farmed area.

7.3 The mean describes the "average" holding size and is of interest in that it provides a value for the "middle" of the data based on the spread of values, but it may be misleading when unbalanced extreme values occur. Another measure of central tendency is the median which is the "mid-point" in the data, the value of the middle item when the data are arranged in order. In a "normal distribution" the median and the mean coincide. The median in this case is 0.767ha which is close to the mean holding size.

7.4 An indicator of variability is the range, which is derived from extremes in the data. The minimum area is 0.061ha and the maximum is 2.993ha, a fairly small range of 2.932ha.

7.5 The standard deviation is a measure of variation based on the extent to which values deviate from the mean. If the data are closely bunched the standard deviation is small, and if they are widely spread it is large. In a normal distribution 68% of values lie within 1 standard deviation on either side of the mean, and 95% within 2 standard deviations. In the survey results the mean of 0.899ha has a standard deviation of 0.826 and a coefficient of variation of 92% (the standard deviation expressed as a percentage of the mean).

7.6 Skewness is an index of symmetry in the data. A normal distribution is symmetrical about the mean, with a skewness coefficient of zero, whereas a skewed distribution has a longer "tail" on one side than the other. The present data have a skewness of 0.955 indicating only slightly positive skewness.

7.7 Kurtosis is the extent to which the data cluster around a central point. When this occurs the distribution appears "peaked". Positive values of kurtosis indicate that the distribution is more peaked than normal. In the present data set has a very low coefficient of kurtosis of 0.254.

7.8 The indications are that there is little inequality in holding size distribution, but a high proportion of farmers have very small holdings while a few have relatively large holdings. The holding size distribution may be viewed in standard form in diagram 7.2. The diagonal represents the holding size distribution for equality and the curve below represents the actual (cumulative) holding size distribution. The area between the diagonal and the curve is the "area of inequality". The larger the area of inequality, the more unequal the holding size distribution. This may be expressed as an index, called the "Gini coefficient", which is the area between the two lines expressed as a proportion of the area of the triangle below the diagonal. The Gini coefficient ranges from 0 (for perfect equality) to 1 (for perfect inequality). The Gini coefficient here is 0.486, indicating a fairly low degree of inequality.

Table: 7.1
HOLDING SIZE DISTRIBUTION

i) All holdings and all crops

| holding size (ha) | number of holdings | mean area in class (ha) | total area in size class (ha) | <----- % -----> holdings | <----- % -----> area | <-- cumulative % --> holdings | <-- cumulative % --> area |
|----------------------|-----------------------|-------------------------------|-------------------------------------|-----------------------------|-------------------------|----------------------------------|------------------------------|
| 0 - .25 | 14 | 0.1295 | 1.81 | 35 | 5 | 35 | 5 |
| .25 - .5 | 3 | 0.3045 | 0.91 | 8 | 3 | 43 | 8 |
| .5 - .75 | 3 | 0.6263 | 1.88 | 8 | 5 | 50 | 13 |
| .75 - 1 | 4 | 0.8749 | 3.50 | 10 | 10 | 60 | 23 |
| 1 - 1.25 | 2 | 1.1557 | 2.31 | 5 | 6 | 65 | 29 |
| 1.25 - 1.5 | 6 | 1.3139 | 7.88 | 15 | 22 | 80 | 51 |
| 1.5 - 1.75 | 1 | 1.7109 | 1.71 | 3 | 5 | 83 | 56 |
| 1.75 - 2 | 4 | 1.8568 | 7.43 | 10 | 21 | 93 | 76 |
| 2 - 2.5 | | | | | | 93 | 76 |
| 2.5 - 3 | 3 | 2.8396 | 8.52 | 8 | 24 | 100 | 100 |
| 3 - 5 | | | | | | 100 | 100 |
| 5 - 10 | | | | | | 100 | 100 |
| 10 - highest | | | | | | 100 | 100 |
| Total | 40 | 0.8989 | 35.96 | 100 | 100 | | |
| Mean | 0.899 | | | S.E. Mean | | 0.131 | |
| Median | 0.767 | | | Coef. of Var % | | 92 | |
| Std Dev | 0.826 | | | Variance | | 0.683 | |
| Kurtosis | 0.254 | | | S.E. Kurtosis | | 0.733 | |
| Skewness | 0.955 | | | S.E. Skewness | | 0.374 | |
| Range | 2.932 | | | Minimum | | 0.061 | |
| Maximum | 2.993 | | | Sum | | 35.957 | |
| Gini | 0.486 | | | | | | |

Note that the main table is a frequency distribution of grouped intervals, while the statistics at the foot of the table describe the ungrouped data set.

HOLDING SIZE DISTRIBUTION

all holdings - all crops




Diagram: 7.1

LORENZ CURVE

all holdings - all crops




Diagram: 7.2

7.9 Table 8.1.ii shows the holding size distribution of only those farmers who have tree crops. The sample is reduced from 40 to 25, and so the stratum of farmers with tree crops represents 63% of farmers in the sample.

7.10 The mean holding size among tree cropping farmers is 1.349ha and the median is 1.264ha. The coefficient of skewness, kurtosis and the range remain at about the same levels as before, but as the majority of very small holdings are excluded the mean holding size is increased and the distribution is less scattered, with a coefficient of variation of 55%.

ii) Holdings with tree crops

| holding size (ha) | number of holdings | mean area in class (ha) | total area in size class (ha) | <----- % -----> | | <-- cumulative % --> | |
|----------------------|-----------------------|-------------------------------|-------------------------------------|-----------------|--------|----------------------|------|
| | | | | holdings | area | holdings | area |
| 0 - .25 | 1 | 0.1921 | 0.19 | 4 | 1 | 4 | 1 |
| .25 - .5 | 1 | 0.3023 | 0.30 | 4 | 1 | 8 | 1 |
| .5 - .75 | 3 | 0.6263 | 1.88 | 12 | 6 | 20 | 7 |
| .75 - 1 | 4 | 0.8749 | 3.50 | 16 | 10 | 36 | 17 |
| 1 - 1.25 | 2 | 1.1557 | 2.31 | 8 | 7 | 44 | 24 |
| 1.25 - 1.5 | 6 | 1.3139 | 7.88 | 24 | 23 | 68 | 48 |
| 1.5 - 1.75 | 1 | 1.7109 | 1.71 | 4 | 5 | 72 | 53 |
| 1.75 - 2 | 4 | 1.8568 | 7.43 | 16 | 22 | 88 | 75 |
| 2 - 2.5 | | | | | | 88 | 75 |
| 2.5 - 3 | 3 | 2.8396 | 8.52 | 12 | 25 | 100 | 100 |
| 3 - 5 | | | | | | 100 | 100 |
| 5 - 10 | | | | | | 100 | 100 |
| 10 - highest | | | | | | 100 | 100 |
| <hr/> | | | | | | | |
| Total | 25 | 1.3490 | 33.72 | 100 | 100 | | |
| <hr/> | | | | | | | |
| Mean | 1.349 | | | S.E. Mean | 0.147 | | |
| Median | 1.264 | | | Coef. of Var % | 55 | | |
| Std Dev | 0.736 | | | Variance | 0.542 | | |
| Kurtosis | 0.341 | | | S.E. Kurtosis | 0.902 | | |
| Skewness | 0.754 | | | S.E. Skewness | 0.464 | | |
| Range | 2.801 | | | Minimum | 0.192 | | |
| Maximum | 2.993 | | | Sum | 33.725 | | |
| Gini | 0.290 | | | | | | |

7.11 The new distribution of farmers with tree crops is illustrated in diagram 7.3, and its associated Lorenz curve in diagram 7.4. Inequalities have been slightly reduced by excluding the smaller holdings and the holding size distribution is more "normal" with a Gini coefficient of 0.290.

HOLDING SIZE DISTRIBUTIONholdings with tree crops




Diagram: 7.3

LORENZ CURVEholdings with tree crops




Diagram: 7.4

7.12 The corresponding stratum of farmers with no tree crops is shown in table 7.1.iii. 15 farmers, or 37% of the sample have no tree crops. The mean holding size is 0.149ha and the median is 0.156. The range is relatively wide because three farmers have holdings of greater than 1ha, but a high proportion of farmers again tend to have very small holdings. Skewness is low and kurtosis is slightly negative. The distribution has a coefficient of variation of 57%.

7.13 The holding size distribution is illustrated in diagram 7.5, and its associated Lorenz curve in diagram 7.6. Inequality is very low with a Gini coefficient of 0.284.

iii) Holdings without tree crops

| holding size (ha) | number of holdings | mean area in class (ha) | total area in size class (ha) | <----- % -----> holdings area | | <-- cumulative % --> holdings area | |
|----------------------|-----------------------|-------------------------------|-------------------------------------|---|-----|--|-----|
| 0 - .1 | 7 | 0.0745 | 0.52 | 47 | 23 | 47 | 23 |
| .1 - .2 | 4 | 0.1686 | 0.67 | 27 | 30 | 73 | 54 |
| .2 - .3 | 3 | 0.2380 | 0.71 | 20 | 32 | 93 | 86 |
| .3 - .4 | 1 | 0.3222 | 0.32 | 7 | 14 | 100 | 100 |
| .4 - .5 | | | | | | 100 | 100 |
| .5 - .6 | | | | | | 100 | 100 |
| .6 - .7 | | | | | | 100 | 100 |
| .7 - .8 | | | | | | 100 | 100 |
| .8 - .9 | | | | | | 100 | 100 |
| .9 - 1 | | | | | | 100 | 100 |
| 1 - 1.5 | | | | | | 100 | 100 |
| 1.5 - 2 | | | | | | 100 | 100 |
| 2 - highest | | | | | | 100 | 100 |
| <hr/> | | | | | | | |
| Total | 15 | 0.1488 | 2.23 | 100 | 100 | | |
| <hr/> | | | | | | | |
| Mean | 0.149 | | | S.E. Mean | | 0.022 | |
| Median | 0.156 | | | Coef. of Var % | | 57 | |
| Std Dev | 0.085 | | | Variance | | 0.007 | |
| Kurtosis | -0.369 | | | S.E. Kurtosis | | 1.121 | |
| Skewness | 0.738 | | | S.E. Skewness | | 0.580 | |
| Range | 0.261 | | | Minimum | | 0.061 | |
| Maximum | 0.322 | | | Sum | | 2.232 | |
| Gini | 0.284 | | | | | | |

Note the smaller size classes in this table with respect to previous tables.

HOLDING SIZE DISTRIBUTION

holdings without tree crops




Diagram: 7.6

LORENZ CURVE

holdings without tree crops




Diagram: 7.6

7.14 Table 7.1.iv describes the holding size distribution of all farmers, but excluding tree crop areas. The holding size distribution is illustrated in diagrams 7.7 and 7.8. These results are similar to those for non-tree crop farmers, indicating that subsistence cropping is similar among all farmers with a mean area of 0.145ha.

iv) All holdings - total area excluding tree crops

| holding size (ha) | number of holdings | mean area in class (ha) | total area in size class (ha) | <----- % -----> holdings area | | <-- cumulative % --> holdings area | |
|----------------------|-----------------------|-------------------------------|-------------------------------------|---|-----|--|-----|
| 0 - .1 | 16 | 0.0792 | 1.27 | 41 | 22 | 41 | 22 |
| .1 - .2 | 14 | 0.1474 | 2.06 | 36 | 37 | 77 | 59 |
| .2 - .3 | 7 | 0.2392 | 1.67 | 18 | 30 | 95 | 89 |
| .3 - .4 | 2 | 0.3211 | 0.64 | 5 | 11 | 100 | 100 |
| .4 - .5 | | | | | | 100 | 100 |
| .5 - .6 | | | | | | 100 | 100 |
| .6 - .7 | | | | | | 100 | 100 |
| .7 - .8 | | | | | | 100 | 100 |
| .8 - .9 | | | | | | 100 | 100 |
| .9 - 1 | | | | | | 100 | 100 |
| 1 - 1.5 | | | | | | 100 | 100 |
| 1.5 - 2 | | | | | | 100 | 100 |
| 2 - highest | | | | | | 100 | 100 |
| <hr/> | | | | | | | |
| Total | 39 | 0.1448 | 5.65 | 100 | 100 | | |
| <hr/> | | | | | | | |

| | | | |
|----------|--------|----------------|-------|
| Mean | 0.145 | S.E. Mean | 0.012 |
| Median | 0.122 | Coef. of Var % | 52 |
| Std Dev | 0.075 | Variance | 0.006 |
| Kurtosis | -0.005 | S.E. Kurtosis | 0.741 |
| Skewness | 0.921 | S.E. Skewness | 0.378 |
| Range | 0.261 | Minimum | 0.061 |
| Maximum | 0.322 | Sum | 5.647 |
| Gini | 0.254 | | |

HOLDING SIZE DISTRIBUTION

all holdings excluding tree crops




Diagram: 7.7

LORENZ CURVE

all holdings excluding tree crops




Diagram: 7.8

7.15 Table 7.1.v describes the size distribution of tree crop areas, illustrated in diagrams 7.9 and 7.10.

v) All holdings - total area of tree crops only

| holding size (ha) | number of holdings | mean area in class (ha) | total area in size class (ha) | <----- % -----> holdings area | | <-- cumulative % --> holdings area | |
|----------------------|-----------------------|-------------------------------|-------------------------------------|---|-----|--|-----|
| 0 - .25 | 2 | 0.1583 | 0.32 | 8 | 1 | 8 | 1 |
| .25 - .5 | 1 | 0.3600 | 0.36 | 4 | 1 | 12 | 2 |
| .5 - .75 | 4 | 0.6153 | 2.46 | 16 | 8 | 28 | 10 |
| .75 - 1 | 4 | 0.8933 | 3.57 | 16 | 12 | 44 | 22 |
| 1 - 1.25 | 6 | 1.1844 | 7.11 | 24 | 23 | 68 | 46 |
| 1.25 - 1.5 | | | | | | 68 | 46 |
| 1.5 - 1.75 | 4 | 1.6492 | 6.60 | 16 | 22 | 84 | 67 |
| 1.75 - 2 | 1 | 1.7884 | 1.79 | 4 | 6 | 88 | 73 |
| 2 - 2.5 | 1 | 2.5000 | 2.50 | 4 | 8 | 92 | 82 |
| 2.5 - 3 | 2 | 2.8031 | 5.61 | 8 | 18 | 100 | 100 |
| 3 - 5 | | | | | | 100 | 100 |
| 5 - 10 | | | | | | 100 | 100 |
| 10 - highest | | | | | | 100 | 100 |
| Total | 25 | 1.2124 | 30.31 | 100 | 100 | | |

| | | | |
|----------|-------|----------------|--------|
| Mean | 1.212 | S.E. Mean | 0.145 |
| Median | 1.169 | Coef. of Var % | 60 |
| Std Dev | 0.727 | Variance | 0.529 |
| Kurtosis | 0.326 | S.E. Kurtosis | 0.902 |
| Skewness | 0.787 | S.E. Skewness | 0.464 |
| Range | 2.751 | Minimum | 0.084 |
| Maximum | 2.835 | Sum | 30.309 |
| Gini | 0.319 | | |

7.16 Indicators of variability are low indicating that variability in holding size is largely accounted for by differences in holding size between tree cropping and non-tree cropping farmers.

HOLDING SIZE DISTRIBUTION

all holdings - tree crops only

holding size (ha)




Diagram: 7.9

LORENZ CURVE

all holdings - tree crops only




Diagram: 7.10

Chapter: 8

LABOUR DENSITY

8.1 According to Bathgate⁽¹⁸⁾ "increments in the population of a household do not result in an expansion in the garden area. Instead, the garden area holds constant and ... the actual area per consumption and labour unit decreases ... Although there is a variation ... the average household ... tends to clear a fairly similar amount of land for gardens and plant a similar area of root crops". Bathgate postulates that there is no relationship between household size and food garden area. Larger family sizes are not then associated with larger holdings, and he attributes this to a tendency among subsistence producers to cultivate in excess of household requirements as insurance against crop failure.


8.2 In the present survey the area of food crops is found to be relatively constant in comparison to a variable tree crop area. Table 8.1 shows the relationship between holding size and labour availability.

Table: 8.1
LABOUR DENSITY - ALL HOLDINGS

| holding size class (ha) | : | units of labour | mean holding area (ha) | labour density (labour/ha) | number of observations |
|-------------------------------|---|-----------------------|---------------------------------|----------------------------------|------------------------------|
| all holdings | : | 3.56 | 0.90 | 3.96 | 40 |
| < .25 | : | 3.31 | 0.13 | 25.59 | 14 |
| .25 - .5 | : | 5.73 | 0.30 | 18.83 | 3 |
| .5 - .75 | : | 3.40 | 0.63 | 5.43 | 3 |
| .75 - 1 | : | 3.48 | 0.87 | 3.97 | 4 |
| 1 - 1.25 | : | 4.70 | 1.16 | 4.07 | 2 |
| 1.25 - 1.5 | : | 2.78 | 1.31 | 2.12 | 6 |
| 1.5 - 1.75 | : | 5.90 | 1.71 | 3.45 | 1 |
| 1.75 - 2 | : | 3.28 | 1.86 | 1.76 | 4 |
| 2 - 2.5 | : | | | | |
| 2.5 - 3 | : | 3.17 | 2.84 | 1.12 | 3 |
| 3 - 5 | : | | | | |
| 5 - 10 | : | | | | |
| > 10 | : | | | | |

8.3 There is no apparent relationship between holding size and available labour. Results are in agreement with Bathgate's findings since labour density falls rapidly from 25.59 adult units per hectare for the smallest holding class (less than 0.25ha) to 1.12 units in the largest (2.5-3ha) class. Small holdings then have a very high labour density while the larger holdings have a moderately low labour density, as seen in diagram 8.1.

8.4 Labour densities are high on small holdings and with a mean of 3.96 labour units per hectare, labour is unlikely to be seriously limiting.



8.5 Holdings without tree crops are shown in table 8.2.

Table: 8.2

LABOUR DENSITY - NON-TREE CROP HOLDINGS

| holding size class (ha) | : | units of labour | mean holding area (ha) | labour density (labour/ha) | number of observations |
|-------------------------------|---|-----------------------|---------------------------------|----------------------------------|------------------------------|
| all holdings | : | 3.33 | 0.15 | 22.40 | 15 |
| < .25 | : | 3.39 | 0.12 | 27.23 | 13 |
| .25 - .5 | : | 2.95 | 0.31 | 9.65 | 2 |
| .5 - .75 | : | | | | |
| .75 - 1 | : | | | | |
| 1 - 1.25 | : | | | | |
| 1.25 - 1.5 | : | | | | |
| 1.5 - 1.75 | : | | | | |
| 1.75 - 2 | : | | | | |
| 2 - 2.5 | : | | | | |
| 2.5 - 3 | : | | | | |
| 3 - 5 | : | | | | |
| 5 - 10 | : | | | | |
| > 10 | : | | | | |

8.6 The range of holding size is much smaller and the mean labour density is 22.4 labour units per hectare. The largest holdings of up to 0.5ha in size have a labour availability of 9.65 units per hectare. All holdings then have a very high labour density.

8.7 Holdings with tree crops are shown in table 8.3.

Table: 8.3

LABOUR DENSITY - TREE CROP HOLDINGS

| holding size class (ha) | : | units of labour | mean holding area (ha) | labour density (labour/ha) | number of observations |
|-------------------------------|---|-----------------------|---------------------------------|----------------------------------|------------------------------|
| all holdings | : | 3.69 | 1.35 | 2.74 | 25 |
| < .25 | : | 2.30 | 0.19 | 11.97 | 1 |
| .25 - .5 | : | 11.30 | 0.30 | 37.38 | 1 |
| .5 - .75 | : | 3.40 | 0.63 | 5.43 | 3 |
| .75 - 1 | : | 3.48 | 0.87 | 3.97 | 4 |
| 1 - 1.25 | : | 4.70 | 1.16 | 4.07 | 2 |
| 1.25 - 1.5 | : | 2.78 | 1.31 | 2.12 | 6 |
| 1.5 - 1.75 | : | 5.90 | 1.71 | 3.45 | 1 |
| 1.75 - 2 | : | 3.28 | 1.86 | 1.76 | 4 |
| 2 - 2.5 | : | | | | |
| 2.5 - 3 | : | 3.17 | 2.89 | 1.09 | 3 |
| 3 - 5 | : | | | | |
| 5 - 10 | : | | | | |
| > 10 | : | | | | |

8.8 There is again little or no apparent relationship between holding size and labour availability. The mean labour density is 2.74 units per hectare, falling off from 11.97 units per hectare on the smaller holdings to 1.09 units per hectare on the holding of 2.5 to 3ha in size.

8.9 Holdings are small and the availability of land is more likely to be a constraint to agricultural development than labour availability. This may be compensated to some extent by, or related to, the high level of formal employment in the area.

Chapter: 9

CROPPING PATTERNS

9.1 A "holding" is taken here to be the total area cultivated by a household. It includes all crops growing and land cleared, but does not include fallow which the family may have rights to cultivate.

9.2 A holding is divided into one or more "gardens", which are contiguous blocks of land growing similar crops. Only broad distinctions are made among crop types in gardens.

9.3 A garden may be subdivided into "plots" which are blocks within each garden growing a different crop mix, under different management, or planted at different times. Within plots detailed crop mixtures are recorded.

9.4 Table 9.1 describes cropping patterns at the garden level, maintaining the distinction between farmers with tree crop gardens and those without. A tree crop garden is taken to be a garden in which one or more plots have coconut or cocoa as the dominant crop.

9.5 Tree crop farmers have a mean holding size of 1.34ha, of which 1.21ha is tree crops and 0.13ha food crops. In contrast, non-tree crop farmers have a mean holding size of 0.15ha.

9.6 Tree cropping farmers tend to have more complex holdings, with an average of 2.40 gardens and 4.16 plots compared with 1.67 gardens and 3.07 plots among non-tree crop farmers.

9.7 Table 9.2 describes cropping patterns in more detail. This is derived from the aggregation of plot information in which complex mixtures are summarised by the dominant crop.

9.8 7 major crop mixture classes are listed in table 9.2, predominantly coconuts and root crops.

Table: 9.1
CROP COMPOSITION

i) All holdings

| crop category | mean area in holding (ha) | mean no gardens per holding | mean no plots per holding | mean no plots per garden | summary of crop area |
|-----------------------|---------------------------------|-----------------------------------|---------------------------------|--------------------------------|----------------------|
| cleared land | | 0.03 | 0.03 | 1.00 | |
| tree crops | 0.76 | 0.68 | 0.70 | 1.03 | +++++++ |
| short term cash crops | | | | | |
| food crops | 0.14 | 1.43 | 3.03 | 2.12 | + |
| total | 0.90 | 2.14 | 3.76 | 1.76 | |

number of observations = 40

ii) Holdings with tree crops

| crop category | mean area in holding (ha) | mean no gardens per holding | mean no plots per holding | mean no plots per garden | summary of crop area |
|-----------------------|---------------------------------|-----------------------------------|---------------------------------|--------------------------------|----------------------|
| cleared land | | 0.04 | 0.04 | 1.00 | |
| tree crops | 1.21 | 1.08 | 1.12 | 1.04 | +++++++ |
| short term cash crops | | | | | |
| food crops | 0.13 | 1.28 | 3.00 | 2.34 | + |
| total | 1.34 | 2.40 | 4.16 | 1.73 | |

number of observations = 25

iii) Holdings without tree crops

| crop category | mean area in holding (ha) | mean no gardens per holding | mean no plots per holding | mean no plots per garden | summary of crop area |
|-----------------------|---------------------------------|-----------------------------------|---------------------------------|--------------------------------|----------------------|
| cleared land | | | | | |
| tree crops | | | | | |
| short term cash crops | | | | | |
| food crops | 0.15 | 1.67 | 3.07 | 1.84 | + |
| total | 0.15 | 1.67 | 3.07 | 1.84 | |

number of observations = 15

Table: 9.2
CROPPING PATTERNS

| main crop in mixture | all farmers | | <----- farmers with -----> | | | |
|----------------------|----------------------|-------|----------------------------|----|--------------|----|
| | | | no tree crops | | tree crops | |
| | <-- area --> | | <-- area --> | | <-- area --> | |
| | (ha) | % | (ha) | % | (ha) | % |
| a Cleared Land | 0.007 | 1 | 0.007 | 5 | 0.006 | 0 |
| b Coconut | 0.727 | 81 | | | 1.164 | 86 |
| c Cocoa | | | | | | |
| z Coconut and Cocoa | 0.030 | 3 | | | 0.048 | 4 |
| d Pasture | | | | | | |
| e Grain Crops | 0.000 | 0 | | | 0.000 | 0 |
| f Beans | | | | | | |
| g Cabbage | | | | | | |
| h Vegetables | | | | | | |
| i Spices | | | | | | |
| j Fruit Crops | | | | | | |
| k Fruit trees | | | | | | |
| l Banana | 0.002 | 0 | 0.004 | 3 | | |
| m Citrus trees | | | | | | |
| n Nut trees | | | | | | |
| o Sugar cane | | | | | | |
| p Food/building tree | | | | | | |
| q Tobacco | | | | | | |
| r Sweet Potato | 0.127 | 14 | 0.133 | 90 | 0.123 | 9 |
| s Taro | | | | | | |
| t Yam | 0.001 | 0 | | | 0.001 | 0 |
| u Pana | | | | | | |
| v Cassava | 0.006 | 1 | 0.004 | 3 | 0.006 | 0 |
| w Other root crop | | | | | | |
| I | | | | | | |
| I | Total mean area (ha) | 0.899 | 0.149 | | 1.349 | I |
| I | | | | | | |
| I | Number of households | 40 | 15 | | 25 | I |
| I | | | | | | |

9.9 The dominant crops are coconuts and root crops. Cropping patterns are illustrated in diagrams 9.1 to 9.3.

9.10 Table 9.2 is still a simplification of cropping patterns found in the field. Table 9.3 describes in more detail the crop mixtures grown by farmers. This no longer applies to a "model" holding but, in aggregate, detailed cropping patterns may be used to determine proportional areas under crop mixtures. Mixtures are listed hierarchically to the left of the table according to the relative dominance of each crop in the mixture. The three main crops are listed by name and any further crops are referred to by code letters. The column of "mean plot area" records the mean area of plots measured in the field according to the number of observations shown in the next column to the right. The column on the far right is the proportional area by crop mixture.

9.11 Crop mixtures are unusual since they lack the complexity of smallholder farming systems in other parts, with only 31 distinct mixtures recorded. Small areas of vegetable and short term cash crops are typically scattered among food gardens.

9.12 Table 9.4 summarises tree cropping. The table is in two parts, first showing the average number of trees and second the number of observations on which they are based. Each table is subdivided horizontally into cultivated garden and fallow, and vertically by garden type.

9.13 The averages in the top table are based on all plots (not only the plots in which trees are grown). In the far right column of the lower table is listed the number of observations for which trees are too numerous to count. These are excluded from the averages in the upper table.

CROPPING PATTERNS

all farmers




Diagram: 9.1

CROPPING PATTERNS

farmers with no tree crops




Diagram: 9.2

CROPPING PATTERNS

farmers with tree crops




Diagram: 9.3

Table: 9.3
DETAILED CROPPING PATTERNS

| <----- main crop in mixture -----> | | | | minor | mean | number | % | % |
|------------------------------------|-------------------------|-------------|-------------|---------|--------------|--------|-------|-------|
| crop | <----- crop name -----> | | | mixture | plot | of | plots | area |
| code | first | second | third | code | area (ha) | plots | | |
| TOTAL | | | | | 0.0293 | 150 | 100 | 100 |
| a | Cleared land | | | | 0.0335 | 8 | 5 | 0.745 |
| b | Coconuts | | | | 1.0992 | 26 | 17 | 79.48 |
| | | Cocoa | | | 1.2145 | 1 | 1 | 3.377 |
| | | Nut trees | Fruit trees | | 0.5140 | 1 | 1 | 1.429 |
| e | Grain crops | Vegetable | | | 0.0065 | 1 | 1 | 0.018 |
| l | Banana | | | | 0.0553 | 1 | 1 | 0.153 |
| r | Sweet potato | | | | 0.0380 | 39 | 26 | 4.123 |
| | | Grain crops | Sugar cane | | 0.0198 | 1 | 1 | 0.055 |
| | | Cabbage | | | 0.0473 | 32 | 21 | 4.210 |
| | | | Vegetable | o | 0.0267 | 1 | 1 | 0.074 |
| | | | Nut trees | | 0.0546 | 1 | 1 | 0.151 |
| | | Cabbage | Sugar cane | t | 0.1003 | 3 | 2 | 0.836 |
| | | | | | 0.0858 | 1 | 1 | 0.238 |
| | | | Cassava | | 0.0448 | 2 | 1 | 0.249 |
| | | Banana | Cabbage | | 0.0624 | 2 | 1 | 0.346 |
| | | Sugar cane | | | 0.0275 | 2 | 1 | 0.152 |
| | | Yam | | | 0.0669 | 1 | 1 | 0.186 |
| | | | Cabbage | | 0.0356 | 1 | 1 | 0.099 |
| | | Pana | Cabbage | v | 0.0303 | 1 | 1 | 0.084 |
| | | Cassava | | | 0.0255 | 4 | 3 | 0.283 |
| | | | Cabbage | | 0.1024 | 5 | 3 | 1.423 |
| | | | | j | 0.0849 | 1 | 1 | 0.236 |
| | | | | o | 0.0310 | 1 | 1 | 0.086 |
| | | | Banana | g | 0.0858 | 1 | 1 | 0.238 |
| | | | | k | 0.2186 | 1 | 1 | 0.607 |
| | | | Sugar cane | | 0.1078 | 1 | 1 | 0.299 |
| | | | | g | 0.0467 | 1 | 1 | 0.129 |

CROPPING PATTERNS (continued)

| <----- main crop in mixture -----> | | | | minor mixture code | mean plot area (ha) | number of plots | % plots | % area |
|------------------------------------|-------------------------|--------------|-------|--------------------------|------------------------------|-----------------------|------------|-----------|
| crop code | <----- crop name -----> | | | | | | | |
| | first | second | third | | | | | |
| t | Yam | | | | 0.0175 | 1 | 1 | 0.048 |
| v | Cassava | | | | 0.0181 | 5 | 3 | 0.251 |
| | | Garin crops | | | 0.0302 | 1 | 1 | 0.083 |
| | | Cabbage | | | 0.0361 | 2 | 1 | 0.200 |
| | | Sweet potato | Pana | go | 0.0317 | 1 | 1 | 0.088 |

Crop Key:

| | | | | | |
|---|--------------|---|--------------------|---|-----------------|
| a | Cleared land | j | Fruit crops | r | Sweet potato |
| b | Coconut | k | Fruit trees | s | Taro |
| c | Cocoa | l | Banana | t | Yam |
| d | Pasture | m | Citrus trees | u | Pana |
| e | Grain crops | n | Nut trees | v | Cassava |
| f | Beans | o | Sugar cane | w | Other root crop |
| g | Cabbage | p | Food/building tree | | |
| h | Vegetable | q | Tobacco | | |
| i | Spices | | | | |

Table: 9.4
TREE CROPS IN GARDENS

<----- average number of trees per garden ----->

| crop type: | cleared land | tree crops | short term cash crops | food crops | all crops |
|---------------------------|-----------------|------------|--------------------------|------------|-----------|
| i) In cultivated gardens: | | | | | |
| fruit trees | | 1.04 | | 0.04 | 0.35 |
| citrus | | 0.07 | | 0.05 | 0.06 |
| nut trees | | 1.31 | | 0.55 | 0.78 |
| sweet banana | | | | 0.07 | 0.40 |
| cooking banana | | 0.19 | | 1.21 | 0.87 |
| ii) In fallow of gardens: | | | | | |
| fruit trees | | 0.30 | | 0.02 | 0.11 |
| citrus | | 0.11 | | 0.02 | 0.05 |
| nut trees | | 0.85 | | 0.46 | 0.57 |
| sweet banana | | | | 0.86 | 0.58 |
| cooking banana | | 0.19 | | 1.89 | 1.33 |

<----- number of observations ----->

| crop type: | cleared land | tree crops | short term cash crops | food crops | many but "unknown" |
|---------------------------|-----------------|------------|--------------------------|------------|-----------------------|
| i) In cultivated gardens: | | | | | |
| fruit trees | 1 | 27 | | 57 | |
| citrus | 1 | 27 | | 57 | |
| nut trees | 1 | 26 | | 56 | 2 |
| sweet banana | 1 | 27 | | 56 | 1 |
| cooking banana | 1 | 27 | | 56 | 1 |
| ii) In fallow of gardens: | | | | | |
| fruit trees | 1 | 27 | | 57 | |
| citrus | 1 | 27 | | 57 | |
| nut trees | 1 | 26 | | 57 | 1 |
| sweet banana | 1 | 27 | | 57 | |
| cooking banana | 1 | 27 | | 57 | |

9.14 Bananas, particularly for cooking, nut trees and to a lesser extent fruit trees are crops of importance.

Chapter: 10

COCONUT AND COCOA

10.1 Coconut and cocoa have been studied in some detail before, both in the 1974-75 Sample Survey of Agriculture⁽⁵⁾ and in the 1985 Coconut Survey⁽⁶⁾. Only comparative data are therefore included in the present survey.

10.2 Copra exports from Solomon Islands started in the late 19th century, rising from 1,220 MT in 1895 to 23,000 MT in the '20s and '30s. Following disruption during the second world war production did not achieve pre-war levels again until the 1960s. Copra production has continued to rise since, exceeding 40,000 MT in 1984 and 1985. Following cyclone Namu copra production fell by about 20 to 25%, but showed some recovery in 1987/88.

10.3 The structure of the copra economy has varied considerably since the start of trading. Initially a smallholder crop, the plantation sector came to dominate production from 1915 onwards. Since the 1970s smallholder production has been growing by about 4.5% annually and smallholder copra production now accounts for around 70% of the total⁽⁸⁾.

10.4 The area under smallholder coconuts has expanded considerably over the past 15 years, in part due to a subsidy scheme operating from 1968 to 1978 which was designed to encourage the rehabilitation, planting and replanting of coconut palms. Consequently the age structure of smallholder palms is young, with almost half the palms planted since 1970 and nearly 90% planted since the war⁽⁸⁾.

10.5 The total number of coconut palms in Solomon Islands is estimated to be around 9 million, covering an area of approximately 60,000 hectares. Table 10.1 shows the provincial breakdown of copra production, in which Western, Guadalcanal, Malaita and Central Provinces account for about 80% of production.

10.6 The mean national copra yield is 0.72 MT per hectare according to the 1985 Coconut Survey⁽⁷⁾. The 1974-75 Sample Survey of Agriculture found that the average number of coconuts per palm was 36 (30 in the 1985 Coconut Survey) and assumes an average whole nut weight of 1.2kgs with 190gm dried copra equivalent per nut. Disciplined plantings were found to yield 40% more per tree than customary plantings, but only 7% more per unit area because of the greater density of customary planted trees. This result was questioned in the 1985 Survey.

Table: 10.1

COPRA AREA AND PRODUCTION BY PROVINCE (1984)

| Province | (-- area --) | | (-- production --) | | yield (MT/ha) | number of palms |
|-------------|--------------|-----|--------------------|-----|------------------|--------------------|
| | (ha) | % | (MT) | % | | |
| Western | 14,454 | 25 | 13,816 | 32 | 0.96 | 2,093,795 |
| Ysabel | 5,230 | 9 | 2,969 | 7 | 0.57 | 817,555 |
| Central | 7,909 | 13 | 9,073 | 21 | 1.15 | 1,287,680 |
| Guadalcanal | 12,758 | 22 | 7,324 | 17 | 0.57 | 1,824,790 |
| Malaita | 11,890 | 20 | 5,575 | 13 | 0.47 | 1,980,595 |
| Makira | 3,555 | 6 | 2,562 | 6 | 0.75 | 540,810 |
| Temotu | 3,032 | 5 | 1,167 | 3 | 0.38 | 494,420 |
| Total | 58,918 | 100 | 42,586 | 100 | 0.72 | 9,039,645 |

Source: Statistics Office, Solomon Islands (1986), Statistical Bulletin 18/86

10.7 The yield from well maintained plantations was found to be higher than from poorly maintained plantations, but the 1985 Coconut Survey attributed this to more intensive harvesting rather than the productivity of palms⁽⁵⁾.

10.8 In the 1985 Coconut Survey soil type was classified into three broad categories. 41% of plots lay on sand or coral; 47% on black alluvial soils; and 21% on red clay. It was concluded that the reason for low yields is often area specific but soil nutrient deficiency, notably potassium, is an important factor. Despite this, and high copra prices at the time, the 1974-75 survey found that "fertilizer is only applied when provided under some sort of subsidy scheme" and that "smallholder farmers will not buy fertilizer to use on their own plots. There is generally a lack of understanding of the use of fertilizer by farmers, and in many cases a reluctance to use it even when it is provided at a subsidised price"⁽⁵⁾.

10.9 Other important factors identified in the 1985 Coconut Survey as affecting production were pests and disease. Over half the plots sampled in the 1985 suffered from Leaf Spot, which may refer to the symptoms of pest infestation or nutrient deficiency. One quarter of plots showed some evidence of White Thread, but it was felt that neither problem significantly affected output. About 40 to 50 percent of plots were felt to be disease free⁽⁷⁾.

10.10 Amblypelta cocophaga appeared to be a significant pest in parts of Western province, the Floridas, Guadalcanal and Malaita. 38% of households reported premature nutfall which is linked to Amblypelta in certain localities. Brontispa spp was also evident, and minor pests included rhinoceros beetle⁽⁷⁾, (Scapanes australis), rats, cockatoos, flying foxes and others.

10.11 The coconut survey of 1985 found that the average spacing of 7.5metres for palms was not significantly different between triangular and square planted plots. On customary plantings there was a wide variation in planting density, but the majority of plots were similar to disciplined plantings⁽⁷⁾.

10.12 The 1974-75 sample survey of agriculture found that more than half of all immature palms were well maintained. Among bearing trees more than 60% of disciplined plantings were well maintained compared to 47% of customary planted palms⁽⁵⁾. The 1985 coconut survey found lower management standards, and that even with 30% of farmers hiring workers to assist with maintenance only 39% of plots were well brushed. 47% revealed weed growth to shoulder height, and 13% of plots were totally neglected⁽⁷⁾. The relationship between levels of maintenance, yield and soil conditions was not established in the 1985 survey.

10.13 Table 10.2 presents additional results from the present study. 27 plots of coconuts in pure stand are recorded, with 1 plot of coconut and cocoa.

10.14 Maintenance standards in the survey area are reasonably high, with most plots brushed at least to shoulder height. 67% of plots are brushed to ground level, 22% are brushed to shoulder height and 11% have a ground cover of secondary bush. Maintenance levels are illustrated in diagram 10.1.

Table: 10.2

COCONUTS AND COCOA

<----- % plots ----->
 coconut cocoa coconut
 + cocoa

i) Intercropping:

| | | |
|--------------------------------|-----|-----|
| Pure stand | 100 | |
| Intercropping with: | | |
| Coconut + cocoa | | 100 |
| Short term cash crops | | |
| Food crops | | |
| Livestock | | |
| <hr/> | | |
| Total % | 100 | 100 |
| Number of observations (plots) | 27 | 1 |
| <hr/> | | |

ii) Maintenance:

| | | |
|----------------------------|-----|-----|
| Undercropped | | |
| Brushed to ground level | 67 | |
| Brushed to shoulder height | 22 | 100 |
| Secondary bush | 11 | |
| Burnt | | |
| <hr/> | | |
| Total % | 100 | 100 |
| Number of plots | 27 | 1 |
| <hr/> | | |

iii) Coconut variety composition

| | | |
|-----------------|-----|-----|
| Tall | 96 | 100 |
| Rennel | 4 | |
| Dwarf | | |
| Other | | |
| <hr/> | | |
| Total % | 100 | 100 |
| Number of plots | 27 | 1 |
| <hr/> | | |

iv) Coconut age composition


| | | |
|-----------------|-----|-----|
| < 8 years | 2 | |
| 9 - 16 years | 7 | |
| 17 - 40 years | 80 | 100 |
| > 40 years | 11 | |
| senescent | | |
| <hr/> | | |
| Total % | 100 | 100 |
| Number of plots | 27 | 1 |
| <hr/> | | |

v) Cocoa age composition

| | |
|-----------------|-----|
| < 3 years | |
| 3 - 5 years | |
| 6 - 25 years | 100 |
| > 25 years | |
| <hr/> | |
| Total % | 100 |
| Number of plots | 1 |
| <hr/> | |

vi) Cocoa shade

| | |
|---------------------|-----|
| coconuts | 100 |
| planted shade | |
| natural shade | |
| planted and natural | |
| <hr/> | |
| Total % | 100 |
| Number of plots | 1 |
| <hr/> | |



10.15 In the survey the coconut variety is mainly local tall. 2% are less than eight years of age, 7% are in the age band 9-16 years, 80% are 17-40 years of age and 11% are older than 40 years.

10.16 In one plot of cocoa under coconuts the age of cocoa is 6 to 25 years.

Chapter: 11

FALLOW

11.1 Throughout Solomon Islands almost all gardens are cultivated according to a form of shifting cultivation with bush fallow. In the 1974-75 Sample Survey of Agriculture it was found that, where population density or land tenure problems have restricted the availability of suitable land, the length of fallow may be reduced from the optimum 7 to 20 years to as little as one or two years. In such areas soil fertility is diminished through over frequent cropping⁽⁵⁾.

11.2 Solomon Islands soils generally have a low to very low potassium status. The geology of the country is composed in the main of rocks which are low in potassium bearing minerals, and potassium is readily leached under conditions of continuously high rainfall and rugged topography. Fallow is essential for the restoration of potassium fertility: "Under traditional shifting cultivation the depletion of potassium by crops is gradually reversed over a period of 3-15 years or more by a combination of mineral weathering and root systems incorporating potash in the nutrient cycle". Although burning leads to an erratic distribution of potassium in the topsoil, "the burning of vegetative trash is beneficial and it has been shown that topsoil potassium is increased by as much as 100% on average after burning,⁽⁹⁾ all of this increase being held by the exchange complex".

11.3 Research on Malaita has shown that the average tuber yield of sweet potato is 9.3t/ha on sites of more than 10 years of fallow, falling off rapidly to 6.0t/ha on land of 5 - 9 years of fallow; 4.8t/ha on land of 0 - 4 years of fallow; and 3.5t/ha on successively cropped land. A residual yield of 2 - 6t/ha "seems to represent the rate of release of potassium from slowly available reserves in soil and weathering parent material within rooting depth". Large amounts of fertiliser are required to restore yields. A supply of 112kg/ha K is only marginally beneficial and inadequate to replenish the rate of potassium removal by the crop. 200 to 300kg/ha K is said to be required to restore⁽⁹⁾ yields to levels commensurate with long fallow periods.

11.4 Phosphorus varies widely in its total and available forms, but Solomon Islands soils generally have low levels in the subsoil and medium levels of total phosphorus in the topsoil. Most soils used for agriculture have satisfactory levels of phosphorus but as land pressure increases deficiencies may become more widespread. Humus in the topsoil is accompanied by an increase in phosphorus, mainly in organic form, which may become readily available⁽⁹⁾.

11.5 Soil total nitrogen levels are generally adequate, with C:N ratios in the range 7-13 signifying the ready availability of nitrogen. Topsoil nitrogen is dependent on land use and in particular the length of fallow since there is a build-up of topsoil nitrogen under secondary regrowth. Sulphur is similarly associated with organic⁽⁹⁾ matter, and is higher under forest than under burned grassland.

11.6 There is a close relationship between pH and organic matter. The lower the pH the greater the surface organic matter and the higher the subsoil organic carbon content. Difficulties associated with low pH such as aluminium toxicity are only likely to be widespread in the New Georgia group and possibly Ysabel. Alkaline soils are fairly widespread and are associated with reef limestone. The chief problem induced by alkaline calcareous soils is lime induced chlorosis of foliage which results from deficiencies of iron, manganese, zinc and copper⁽⁹⁾.

11.7 In addition there is a close relationship between soil depth and soil fertility. "All stable sites tend to favour an accumulation of maximum weathered material due to minimal losses by surface erosion. Thus there arises the paradox that on stable hill sites and terraces the soils tend to be deepest but least fertile, while on adjacent steep slopes the soils are relatively unweathered, and hence fertile, but shallow"⁽⁹⁾.

11.8 The shifting system of smallholder agriculture in Solomon Islands is suited to the environment and prevailing management where land pressure is low. Soil fertility is restored during fallow periods, and small isolated areas of mixed cropping are not conducive to pest build-up. Burning of surface vegetative trash not only releases a flush of nutrients, of which the most important is potassium, but is also a useful phytosanitary measure which destroys weed seeds, some insects and undesirable pathogens⁽⁹⁾.

11.9 An analysis of fallow therefore tells much about the dynamics of smallholder agriculture, and likely pressures on farming systems. Hansell and Wall⁽¹⁰⁾ state that "there is little doubt that the major factor influencing the decision to abandon the garden is the decline in crop productivity but the exact causes of the decline are not fully understood". The greatest decline in production is between the first and second crops, rather than between the second and subsequent crops. They estimate that despite reduced yields there is still a good return from a low input of labour and conclude that reduced yields alone is insufficient reason for the abandonment of a garden. An important consideration may be the build-up of soil-borne plant diseases causing the rotting of corms or tubers, insect attack and weed infestation⁽¹⁰⁾.

11.10 In the 1974-75 Sample Survey of Agriculture⁽⁵⁾ it was stated that, while in overall terms Solomon Islands cannot be said to be suffering from land pressure, it may occur in some areas. Table 11.1 shows the distribution of garden land by the length of the bush fallow in 1975.

Table: 11.1
LENGTH OF BUSH FALLOW (1975)

| length of bush fallow (years) | Western | Ysabel Central Guadalcanal | Malaita | Makira Temotu | Solomon Islands |
|-------------------------------------|----------------|----------------------------------|---------|------------------|--------------------|
| | % observations | | | | |
| < 2 | 23 | 6 | 17 | 16 | 14 |
| 2 - 4 | 20 | 5 | 33 | 14 | 18 |
| 5 - 7 | 4 | 11 | 25 | 12 | 15 |
| 8 - 10 | 10 | 10 | 8 | 15 | 10 |
| > 10 | 13 | 20 | 3 | 14 | 13 |
| never previously cultivated | 29 | 48 | 15 | 29 | 32 |
| Mean length fallow (years) | 5.6 | 9.2 | 4.5 | 6.7 | 6.4 |

Source: Statistics Office (1978), 1974-75 Agricultural Statistics Survey

11.11 Table 11.2, also from the 1974-75 survey, shows the distribution of garden land by length of cultivation.

Table: 11.2
LENGTH OF CULTIVATION (1975)

| length of cultivation (months) | Western | Ysabel Central Guadalcanal | Malaita | Makira Temotu | Solomon Islands |
|--------------------------------------|----------------|----------------------------------|---------|------------------|--------------------|
| | % observations | | | | |
| < 4 | 20 | 45 | 11 | 19 | 27 |
| 4 - 6 | 62 | 31 | 36 | 22 | 37 |
| 7 - 9 | 12 | 13 | 25 | 33 | 19 |
| 10 - 12 | 5 | 8 | 14 | 18 | 10 |
| > 12 | 2 | 4 | 14 | 8 | 7 |
| Mean cultivation (months) | 5.1 | 4.7 | 7.6 | 7.2 | 6.0 |

Source: Statistics Office (1978), 1974-75 Agricultural Statistics Survey

11.12 In 1975 it was found that 32% of gardens in Solomon islands had never been previously cultivated, and that the average length of bush fallow of cultivated gardens was 6.4 years. Only 7% of gardens were generally cultivated for more than 12 months before reverting to fallow, and the average length of cultivation of food gardens was 6 months.

11.13 Table 11.3 summarises cropping intensity in the survey area. The crop period is shown in the first column, which is the time from planting to harvest for the named crop.

Table: 11.3
CROPPING INTENSITY

| crop type | | harvest to harvest (months) | number of crops in sequence | number of cases (obs) |
|-----------------|---|--------------------------------------|--------------------------------------|--------------------------------|
| all crops | | 4.6 | 3.3 | 144 |
| cleared land | a | 4.7 | 1.3 | 3 |
| coconut | b | 3.8 | 1.5 | 26 |
| coconut + cocoa | z | 2.0 | 1.0 | 1 |
| grain crops | e | 7.0 | 3.0 | 1 |
| banana | l | 8.0 | 2.0 | 1 |
| sweet potato | r | 4.5 | 3.9 | 102 |
| yam | t | 7.0 | 3.0 | 1 |
| cassava | v | 7.2 | 4.1 | 9 |

11.14 The second column describes the number of times an area is cropped in sequence before reverting to fallow. This introduces complexity since the crop type may, and commonly does, change within the sequence. The table therefore shows different stages in the cropping sequence. The dominant root crop is sweet potato with 102 observations, while yam and cassava have 10 observations.

11.15 Table 11.4 describes the fallow period, however, this has little meaning for tree crops since the interpretation of fallow varies with the age of the tree crop and previous cropping history. For food crops the fallow period relies on the knowledge of the respondent. Often it is found that long fallow periods are beyond the memory of operators and these are referred to as "cases longer than memory". 44% of gardens have such long fallows. Where the fallow period is known on food gardens there are 3.9 years of fallow between cropping.

Table: 11.4
FALLOW PERIOD (years)

| crop type: | cleared land | tree crops | short term cash crops | food crops | all crops |
|----------------------------|-----------------|------------|--------------------------|------------|-----------|
| mean years of fallow | 1 | | | 3.9 | 3.3 |
| standard deviation (years) | | | | 4.6 | 4.4 |
| number of cases (gardens) | 1 | 6 | | 41 | 48 |
| cases longer than memory | | | | | 37 |
| total cases (gardens) | | | | | 85 |

11.16 Fallow periods cover a range of soil and site conditions, and are themselves variable. Table 11.5 shows that 28% of fallow periods on food gardens are longer than memory, extending over 43% of the food garden area.

Table: 11.5
FALLOW RANGE

i) Fallow Range by number of observations (gardens)

| crop type: | cleared land | tree crops | short term cash crops | food crops | all crops |
|-----------------------------|-----------------|------------|--------------------------|------------|-----------|
| no fallow | | 6 | | 10 | 16 |
| 1 year | 1 | | | 5 | 6 |
| 2 years | | | | 2 | 2 |
| 3 years | | | | 10 | 10 |
| 4 years | | | | 4 | 4 |
| 5 years | | | | 7 | 7 |
| 6 - 10 years | | | | 3 | 3 |
| 11 - 20 years | | | | | |
| 21 - 50 years | | | | | |
| beyond memory ("long time") | | 21 | | 16 | 37 |
| total by crop type | | 27 | | 57 | 85 |

ii) Fallow Range by % cultivated area

| crop type: | cleared land | tree crops | short term cash crops | food crops | all crops |
|-----------------------------|-----------------|------------|--------------------------|------------|-----------|
| no fallow | | 17 | | 3 | 19 |
| 1 year | | | | | |
| 2 years | | | | | |
| 3 years | | | | 3 | 3 |
| 4 years | | | | | |
| 5 years | | | | | |
| 6 - 10 years | | | | 3 | 3 |
| 11 - 20 years | | | | | |
| 21 - 50 years | | | | | |
| beyond memory ("long time") | | 69 | | 6 | 75 |
| total by crop type | | 86 | | 14 | 100 |

Note: The table of % area is only approximate due to rounding small numbers

11.17 The type of fallow in the survey area is shown in table 11.6.

Table: 11.6
FALLOW TYPE

i) Fallow type by number of observations (gardens)

| crop type: | cleared land | tree crops | short term cash crops | food crops | all crops |
|--------------------------|-----------------|------------|--------------------------|------------|-----------|
| primary forest | | 11 | | 6 | 17 |
| secondary forest | 1 | 10 | | 35 | 46 |
| dense thicket | | | | 6 | 6 |
| open scrub grassland | | | | 1 | 1 |
| grassland | | | | | |
| plantation trees/planted | | 3 | | | 3 |
| continuous cropping | | 3 | | 9 | 12 |
| total by crop type | 1 | 27 | | 57 | 85 |

ii) Fallow type by % cultivated area

| crop type: | cleared land | tree crops | short term cash crops | food crops | all crops |
|--------------------------|-----------------|------------|--------------------------|------------|-----------|
| primary forest | | 42 | | | 42 |
| secondary forest | | 28 | | 11 | 39 |
| dense thicket | | | | | |
| open scrub grassland | | | | | |
| grassland | | | | | |
| plantation trees/planted | | 8 | | | 8 |
| continuous cropping | | 8 | | 3 | 11 |
| total by crop type | | 86 | | 14 | 100 |

Note: The table of % area is only approximate due to rounding small numbers

11.18 74% of all gardens have a fallow of primary or secondary forest extending over 81% of the farmed area.

11.19 11% of the food gardens are cut from primary forest, representing an insignificant area. 41% of tree gardens are cut from primary forest on 49% of the tree crop area. Such results suggest that the area for expansion in the survey area is limited and that cropping is becoming intensive.

11.20 Table 11.7 summarises the application of agricultural inputs for the control of pests and maintenance of soil fertility. In the survey no application of any type of input was encountered. In one case a leguminous cover crop was planted under coconut.

Table: 11.7

MANAGEMENT AND APPLICATION OF AGRICULTURAL INPUTS

i) Inputs by frequency of use (gardens)

| crop type | | row planting | fert- iliser | pest- icide | compost | ash | other | frequency of plots |
|-----------------|---|-----------------|-----------------|----------------|---------|-----|-------|--------------------------|
| all crops | | 24 | | | | | 1 | 150 |
| cleared land | a | | | | | | | 8 |
| coconut | b | 23 | | | | | 1 | 27 |
| coconut + cocoa | z | 1 | | | | | | 1 |
| grain crops | e | | | | | | | 1 |
| banana | l | | | | | | | 1 |
| sweet potato | r | | | | | | | 102 |
| yam | t | | | | | | | 1 |
| cassava | v | | | | | | | 9 |

Note: "Other" input is the leguminous vine cover crop *Pueraria phaseoloides*

ii) Inputs by % area applied

| crop type | | row planting | fert- iliser | pest- icide | compost | ash | other |
|-----------------|--|-----------------|-----------------|----------------|---------|-----|-------|
| all crops | | 74 | | | | | 3 |
| cleared land | | | | | | | |
| coconut | | 71 | | | | | 3 |
| coconut + cocoa | | 3 | | | | | |
| grain crops | | | | | | | |
| banana | | | | | | | |
| sweet potato | | | | | | | |
| yam | | | | | | | |
| cassava | | | | | | | |

Note: The table of % area is only approximate due to rounding small numbers

Chapter: 12

LANDFORM

12.1 Simbo is characterised by a broad, low-lying plains over extensive areas, with abruptly rising hills in the interior.

12.2 Landforms are broadly subdivided into "lowland" and "upland" where "upland" simply means above the coastal plain or coastal terrace, but does not imply high elevation. Table 12.1 shows the distribution of cultivated land in the survey by landform. The first part of the table records the number of observations (gardens) which is expressed in area terms in the second part of the table.

12.3 67% of tree gardens representing 74% of the tree garden area are on lowland sites, with 33% of gardens on 26% of the tree garden area on upland sites of varying steepness. 39% of food crop gardens representing 40% of the food garden area are on lowland sites, while 61% of gardens representing 60% of the food garden area are on upland sites.

Table: 12.1
LANDFORM

i) Landform by number of observations (gardens)


| crop type: | cleared land | tree crops | short term cash crops | food crops | all crops |
|----------------------------|-----------------|------------|--------------------------|------------|-----------|
| i) Lowland | | | | | |
| beach | | 1 | | | 1 |
| lowland plain | | 12 | | 14 | 26 |
| depression (poor drainage) | | | | | |
| swamp | | | | | |
| river channel | | 1 | | | 1 |
| uplifted terrace | | 4 | | 3 | 12 |
| ii) Upland | | | | | |
| valley terrace | | | | | |
| river channel | | | | | |
| hill slope < 8 degrees | 1 | 2 | | 11 | 14 |
| hill slope 8 - 30 degrees | | 6 | | 18 | 24 |
| hill slope > 30 degrees | | 1 | | 5 | 6 |
| ridge | | | | 1 | 1 |
| total by crop type | 1 | 27 | | 57 | 85 |

ii) Landform by % cultivated area

| crop type: | cleared land | tree crops | short term cash crops | food crops | all crops |
|----------------------------|-----------------|------------|--------------------------|------------|-----------|
| i) Lowland | | | | | |
| beach | | 3 | | | 3 |
| lowland plain | | 44 | | 3 | 47 |
| depression (poor drainage) | | | | | |
| swamp | | | | | |
| river channel | | 6 | | | 6 |
| uplifted terrace | | 11 | | 3 | 14 |
| ii) Upland | | | | | |
| valley terrace | | | | | |
| river channel | | | | | |
| hill slope < 8 degrees | | 6 | | 3 | 8 |
| hill slope 8 - 30 degrees | | 11 | | 6 | 17 |
| hill slope > 30 degrees | | 6 | | | 6 |
| ridge | | | | | |
| total by crop type | | 86 | | 14 | 100 |

Note: The table of % area is only approximate due to rounding small numbers

12.4 A summary of landform and cropping is illustrated in diagram 12.1.



12.5 Table 12.2 describes the characteristics of slope in farming systems. The first part of the table records the frequency of observations (plots) which is expressed in area terms in the second part of the table.

12.6 The mean slope is 4 degrees, with 77% of plots representing 74% of the cropped area on land of less than 5 degrees slope. Only 6% of gardens on 12% of the cropped area are on slopes of greater than 10 degrees.

Table: 12.2
SLOPE

i) Slope by number of observations (plots)

| crop type | mean slope (degrees) | frequency of plots at different degrees of slope | | | | | | frequency of plots |
|-----------------|-------------------------|--|-------------------|--------------------|--------------------|--------------------|-----------------|--------------------|
| | | 0 - 5 degrees | 5 - 10 degrees | 10 - 20 degrees | 20 - 30 degrees | 30 - 50 degrees | > 50 degrees | |
| all crops | 4 | 115 | 26 | 7 | 2 | | | 150 |
| cleared land | a | 6 | 5 | 2 | 1 | | | 3 |
| coconut | b | 6 | 19 | 4 | 2 | 2 | | 27 |
| coconut + cocoa | z | 3 | 1 | | | | | 1 |
| grain crops | e | | 1 | | | | | 1 |
| banana | l | | 1 | | | | | 1 |
| sweet potato | r | 3 | 80 | 13 | 4 | | | 102 |
| yam | t | | 1 | | | | | 1 |
| cassava | v | 3 | 7 | 2 | | | | 9 |

ii) Slope by % cropped area

| crop type | frequency of plots at different degrees of slope | | | | | | total % |
|-----------------|--|-------------------|--------------------|--------------------|--------------------|-----------------|---------|
| | 0 - 5 degrees | 5 - 10 degrees | 10 - 20 degrees | 20 - 30 degrees | 30 - 50 degrees | > 50 degrees | |
| all crops | 74 | 14 | 9 | 3 | | | 100 |
| cleared land | | | | | | | |
| coconut | 60 | 11 | 9 | 3 | | | 83 |
| coconut + cocoa | 3 | | | | | | 3 |
| grain crops | | | | | | | |
| banana | | | | | | | |
| sweet potato | 11 | 3 | | | | | 14 |
| yam | | | | | | | |
| cassava | | | | | | | |

Note: The table of % area is only approximate due to rounding small numbers

12.7 Table 12.3 summarises conservation measures. No conservation practices or alley cropping were encountered in the survey.

Table: 12.3
CONSERVATION AND ALLEY CROPPING

i) Conservation by number of observations (gardens)

| crop type: | cleared land | tree crops | short term cash crops | food crops | all crops |
|--|-----------------|------------|--------------------------|------------|-----------|
| i) Conservation none contour cultivation bunding terracing | 1 | 27 | | 57 | 85 |
| ii) Alley cropping not performed performed | 1 | 27 | | 57 | 85 |
| total by crop type | 1 | 27 | | 57 | 85 |

ii) Conservation by % cultivated area

| crop type: | cleared land | tree crops | short term cash crops | food crops | all crops |
|--|-----------------|------------|--------------------------|------------|-----------|
| i) Conservation none contour cultivation bunding terracing | | 83 | | 17 | 100 |
| ii) Alley cropping not performed performed | | 83 | | 17 | 100 |
| total by crop type | | 83 | | 17 | 100 |

Note: The table of % area is only approximate due to rounding small numbers

12.8 The spatial distribution of gardens is shown in diagrams 12.2 to 12.4, which illustrate the relationships between crop type, crop area, and the distance of gardens from households.


2.9 Diagram 12.2 is the graph of gardens for all crops, while subsequent diagrams show the distance relationships for the major crop types. The graph shows the relationship between garden area (vertical axis) and the time taken to reach the garden from the household (horizontal axis). Graph entries represent the number of observations (gardens) and are numbered from 1 to 9 and thereafter alphabetically. Thus where points coincide the number of points is shown: 9 occurrences is recorded as "9"; 10 occurrences as "A"; 13 occurrences as "D"; and so on.

12.10 The mean time taken to reach gardens is .273 hours or about 16 minutes, with a maximum time of 2.10 hours.

12.11 Diagram 12.3 shows the relationship between distance and area of tree crop gardens. The mean time taken to reach tree crop gardens from the household is .216 hours, with a maximum recorded time of 1.00 hour. The larger gardens tend to be furthest away from households.

12.13 The mean time taken to reach food gardens from the household is .300 hours, with a maximum time of 2.10 hours.

Diagram: 12.2




Distance from household (hrs)

Mean = .273 hrs

Max = 2.10 hrs


Number of observations (gardens) = 85

Diagram: 12.3



Mean = .216 hrs
 Max = 1.00 hrs
 Number of observations (gardens) = 27

Diagram: 12.4



Chapter: 13

ADVERSE FACTORS AFFECTING PRODUCTION

13.1 Table 13.1 describes site factors which farmers regard as problems. The first part of the table specifies the number of observations (gardens), which is expressed as the proportion of cultivated area affected in the second part of the table.

Table: 13.1
SITE CONDITIONS

i) Site Conditions by number of observations (gardens)

| crop type: | cleared land | tree crops | short term cash crops | food crops | all crops |
|----------------------|-----------------|------------|--------------------------|------------|-----------|
| no site limitation | 1 | 18 | | 43 | 62 |
| poor soil/site | | 2 | | | 2 |
| pest/disease problem | | 5 | | 11 | 16 |
| poor site + pests | | | | 1 | 1 |
| weed problem | | 1 | | 2 | 3 |
| weeds + poor site | | 1 | | | 1 |
| weeds + pests | | | | | |
| weeds + site + pests | | | | | |
| total by crop type | 1 | 27 | | 57 | 85 |

ii) Site Conditions by % cultivated area


| crop type: | cleared land | tree crops | short term cash crops | food crops | all crops |
|----------------------|-----------------|------------|--------------------------|------------|-----------|
| no site limitation | | 57 | | 11 | 69 |
| poor soil/site | | 3 | | | 3 |
| pest/disease problem | | 20 | | 3 | 23 |
| poor site + pests | | | | | |
| weed problem | | 6 | | | 6 |
| weeds + poor site | | | | | |
| weeds + pests | | | | | |
| weeds + site + pests | | | | | |
| total by crop type | | 86 | | 14 | 100 |

Note: The table of % area is only approximate due to rounding small numbers

13.2 73% of all gardens (62 gardens) representing 69% of the cultivated area have no apparent site limitations. Site problems may be summarised by grouping the main factors as follows:

| | <u>% gardens</u> | <u>% area</u> |
|---------------------|------------------|---------------|
| No site limitations | 73 | 69 |
| Poor soil/site | 5 | 3 |
| Pests/disease | 20 | 23 |
| Weeds | 5 | 6 |

Site conditions are illustrated in diagram 13.1.



13.3 The major problems are predominantly on tree crops where pests and disease affect 23% of the cultivated area.

13.4 Table 13.2 describes major crop damage, mainly due to slugs on sweet potato and coconut crabs on coconuts.

Table: 13.2

CROP DAMAGE

i) Crop Damage by number of observations (gardens)

| crop type: | cleared land | tree crops | short term cash crops | food crops | all crops |
|--------------------------|-----------------|------------|--------------------------|------------|-----------|
| no damage | 1 | 26 | | 44 | 71 |
| cyclone damage | | | | | |
| other damage | | 1 | | 13 | 14 |
| cyclone and other damage | | | | | |
| total by crop type | 1 | 27 | | 57 | 85 |

ii) Crop Damage by % cultivated area


| crop type: | cleared land | tree crops | short term cash crops | food crops | all crops |
|--------------------------|-----------------|------------|--------------------------|------------|-----------|
| no damage | | 83 | | 11 | 94 |
| cyclone damage | | | | | |
| other damage | | 3 | | 3 | 6 |
| cyclone and other damage | | | | | |
| total by crop type | | 86 | | 14 | 100 |

Note: The table of % area is only approximate due to rounding small numbers

13.6 Annex 3 provides a more detailed description of factors damaging crop mixtures, summarised at the plot level. It is not possible at this stage to present results at the crop level. Results are summarised in table 13.3 and are illustrated in diagram 13.2.

Table: 13.3
SUMMARY OF CROP DAMAGE

| nature of damage | | % cropped area affected |
|-------------------|-----------|-------------------------|
| insects affecting | leaves | |
| | fruits | 26 |
| | roots | 6 |
| disease affecting | leaves | 10 |
| | fruits | 11 |
| | roots | |
| damage due to | humans | |
| | fire | |
| | flood | |
| | wind | |
| | rats | 6 |
| | birds | 11 |
| | bats | 6 |
| | livestock | |
| | other | 3 |



Chapter: 14

CROP YIELDS

14.1 Production data on smallholder agriculture are scarce, largely due to practical difficulties associated with measuring yields in complex cropping systems that lack clear temporal and spatial boundaries. Smallholder agriculture is a continuous process in which there is little seasonality, so that any or all stages of crop growth and management operations may be exhibited at any time, with crops commonly harvested selectively over time. Table 14.1 summarises the planting characteristics of smallholder crops in the survey area.

Table: 14.1
CROP VARIETY AND SPACING

| <----- crop type -----> | | number of observations | % improved | <----- spacing (% obs) -----> customary | regular | recommended | <---- tree crops ----> triangular square | |
|-------------------------|--------------------|------------------------------|---------------|--|---------|-------------|--|--|
| Cleared | Cleared land | | | | | | | |
| Coconut/Cocoa | Coconuts | 27 | 4 | 26 | 48 | 7 | 19 | |
| | Cocoa | 1 | | | 100 | | | |
| Ground crops | Grain crops | 3 | | 100 | | | | |
| | Beans | | | | | | | |
| | Cabbage | 55 | | 100 | | | | |
| | Vegetable | 5 | 40 | 100 | | | | |
| | Chillie | | | | | | | |
| | Fruit Crops | 3 | | 100 | | | | |
| Tree/other crops | Fruit trees | 1 | | 100 | | | | |
| | Banana | 8 | | 100 | | | | |
| | Citrus trees | | | | | | | |
| | Nut trees | 2 | | 100 | | | | |
| | Sugar cane | 13 | 15 | 100 | | | | |
| | Food/building tree | | | | | | | |
| | Tobacco | | | | | | | |
| Root crops | Sweet potato | 104 | | 100 | | | | |
| | Taro Common | | | | | | | |
| | Giant | | | | | | | |
| | Hong Kong | | | | | | | |
| | Swamp | | | | | | | |
| | Yam | 5 | | 100 | | | | |
| | Pana | 2 | | 100 | | | | |
| | Cassava | 26 | | 100 | | | | |
| | Other root crop | | | | | | | |
| Total | | 255 | | | | | | |

14.2 The second column refers to the introduction of non-traditional planting material, either through extension or research, or from other sources.

14.3 For non-tree crops there are three types of spacing identified, being "customary", "regular" and "recommended". "Customary" means there is no discernable order in the plot. "Regular" means planting according to a visible pattern, such as in rows. "Recommended" refers to the adoption of recommended practices, which may not necessarily be "regular". For tree crops there are four categories of "customary", "regular", "triangular" and "square". "Customary" and "regular" follow the same rules as non-tree crops. "Triangular" and "square" equate with recommended practices for coconuts.

14.4 Crop mixtures in smallholder farming systems are complex, as seen in table 9.3. Table 14.2 describes something of the the complexity of planting densities. In general around 50% of root crops are pure stand, but for the most part crops other than coconuts are grown in complex mixtures.

Table: 14.2
CROP DOMINANCE IN MIXTURES

| (----- crop type -----) | | number of observations | (<----- % dominance in mixture ----->) | | | | | | | | | |
|-------------------------|--------------------|------------------------------|--|---------|---------|---------|---------|---------|---------|---------|---------|----------|
| | | | 0 - 10 | 10 - 20 | 20 - 30 | 30 - 40 | 40 - 50 | 50 - 60 | 60 - 70 | 70 - 80 | 80 - 90 | 90 - 100 |
| Cleared | Cleared land | | | | | | | | | | | |
| Coconut/Cocoa | Coconuts | 27 | | | | | | | | | | 26 |
| | Cocoa | 1 | | | | 100 | | | | | | |
| Ground crops | Grain crops | 3 | | 33 | | | 33 | | | | 33 | |
| | Beans | | | | | | | | | | | |
| | Cabbage | 55 | 71 | 20 | 5 | 4 | | | | | | |
| | Vegetable | 5 | 80 | | | | | | | | | |
| | Chillie | | | | | | | | | | | 20 |
| | Fruit Crops | 3 | 100 | | | | | | | | | |
| Tree/other crops | Fruit trees | 1 | 100 | | | | | | | | | |
| | Banana | 8 | 25 | 25 | 38 | | | | | | | |
| | Citrus trees | | | | | | | | | 13 | | |
| | Nut trees | 2 | 100 | | | | | | | | | |
| | Sugar cane | 13 | 100 | | | | | | | | | |
| | Food/building tree | | | | | | | | | | | |
| | Tobacco | | | | | | | | | | | |
| Root crops | Sweet potato | 104 | | 1 | | | 5 | 7 | 5 | 13 | 19 | 51 |
| | Taro Common | | | | | | | | | | | |
| | Giant | | | | | | | | | | | |
| | Hong Kong | | | | | | | | | | | |
| | Swamp | | | | | | | | | | | |
| | Yam | 5 | 80 | | | | | | | | | |
| | Papa | 2 | | 50 | 50 | | | | | | | 20 |
| | Cassava | 26 | 23 | 31 | 3 | 4 | 3 | | 4 | 4 | | 19 |
| | Other root crop | | | | | | | | | | | |
| Total | | 155 | | | | | | | | | | |

14.5 A visual assessment of yields is presented in table 14.3.

Table: 14.3
CROP PRODUCTION

| <----- crop type -----> | | number of observations | <----- yield appearance (% obs) -----> | | | |
|-------------------------|--------------------|------------------------------|--|-----|----------|------|
| | | | zero | low | moderate | high |
| Cleared | Cleared land | | | | | |
| Coconut/Cocoa | Coconuts | 27 | | 19 | 63 | 19 |
| | Cocoa | 1 | | | | 100 |
| Ground crops | Grain crops | 3 | | 33 | 33 | 33 |
| | Beans | | | | | |
| | Cabbage | 55 | 2 | 18 | 40 | 40 |
| | Vegetable | 5 | | | 60 | 40 |
| | Chillie | | | | | |
| | Fruit Crops | 3 | | 33 | 67 | |
| Tree/other crops | Fruit trees | 1 | | 100 | | |
| | Banana | 8 | | | 25 | 75 |
| | Citrus trees | | | | | |
| | Nut trees | 2 | | 100 | | |
| | Sugar cane | 13 | | 31 | 69 | |
| | Food/building tree | | | | | |
| | Tobacco | | | | | |
| Root crops | Sweet potato | 104 | | 4 | 59 | 38 |
| | Taro Common | | | | | |
| | Giant | | | | | |
| | Hong Kong | | | | | |
| | Swamp | | | | | |
| | Yam | 5 | 20 | | 60 | 20 |
| | Pana | 2 | | | 100 | |
| | Cassava | 26 | | | 50 | 50 |
| Other root crop | | | | | | |
| Total | | 255 | | | | |

14.6 Crop yields are variable but for the most part are moderate to high.

14.7 In an intensive case study of this kind it is difficult to obtain a reasonable coverage of crop yields, although these are recorded where possible in the course of the survey⁽¹²⁾. A crop production study has been designed to generate yield data⁽²²⁾ but it has not been possible to implement this yet. For the present report yields are largely derived from secondary sources.

a) **COCONUT:**

14.8 Coconut production data from the 1974-75 agricultural survey are summarised in table 14.4.

Table: 14.4

COCONUT PRODUCTION DATA FROM 1974-75 AGRICULTURAL SURVEY

| | Province | | | | Mean |
|--|----------|----------------------------------|---------|------------------|-------|
| | Western | Ysabel Central Guadalcanal | Malaita | Makira Tenetu | |
| number of yield sites | 28 | 32 | 3 | 30 | 93 |
| coconuts per palm: disciplined | 53 | 54 | 19 | 34 | 44 |
| customary | 22 | 36 | 1 | 41 | 31 |
| mean | 31 | 42 | 14 | 37 | 36 |
| coconuts per ha : disciplined | 8,194 | 8,983 | 2,822 | 5,773 | 7,178 |
| customary | 4,658 | 8,595 | 135 | 7,432 | 6,703 |
| mean | 5,794 | 8,753 | 1,926 | 6,492 | 6,913 |
| % damaged/unusable nuts: disciplined | 12 | 10 | 12 | 20 | 14 |
| customary | 19 | 13 | 36 | 6 | 13 |
| mean | 16 | 12 | 12 | 13 | 14 |
| gross copra yield (kg/ha): disciplined | 1,541 | 1,689 | 531 | 1,086 | 1,450 |
| customary | 876 | 1,616 | 25 | 1,398 | 1,261 |
| mean | 1,081 | 1,646 | 362 | 1,221 | 1,300 |
| net yield (kg/ha): disciplined | 1,356 | 1,520 | 467 | 869 | 1,247 |
| customary | 709 | 1,406 | 16 | 1,314 | 1,097 |
| mean | 908 | 1,448 | 318 | 1,062 | 1,118 |

Source: Statistics Office (1978) "1974-75 Agricultural Statistics Survey".

Note: Copra yields assume 190gm dried copra per nut quoted in the Statistics Office report

14.9 In the 1974-75 agricultural survey the mean coconut yield is estimated to be 1,300kg/ha copra equivalent, or 1,118kg/ha when unusable nuts are discounted. The average daily consumption of coconuts was found to be 4.2 per household, resulting in a national annual consumption equivalent of 8,871MT copra. If green nuts are taken into account it was ⁽⁵⁾believed that the copra equivalent consumed would be 10,000MT in a year when exports amounted to 28,000MT.

14.10 Charles (1980) estimates lower levels of copra production with estate yields of 827kg/ha and smallholder yields of 410kg/ha. The difference he attributed to a high proportion of immature plantings ⁽²³⁾ and the consumption of coconuts in the smallholder sector. Average copra production derived from the 1985 coconut survey is estimated in the (draft) Farm Management Handbook for Solomon Islands to be 0.72MT/ha ⁽²⁴⁾, although provincial yields vary from 1.15MT/ha in Central Province, which is dominated by the Levers plantation in the Russel Islands, to 0.38MT/ha in Temotu.

14.11 In conjunction with the 1985 coconut survey the Research Department of the Ministry of Agriculture and Lands has analysed the nutrient status of coconut soils in Solomon Islands ⁽¹³⁾:

Coconut Soils Data:
(means of soils analyses conducted on Coconut Survey soils)

| pH | N% | available P ppm | exchangeable K meq/100g | available K meq/100g |
|-----|------|-----------------------|-------------------------------|----------------------------|
| 6.4 | 0.55 | 70 | 0.24 | 0.60 |

14.12 It was concluded that coconut soils are generally high in nitrogen, medium in phosphate, and low in potassium. Recent variety experimental results on fertilised coconuts show the following yields:

Coconut Research Results (dry copra eq kg/ha):

| Site | Tenaru (Guadalcanal) | Gizo (Western) |
|-------------------------|-------------------------|-------------------|
| Year | 1985 : 1984 | 1985 : 1984 |
| Dwarf:Rennel Hybrid | 378 : 2,664 | 1,990 : 1,599 |
| Dwarf:Local Tall Hybrid | 383 : 1,391 | : |
| Local Tall | : | 1,830 : 334 |
| Rennel | 190 : 1,391 | 1,910 : 1,052 |
| Mean | : | : 995 |

14.13 19 smallholder yields of 395kg/ha (5.64 bags/ha) were obtained in the present survey. Without further evidence yields smallholder yields in the present report are estimated to be 800kg/ha dry copra equivalent usable nuts.

b) COCOA:

14.14 Research trials on cocoa⁽¹³⁾ from 1977 to 1985 at Black Post in Guadalcanal produced a mean dry beans yield of 1,898kg/ha for Amelonado, 2,780kg/ha for AmlxNa33 hybrid, and 2,444kg/ha for AmlxPa7 hybrid.

14.15 Cocoa yields from various sources are quoted in the (draft) Farm Management Handbook for Solomon Islands⁽²⁴⁾:

Smallholder Cocoa Yields (kg/ha)⁽²⁴⁾:

| Age of tree (year) | 3 | 4 | 5 | 6 | 7 | 8 |
|--------------------|-----|-----|-----|-------|-------|-------|
| Friend (1970) | 21 | 126 | 215 | 220 | 220 | 173 |
| DBSI (1983) * | 150 | 250 | 600 | 1,200 | 1,450 | 1,450 |
| Hiele (1988) | 208 | 450 | 560 | 685 | 719 | 719 |

* unverified source

14.16 High variability in yields was attributed to differences in management, such as in the application of fertiliser, weeding, and pest and disease control.

14.17 Cocoa is not widespread in the survey area. Smallholder cocoa yields are estimated in the present report to be 600kg/ha dry beans.

c) SWEET POTATO:

14.18 In a study of north-west Malaita, Frazer⁽¹⁵⁾ investigated the effect of fallow period on smallholder sweet potato yields. After a long fallow of 15-20 years the mean yield was found to be 14.84MT/ha from 8 observations. After a "short" fallow of less than 10 years the mean yield was 8.99MT/ha from 5 observations. Golliifer⁽¹⁶⁾ looked at the effects of potassium and nitrogen application on annual crops on soils of the Dala Series in Malaita, soils formed on a parent material of raised coral reef and characteristically low in potassium. He found unfertilised sweet potato yields of 5.5MT/ha (control for K) and 7.4MT/ha (control for N). The effect of potassium application was to increase yields by up to 86%, but nitrogen tended to stimulate vine growth at the expense of the tuber.

14.19 In a series of trials at Dala, Golliifer⁽¹⁷⁾ found unfertilised sweet potato yields to range widely, from around 0.25MT/ha to 24MT/ha. Yields in general were the order of 5MT/ha, which was estimated to be around half the typical North West Guadalcanal yield of 9.97MT/ha. Yield variability could not be attributed to variety or soil type, but a trend related to intensity of cropping did appear:

Effect of Recent Land History on Sweet Potato Yields (MT/ha):

| land history | yield (MT/ha) |
|---------------------------|---------------|
| continuous cropping | 3.51 |
| 0 - 4 years fallow | 4.77 |
| 5 - 9 years fallow | 6.03 |
| more than 10 years fallow | 9.29 |

Source: Golliifer (1969)

14.20 It was concluded that sweet potato and other root crops are demanding of, and remove large quantities of, potassium from the soil. A fallow-burn cycle is therefore essential to replenish soil fertility by making potassium available to shallow-rooted crops. It was considered that deep rooting trees may act as nutrient pumps, but the only practical way of shortening fallow periods was⁽¹⁷⁾ considered to be the application of potassium fertiliser.

14.21 Bathgate⁽¹⁸⁾ found also that yields vary according to soil fertility and growing time, as well as species and density of planting. In West Guadalcanal he quotes sweet potato yields of 7.16MT/ha after 20 years of fallow and 9.36MT/ha after 8 years of fallow, but based on a single sub-plot observation only in each case.

14.22 On the weather coast of Guadalcanal Chapman and Pirie⁽¹⁹⁾ studied the relationship between yields and cropping, and found yields to be high in comparison to studies elsewhere:

Sweet Potato Yield (MT/ha) - Weather Coast, Guadalcanal

| successive crops | Ghauvalisi | Sughu | Hatare/Poinaho |
|------------------|------------|-------|----------------|
| 1 | 41.67 | 18.08 | 17.82 |
| 2 | 15.31 | 10.54 | 9.79 |
| 3 | | 10.29 | 9.79 |

Source: Chapman and Pirie (1974)

14.23 In the 1974-75 Agricultural Survey⁽⁵⁾ the mean yield of sweet potato was 15.7MT/ha, but this was felt to be an over-estimate.

14.24 More recent research provide further information on sweet potato yields, but results exhibit considerable variability across seasons and due to other causes:

| trial | yield MT/ha | | notes |
|-------------------------------|-------------|------------|----------------------------|
| | gross | marketable | |
| improved cultivars | 17.9 | 14.5 | 25 obs |
| control | 11.2 | 6.7 | 1 obs |
| dry season corn intercropping | 15.9 | 7.1 | 135 days to harvest |
| | 18.5 | 12.0 | 165 days to harvest |
| wet season corn intercropping | 5.9 | 1.5 | 135 days to harvest |
| | 11.0 | 3.4 | 165 days to harvest |
| dry season weevil control | 15.3 | | no effect from insecticide |
| wet season weevil control | 8.19 | 6.37 | |

Source: Research Department Annual Report 1984⁽¹⁴⁾ and 1985⁽¹³⁾

14.25 7 yield observations on sweet potato were made in the present survey, with a mean yield of 6,696 kg/ha.

14.26 Smallholder sweet potato yields of usable crop are estimated in the present report to be 8MT/ha under long fallow of 8 years or more - falling to 5MT/ha for fallow of 4 to 8 years, and 3.5MT/ha for short fallow cropping.

d) TARO:

14.27 Taro yields in the literature are highly variable. Frazer⁽¹⁵⁾ found Colocasia esculenta to yield 8.94MT/ha in North Malaita, based on 10 observations. Gollifer⁽¹⁶⁾ on the Dala Series in Malaita found yields of 4.0MT/ha for unfertilised taro, which increased to 6.0MT/ha with 168kg/ha potassium fertiliser applied. Gollifer⁽¹⁷⁾ also quotes widely ranging unfertilised taro yields of 1.00 to 10.80MT/ha on experimental plots. In a spacing trial in Guadalcanal at Tenaru on which fertiliser was applied, the net undamaged taro yield for densities of 2,000 to

4,000 plants/ha was around 5MT/ha, with 30% loss due to corm damage⁽¹⁴⁾. On the same site a high intensity inputs and management trial to investigate leaf blight yielded around 9MT/ha marketable corms⁽¹⁴⁾. The control yield in a 1985 taro beetle trial at Tenaru was 3.49MT/ha⁽¹³⁾. Tioti (1967) estimated taro yields to be 12.6MT/ha⁽²⁵⁾, but Gollifer (1970) quotes yields of 4.7MT/ha⁽²⁶⁾.

14.28 No taro yields were obtained in the present survey. Smallholder taro yield in the present report is estimated to be 5MT/ha.

e) YAM:

14.29 In North Malaita Frazer⁽¹⁵⁾ found yam yields of 5.16MT/ha for Dioscorea alata. Gollifer⁽¹⁷⁾ quotes unfertilised yam yields of 6.03MT/ha to 30.38MT/ha at Dala experimental station on Malaita. In 1984 an experiment to compare the yields of 18 yam cultivars was conducted at Tenaru in Guadalcanal⁽¹⁴⁾ in which the cultivars with high resistance to dieback yielded around 14 to 18MT/ha, with the highest resistance cultivar yielding 24MT/ha. Susceptible cultivars produced yields as low as 2MT/ha. Maeinia⁽²⁷⁾ quotes very high yields of 50 - 63MT/ha for Malaita.

14.30 Smallholder yam yields are likely to be higher than those of sweet potato given that they tend to be planted on newly opened sites. One yield of 9,511 kg/ha was recorded in the present survey. Long term fallow is expected to yield 10MT/ha, fallow of 4-8 years to yield 6MT/ha and short fallow systems to yield 4MT/ha.

f) PANA:

14.31 Frazer⁽¹⁵⁾ quotes a for North Malaita, where on one observation only of Dioscorea esculenta produced a yield of 11.52MT/ha. Fertilised cultivar trials at Dodo Creek Research Station⁽¹⁴⁾ in 1984 yielded 16.2MT/ha marketable tubers out of a total yield of 27.7MT/ha. 1983 results were higher, with 43.7MT/ha marketable tubers out of a total yield of 52.9MT/ha. The difference was believed to be due to inadequate fertiliser in 1984. In 1985 the mean fertilised yield of 8 cultivars was 24.3MT/ha marketable tubers⁽¹³⁾.

14.32 Smallholder pana yields are expected to be similar to yam yields - of 10MT/ha under long fallow, 6MT/ha under 4-8 years fallow, and 4MT/ha under short fallow.

g) CASSAVA:

14.33 Fertilised cassava in a time of harvest trial at Dodo Creek in Guadalcanal⁽¹³⁾ yielded 23.8MT/ha after 9 months and 27.8MT/ha after 12 months. In a fertilised germplasm collection trial on the Fataolo land system on Malaita⁽¹⁷⁾ 17 cultivars ranged from 7.5 to 65.8MT/ha, with 50% above 40MT/ha⁽²⁸⁾.

14.34 Cassava is an important crop in the survey area. One yield of 26,667 kg/ha was recorded in the present survey but smallholder yields in general are estimated to be 10MT/ha.

h) MAIZE:

14.35 Golliifer⁽¹⁶⁾ quotes unfertilised maize yields of 1.90MT/ha on Dala soils in Malaita, but yields of 5.58MT/ha when fertilised with NPK. Further unfertilised maize yield data from Dala⁽¹⁷⁾ range from 1.55MT/ha to 2.13MT/ha.

14.36 Smallholder maize yields in the present report are estimated to be 1.8MT/ha.

i) GROUNDNUT:

14.37 Gollifer quotes unfertilised groundnut yields in the range 527kg/ha to 1,278kg/ha from Dala in Malaita.

14.38 Smallholder groundnut yields in the present report are estimated to be 600kg/ha.

k) SUMMARY OF YIELDS:

14.39 Crop yields derived from the survey and secondary sources are necessarily imprecise because of the complexity of smallholder farming systems. Diverse crop mixtures, with varying crop densities and differing site conditions do not lend themselves to a simple analysis of crop yields or smallholder production. Crop yields in the literature are generally for pure stand crops, or very simple mixtures - under controlled or even modified conditions. There is then a need to study smallholder production under more realistic conditions, as is part of the on-going programme of the Agricultural Economics Section. In the meantime, a "best estimate" of typical smallholder yields in the project area is presented in table 14.5.

Table: 14.5
SMALLHOLDER CROP YIELDS

| crop | condition | yield kg/ha |
|--------------|--------------------|----------------|
| coconut | copra equivalent | 800 |
| cocoa | dry beans | 600 |
| sweet potato | > 8 years fallow | 8,000 |
| | 4 - 8 years fallow | 5,000 |
| | < 4 years fallow | 3,500 |
| taro | | 5,000 |
| yam | > 8 years fallow | 10,000 |
| | 4 - 8 years fallow | 6,000 |
| | < 4 years fallow | 4,500 |
| pana | > 8 years fallow | 10,000 |
| | 4 - 8 years fallow | 6,000 |
| | < 4 years fallow | 4,500 |
| cassava | | 10,000 |
| maize | | 1,800 |
| groundnuts | | 600 |

Chapter: 15

SMALLHOLDER PRODUCTION

15.1 Under the Rural Services "Project Beneficiary Monitoring and Evaluation" undertaken by the Statistics Office, gross crop offtake and other primary production were measured on six of the Rural Development Centre sites. Western Province was not included in the PBME study and so results are not presented here.

15.2 From table 9.2 the average root crop area in the survey area is 0.134ha of which sweet potato is dominant on 0.127ha. All crops occur in complex mixtures, so that simple cropping patterns can only be used as a first approximation for the actual crop coverage.

15.3 Table 15.1 is a summary of available production data from the farming systems survey. It is not possible to directly relate aggregate production data to average cropping patterns until a more detailed analysis of smallholder production is available.

Table: 15.1

SMALLHOLDER PRODUCTION SUMMARY

| commodity | area (ha) | growing period (months) | annual production (kg) |
|--------------|--------------|-------------------------------|------------------------------|
| sweet potato | 0.127 | 4.5 | |
| cassava | 0.006 | 7.2 | |
| yam | 0.001 | 7.0 | |
| pana | | | |
| taro | | | |
| breadfruit | | | |
| banana | | | |

Source table: 9.2 11.3

Chapter: 16

LABOUR

16.1 With little or no cash inputs applied the main component in the socio-economy of smallholder agriculture is labour. Table 16.1 presents an overview of labour constraints expressed by farmers. The first part of the table shows the frequency of gardens affected and is expressed in terms of area affected in the second part. Labour constraints are illustrated in diagram 16.1.

Table: 16.1
LABOUR CONSTRAINTS


i) Labour Constraints by number of observations (gardens)

| crop type: | cleared land | tree crops | short term cash crops | food crops | all crops |
|---------------------------|-----------------|------------|--------------------------|------------|-----------|
| no limitation | 1 | 15 | | 42 | 58 |
| lack of labour | | 3 | | 8 | 11 |
| lack of inputs/cash | | 3 | | | 3 |
| lack of labour + cash | | 3 | | | 3 |
| garden too far from house | | 2 | | 7 | 9 |
| garden too far + labour | | | | | |
| garden too far + cash | | 1 | | | 1 |
| too far + labour + cash | | | | | |
| total by crop type | | 27 | | 57 | 85 |

ii) Labour Constraints by % cultivated area

| crop type: | cleared land | tree crops | short term cash crops | food crops | all crops |
|---------------------------|-----------------|------------|--------------------------|------------|-----------|
| no limitation | | 53 | | 11 | 64 |
| lack of labour | | 8 | | 3 | 11 |
| lack of inputs/cash | | 8 | | | 8 |
| lack of labour + cash | | 8 | | | 8 |
| garden too far from house | | 6 | | 3 | 8 |
| garden too far + labour | | | | | |
| garden too far + cash | | | | | |
| too far + labour + cash | | | | | |
| total by crop type | | 83 | | 17 | 100 |

Note: The table of % area is only approximate due to rounding small numbers



16.2 68% of gardens on 64% of the farmed area have no important constraints, due to a high proportion of very small holdings and a small overall mean holding size. The dominant constraints are on tree crops, and the dominant constraints are inputs and cash and labour rather than distance of gardens from the household. A summary of constraints expressed as percentages of gardens by each crop type [and in brackets as the corresponding % area] is as follows:

| limitation | <----- garden type -----> | | | |
|----------------|---------------------------|------|------------|------------|
| | tree crops | | short term | food crops |
| | | | cash crops | |
| No limitation | 56 | [64] | | 74 [65] |
| Lack of labour | 22 | [19] | | 14 [18] |
| Lack of inputs | 15 | [19] | | |
| Garden too far | 11 | [7] | | 12 [18] |

16.3 Table 16.2 summarises the labour requirements of the average holding, derived from individual plot labour studies presented in annex 2. The table is a "model" budget representing the average of complex and diverse holdings. Individual crop budgets in annex 2 may be used to construct farm budgets for hypothetical holdings, but caution should be exercised where there are few observations. Labour days in budgets presented here are based on actual hours worked per day, which are quite variable. Again, tables in annex 2 may be used to convert work hours into "standard" work days if required. Since table 16.2 represents the average holding, crops which comprise only minor mixtures in cropping patterns do not appear in the summary labour budget.

16.4 The table shows the labour requirement of each agricultural operation according to crop, which may be a pure stand or more commonly the dominant crop in a mixture. Agricultural operations cover: land clearance; cultivation; planting; first, second and third weeding; and harvesting. For some crops - notably, but not exclusively, trees - there may be additional operations such as pruning or thinning which do not easily fall within the standard classification. Two general categories of establishment and maintenance operations are therefore included. Such a classification provides good coverage for most activities and allows diverse crops to be handled in a standard manner.

16.5 In the interpretation of labour budgets it should be remembered that only tree cropping farmers will require labour on tree crops while non-tree cropping farmers will not require any. Labour budgets are also presented on the basis of labour input "when operations are performed". Adjustment is not made to the labour input to take account of operations which are omitted. The number of observations on which labour operations are based provides an indication of the relative frequency of operations. By referring to annex 2 adjustments may be made to budgets based on different assumptions about management intensity. Incorporating this into the present analysis would considerably increase the complexity of presentation and introduce ambiguity into the results.

Table: 16.2

ANNUAL LABOUR INPUT BY HOLDING

| | <----- work days per year -----> | | | | | <- % contribution -> | | | labour |
|-------------------|----------------------------------|-------|------|-------|-------------------|----------------------|-------|------|--------|
| | <----- per holding -----> | | | | | | | | cost |
| | men | women | paid | total | per ha average | men | women | paid | (SIS) |
| i) Land Clearance | | | | | | | | | |
| Cleared Land | 1 | | | 1 | 140 | 100 | | | |
| Coconut | 49 | 25 | | 74 | 101 | 66 | 34 | | |
| Grain Crops | | | | | 308 | | | | |
| Banana | | | | | 38 | | | | |
| Sweet Potato | 14 | 6 | 1 | 21 | 162 | 67 | 29 | 5 | 1 |
| Cassava | 1 | | | 1 | 165 | 100 | | | |
| Total holding | 65 | 31 | 1 | 97 | 151 | 67 | 32 | 1 | 1 |
| ii) Cultivation | | | | | | | | | |
| Cleared Land | | | | | | | | | |
| Coconut | 4 | | | 4 | 5 | 100 | | | |
| Grain Crops | | | | | 154 | | | | |
| Banana | | | | | 39 | | | | |
| Sweet Potato | 20 | 9 | 1 | 30 | 241 | 67 | 30 | 3 | 1 |
| Cassava | 1 | | | 1 | 240 | 100 | | | |
| Total holding | 25 | 9 | 1 | 35 | 224 | 71 | 26 | 3 | 1 |
| iii) Planting | | | | | | | | | |
| Cleared Land | | | | | | | | | |
| Coconut | 47 | 25 | | 72 | 99 | 65 | 35 | | |
| Grain Crops | | | | | 154 | | | | |
| Banana | | | | | 37 | | | | |
| Sweet Potato | 13 | 15 | | 28 | 216 | 46 | 54 | | |
| Cassava | 1 | 1 | | 2 | 304 | 50 | 50 | | |
| Total holding | 61 | 41 | | 102 | 206 | 60 | 40 | | |

ANNUAL LABOUR INPUT BY HOLDING (continued)

<----- work days per year -----> <- % contribution -> labour
 <----- per holding -----> per ha cost
 men women paid total average men women paid (SIS)

iv) Establishment

| | | | | | | | | |
|---------------|--|--|--|--|--|--|--|--|
| Cleared Land | | | | | | | | |
| Coconut | | | | | | | | |
| Grain Crops | | | | | | | | |
| Banana | | | | | | | | |
| Sweet Potato | | | | | | | | |
| Cassava | | | | | | | | |
| Total holding | | | | | | | | |

v) Maintenance

| | | | | | | | | |
|---------------|----|---|---|----|----|----|---|---|
| Cleared Land | | | | | | | | |
| Coconut | 38 | 3 | 3 | 44 | 59 | 36 | 7 | 7 |
| Grain Crops | | | | | | | | |
| Banana | | | | | | | | |
| Sweet Potato | | | | | | | | |
| Cassava | | | | | | | | |
| Total holding | 38 | 3 | 3 | 44 | 59 | 36 | 7 | 7 |

vi) First Weeding

| | | | | | | | | |
|---------------|---|----|--|----|-----|----|----|--|
| Cleared Land | | | | | | | | |
| Coconut | | | | | | | | |
| Grain Crops | | | | | | | | |
| Banana | | | | | 72 | | | |
| Sweet Potato | 7 | 12 | | 19 | 150 | 37 | 63 | |
| Cassava | 1 | 1 | | 2 | 311 | 50 | 50 | |
| Total holding | 8 | 13 | | 21 | 282 | 38 | 62 | |

ANNUAL LABOUR INPUT BY HOLDING (continued)

<----- work days per year -----> <- % contribution -> labour
 <----- per holding -----> per ha cost
 men women paid total average men women paid (SIS)

vii) Second Weeding

| | | | | | | | | |
|---------------|---|---|----|----|----|----|--|--|
| Cleared Land | | | | | | | | |
| Coconut | | | | | | | | |
| Grain Crops | | | | | | | | |
| Banana | | | | | | | | |
| Sweet Potato | 4 | 7 | 11 | 86 | 36 | 64 | | |
| Cassava | | | | | | | | |
| Total holding | 4 | 7 | 11 | 86 | 36 | 64 | | |

viii) Third Weeding

| | | | | | | | | |
|---------------|---|---|---|----|----|----|--|--|
| Cleared Land | | | | | | | | |
| Coconut | | | | | | | | |
| Grain Crops | | | | | | | | |
| Banana | | | | | | | | |
| Sweet Potato | 2 | 3 | 5 | 34 | 40 | 60 | | |
| Cassava | | | | | | | | |
| Total holding | 2 | 3 | 5 | 34 | 40 | 60 | | |

ix) Harvesting

| | | | | | | | | |
|---------------|----|-----|-----|------|----|----|--|--|
| Cleared Land | | | | | | | | |
| Coconut | 18 | 14 | 32 | 44 | 56 | 44 | | |
| Grain Crops | | | | | | | | |
| Banana | | | | | | | | |
| Sweet Potato | 59 | 94 | 153 | 144 | 39 | 61 | | |
| Cassava | | | | 1202 | | | | |
| Total holding | 77 | 108 | 185 | 557 | 42 | 58 | | |

16.6 On land clearance coconuts account for 76% of labour expended, requiring 74 work days per year. Root crops account for a further 23% of labour expended, requiring 22 days mainly on sweet potato. Of 97 work days, men contribute 67%, women 32% and paid labour accounts for 1%.

16.7 Land cultivation requires 35 days, mainly on root crops. Men contribute 71%, women contribute 26% and hired labour accounts for 3%.

16.8 71% of the labour expended in planting is on coconuts, accounting for 72 work days per year, with a further 30 work days, or 28% of the labour budget on root crops. Of 102 work days per year required on planting men contribute 60% while women contribute 40%. Tasks are shared fairly evenly by crop and by gender.

16.9 44 days per year are expended on the maintenance of coconuts on which men contribute 86% of labour, women contribute 7% and 7% is accounted for by hired labour.

16.10 21 work days are spent on the first weeding of root crops. Women account for 62% of the labour on first weeding and men contribute 38%

16.11 11 work days are spent on the second weeding of crops, which is mainly on sweet potato. Men provide 36% of the labour on second weeding and women provide 64%. An additional 5 days are expended on the third weeding of sweet potato.

16.12 Harvesting is the major operation requiring 185 work days, mainly on root crops. 42% of harvesting labour is provided by men and 58% is provided by women..


16.13 Overall men provide 56% of labour and women provide 43%, with 1% of farm labour accounted for by hired labour. Table 16.3 presents a summary of labour by crop and by operator.

16.14 There are 500 work days per year required on an "average" holding of which 280 are provided by men, 215 by women and 5 by hired labour. The average adult man in the household spends 151 days working on the holding and the average adult woman spends 126 days.


Table: 16.3
SUMMARY OF LABOUR INPUT

| | <----- work days per year -----> | | | | <- % contribution -> | | | labour cost (\$/S) |
|--------------------------|----------------------------------|-------|------|--------|----------------------|-------|------|--------------------------|
| | <----- per holding -----> | | | per ha | men | women | paid | |
| | men | women | paid | total | average | | | |
| i) By Crop | | | | | | | | |
| Cleared Land | 1 | | | 1 | 100 | | | |
| Coconut | 156 | 67 | 3 | 226 | 69 | 30 | 1 | 4 |
| Grain Crops | | | | | | | | |
| Banana | 2 | 3 | | 5 | 40 | 60 | | |
| Sweet Potato | 117 | 143 | 2 | 262 | 999 | 45 | 55 | 1 |
| Cassava | 4 | 2 | | 6 | 2222 | 67 | 33 | 2 |
| All Crops | 280 | 215 | 5 | 500 | 56 | 43 | 1 | 6 |
| ii) By Operation | | | | | | | | |
| Land Clearance | 65 | 31 | 1 | 97 | 67 | 32 | 1 | 1 |
| Cultivation | 25 | 9 | 1 | 35 | 71 | 26 | 3 | 1 |
| Planting | 61 | 41 | | 102 | 60 | 40 | | |
| Tree Crops Establishment | | | | | | | | |
| Tree Crops Maintenance | 38 | 3 | 3 | 44 | 86 | 7 | 7 | 4 |
| First Weeding | 8 | 13 | | 21 | 38 | 62 | | |
| Second Weeding | 4 | 7 | | 11 | 36 | 64 | | |
| Third Weeding | 2 | 3 | | 5 | 40 | 60 | | |
| Harvesting | 77 | 108 | | 185 | 42 | 58 | | |
| All Operations | 280 | 215 | 5 | 500 | 56 | 43 | 1 | 6 |
| Available labour units | :1.86 | 1.71 | | | | | | |
| Days per unit labour | : 151 | 126 | 5 | | | | | |


16.15 Labour by crop is illustrated in diagram 16.2. Coconuts account for 45% of the holding labour budget and sweet potato accounts for 52%.



16.16 Labour by operation is illustrated in diagram 16.3. Men and women share most operations. Of the annual labour budget of 500 days, land clearance accounts for 19% of labour expended, cultivation accounts for 7%, planting 20%, establishment and maintenance 9%, weeding or brushing 7% and harvesting 37%.



16.17 Diagram 16.4 illustrates the contribution from men, women and hired labour. Men contribute 56% of labour on farm, women provide 43% and hired labour accounts for 1%.



Chapter: 17

CROP AND FARM BUDGETS

17.1 It is not possible at this stage to produce comprehensive crop and farm budgets because of the complexity and diversity of cropping patterns, and production data are as yet incomplete. The main elements are available and a summary of information on cropping patterns, production and labour is presented in Table 17.1.

Table: 17.1

ELEMENTS OF A FARM BUDGET

| main crop in mixture | area (ha) | annual production (kg) | annual labour | |
|----------------------|--------------|------------------------------|---------------|---------------|
| | | | work days | cost (SIS) |
| a Cleared Land | 0.007 | | 1 | |
| b Coconut | 0.727 | | 226 | 4 |
| c Cocoa | | | | |
| z Coconut and Cocoa | 0.030 | | | |
| d Pasture | | | | |
| e Grain Crops | | | | |
| f Beans | | | | |
| g Cabbage | | | | |
| h Vegetables | | | | |
| i Spices | | | | |
| j Fruit Crops | | | | |
| k Fruit trees | | | | |
| l Banana | 0.002 | | 5 | |
| m Citrus trees | | | | |
| n Nut trees | | | | |
| o Sugar cane | | | | |
| p Food/building tree | | | | |
| q Tobacco | | | | |
| r Sweet Potato | 0.127 | | 262 | 2 |
| s Taro | | | | |
| t Yam | 0.001 | | | |
| u Pana | | | | |
| v Cassava | 0.006 | | 6 | |
| w Other root crop | | | | |
| Total | 0.899 | | 382 | 6 |

Table reference 9.2 not available 16.3 16.3

Chapter: 18

CASH CROP PROCESSING

18.1 Table 18.1 presents a labour budget for the production of copra based on 21 observations. The labour composition is entirely family labour.

18.2 Copra manufacture requires 227 work days per annum to produce 1,126kg copra, or one work day per 5kg copra produced. 152 work days are spent on picking and shelling the nuts which account for 67% of the total production time. Firewood collection takes 14 days or 6% of the time; and drying, bagging and transport take 61 days or 27% of the time. The annual labour input is illustrated in diagram 18.1.




Table: 18.1

ANNUAL COPRA PRODUCTION AND LABOUR EXPENDITURE

| Annual Labour Expenditure | | family or shared labour | | hired labour | | total | % labour by operation |
|----------------------------|------------------------|-------------------------|-----------|--------------|------------------|-----------|-----------------------|
| | | work hours | work days | work days | cash cost (\$/c) | work days | |
| HUSKING | picking, heaping | 287.9 | 50.1 | | | 50.1 | 22 |
| | husking | 145.7 | 27.8 | | | 27.8 | 12 |
| | transport | 126.9 | 23.7 | | | 23.7 | 10 |
| | breaking | 136.3 | 25.4 | | | 25.4 | 11 |
| | shelling | 131.4 | 23.9 | | | 23.9 | 11 |
| total | | 828.1 | 151.0 | | | 151.0 | 66 |
| COPRA KNIFE | picking, heaping | 5.1 | 0.9 | | | 0.9 | 0 |
| | axing + copra knife | 1.7 | 0.3 | | | 0.3 | 0 |
| | transport | 1.7 | 0.3 | | | 0.3 | 0 |
| total | | 8.6 | 1.4 | | | 1.4 | 1 |
| FIREWOOD | collection | 12.8 | 2.9 | | | 2.9 | 1 |
| | transport | 10.5 | 2.3 | | | 2.3 | 1 |
| | collection + transport | 42.5 | 9.1 | | | 9.1 | 4 |
| total | | 65.8 | 14.2 | | | 14.2 | 6 |
| DRYING | drying | 436.2 | 33.3 | | | 33.3 | 15 |
| | bagging | 64.8 | 15.1 | | | 15.1 | 7 |
| | transport | 26.8 | 12.3 | | | 12.3 | 5 |
| total | | 527.8 | 60.6 | | | 60.6 | 27 |
| TOTAL | | 1430.2 | 227.2 | | | 227.2 | 100 |
| % labour by type of labour | | 100 | | 100 | | 100 | |

| copra grade | quantity of copra produced (kg) | |
|-------------|---------------------------------|--------------|
| | per annum | per work day |
| Grade 1 | | |
| Grade 2 | | |
| Grade 3 | | |
| Ungraded | 1,126 | 5 |
| total | 1,126 | 5 |

Number of observations =

21

18.3 The gross margin for copra production is summarised in table 18.2. From an annual production of 1,126kg valued at the prevailing price of 33 cents per kilo the gross return is SI\$372. Inputs costs from bags and twine amount to SI\$16.32. The net income is SI\$356 which, at a requirement of 227 household labour days, represents a net return to labour of SI\$1.57 per household work day.

Table: 18.2
COPRA GROSS MARGIN

| | |
|--|-------|
| Annual production (kg) | 1,126 |
| Price per kilogram (SI\$) | 0.33 |
| Gross return (SI\$) | 372 |
| Inputs cost (SI\$) | 16.32 |
| Labour cost (SI\$) | |
| Net return (SI\$) | 356 |
| Household labour days | 227 |
| Copra production per household work day (kg) | 5 |
| Net return per household work day (SI\$) | 1.57 |

Inputs costs: Sacks @ SI\$1.00 per new sack;
Average packed weight 70kg = 16 sacks = SI\$16.00.
Twine @ SI\$1.00 per hank of 50 strings = SI\$0.32.

18.4 No cocoa production was undertaken by sampled farmers.

Chapter: 19

MARKETING

19.1 Table 19.1 presents a summary of marketing data collected in the survey, listing crops marketed against the number of observation recorded. The mean weight marketed is recorded, the time taken to go to market and back, the number of times the commodity is marketed per year, and the number of people involved in marketing. These are grouped under the heading of "marketing" details.

19.2 Marketing costs are recorded under the headings of freight or transport costs, fares for people involved in marketing, and market tax which may be imposed at the point of sale.

19.3 Revenues are possible where wages are earned, for instance from selling other farmers' produce and from the sale of crops. It is often difficult for sellers to specify costs and revenues, and in such cases data have to be treated as "missing". Thus the number of observations for crop sales may be lower than those for marketing data.

19.4 Table 19.2 is a transformation of the raw marketing data into an "average" annual marketing budget. The data are incomplete because of difficulties in recalling weights sold and marketing revenues. It is presented not as a model marketing budget, but as a data set to provide as much information on marketing as possible, albeit with gaps.

19.5 The two right-most columns show the net marketing revenue by crop and by household. The "net marketing revenue by crop" is the net return from sales after deducting costs. It is not the average income from crop sales since revenue may be negative where income data are missing or as a result of the double counting of transport costs when freight expenses are shared among several crops.

19.6 The "net marketing revenue per household" is the average household earnings taking account of the proportion of households selling each type of crop, but based on the limitations of the crop revenue data.

Table: 19.1
MARKETING TIME AND CROP PRICES

Basic Marketing Data:

| Basic Marketing Data: | | ----- marketing ----- | | | | costs ----- | | -- revenues -- | | | | |
|-----------------------|------------------|-----------------------|----------------------------|---|-------------------------------|------------------------|----------------------------------|------------------------|---------------|-----------------|-----------------------|---------------------|
| | | number of obs | mean weight marketed | time to market and back per year | times marketed per year | number of people | freight/ of transport cost | fares for people | market tax | wages earned | crop sale price | crop sale obs |
| | | (obs) | (kg) | (days) | (times) | (people) | (\$/S) | (\$/S) | (\$/S) | (\$/S) | (\$/kg) | (obs) |
| ALL CROPS | Average | 49 | 155 | 0.9 | 8 | 1 | 0.19 | 1.76 | 0.01 | | 0.28 | 49 |
| COCONUT/COCOA | Coconut | 22 | 279 | 1.0 | 12 | 1 | | | | | 0.20 | 1 |
| | Copra | 1 | | 1.0 | 2 | 1 | | | | | 0.34 | 22 |
| ROOT CROPS | Sweet Potato | 17 | 48 | 0.9 | 1 | 1 | 0.47 | 1.12 | 0.05 | | 0.19 | 17 |
| | Cassava | 1 | | 1.0 | 1 | 1 | | | | | 0.25 | 1 |
| CABBAGE | Hibiscus Cabbage | 2 | 27 | 1.0 | 1 | 1 | | | 0.50 | | 0.33 | 2 |
| BANANA | Cooking Banana | 1 | 200 | 1.0 | 3 | 1 | 5.00 | 10.00 | | | 0.60 | 1 |
| CITRUS | Orange | 1 | 70 | 1.0 | 2 | 2 | | 10.00 | | | 0.30 | 1 |
| OTHER | Megapod Egg | 4 | 38 | 1.0 | 37 | 2 | 0.25 | 6.50 | | | 0.40 | 1 |
| Number of households | | 40 | | | | | | | | | | |

Table: 19.2
INCOME FROM MARKETING

Annual Marketing Budget:

| | | costs (SIS) | | | | | | revenues (SIS) | | | net | net |
|---------------|------------------|-------------|-----------|-----------|--------|-----------|-----------|----------------|--------|---------|-----------|-----------|
| | | work | freight/ | transport | fares | market | total | wages | crop | total | marketing | marketing |
| | | days | cost | cost | for | tax | marketing | earned | sales | revenue | revenue | revenue |
| | | crop | marketing | houses | weight | marketing | costs | crop | crop | crop | by | per |
| | | (%) | (kg) | (days) | (SIS) | (SIS) | (SIS) | (SIS) | (SIS) | (SIS) | (SIS) | (SIS) |
| ALL CROPS | Average | | 1276 | 8.8 | 3 | 14 | 1 | 18.08 | 358.18 | 358.18 | 340 | 415 |
| COCONUT/COCOA | Coconut | 55 | 3344 | 12.0 | | | | | 668.73 | 668.73 | 669 | 368 |
| | Copra | 3 | | 9.1 | | | | | | | | |
| ROOT CROPS | Sweet Potato | 43 | 121 | 2.2 | 1 | 3 | 0 | 4.31 | 22.62 | 22.62 | 18 | 8 |
| | Cassava | 3 | 100 | 2.0 | | | | | 20.00 | 20.00 | 20 | 1 |
| CABBAGE | Hibiscus Cabbage | 5 | 80 | 3.0 | 8 | 30 | 2 | 39.00 | 25.84 | 25.84 | -13 | -1 |
| BANANA | Cooking Banana | 3 | 600 | 3.0 | 15 | 30 | 3 | 48.00 | 360.00 | 360.00 | 312 | 8 |
| CITRUS | Orange | 3 | 140 | 4.0 | | 20 | | 20.00 | 42.00 | 42.00 | 22 | 1 |
| OTHER | Megapod Egg | 10 | 1397 | 65.2 | 9 | 242 | | 251.44 | 558.75 | 558.75 | 307 | 31 |

19.7 Table 19.3 shows the time taken to different markets and the type of crop sold at each market. The classification of markets is subject to local interpretation, where "central" would generally be the provincial capital.

Table: 19.3
MARKET LOCATION

| market location: | local | inter- mediate | central | Honiara | trading ship | % obs | number of obs |
|--|------------------|-------------------|---------|---------|-----------------|----------|---------------------|
| i) Time taken to market produce | | | | | | | |
| time taken to go to market and back (days) | (% observations) | | | | | | |
| 0 - .5 | 6 | | | | | 6 | 3 |
| .5 - 1 | 69 | 8 | 16 | | | 94 | 46 |
| 1 - 2 | | | | | | | |
| 2 - 5 | | | | | | | |
| 5 - 10 | | | | | | | |
| > 10 | | | | | | | |
| % observations | 76 | 8 | 16 | | | 100 | 54 |
| number of observations | 37 | 4 | 8 | | | 49 | 49 |
| mean time (days) | 1 | 1 | 1 | | | | 1.75 |
| ii) Crops sold at different markets | | | | | | | |
| (% observations) | | | | | | | |
| COCONUT/COCOA | Coconut | 2 | | | | 2 | 1 |
| | Copra | 39 | 6 | | | 45 | 22 |
| ROOT CROPS | Sweet Potato | 29 | 2 | 4 | | 35 | 17 |
| | Cassava | 2 | | | | 2 | 1 |
| CABBAGE | Hibiscus Cabbage | | | 4 | | 4 | 2 |
| BANANA | Cooking Banana | | | 2 | | 2 | 1 |
| CITRUS | Orange | | | 2 | | 2 | 1 |
| OTHER | Megapod Egg | 4 | | 4 | | 8 | 4 |
| % observations | 76 | 8 | 16 | | | 100 | |
| number of observations | 37 | 4 | 8 | | | | 49 |

19.8 Table 19.4 summarises crop price perception and sale volumes.

Table: 19.4

CROP PRICE PERCEPTION AND SALE VOLUMES

| | | <---- sale price ----> | | | <----- sale volume -----> | | | number of obs |
|------------------------|------------------|------------------------|---------|------|---------------------------|---------|-----------------------|------------------|
| | | poor | average | good | little | average | more than usual | |
| COCONUT | Coconut | | 100 | | | 100 | | 1 |
| | Copra | 32 | 59 | 9 | 45 | 50 | 5 | 22 |
| ROOT CROPS | Sweet Potato | 6 | 59 | 35 | 76 | 24 | | 17 |
| | Cassava | | | 100 | 100 | | | 1 |
| CABBAGE | Hibiscus Cabbage | | 50 | 50 | 50 | 50 | | 2 |
| BANANA | Cooking Banana | | | 100 | 100 | | | 1 |
| CITRUS | Orange | | 100 | | | 100 | | 1 |
| OTHER | Megapod Egg | | 100 | | | 75 | 25 | 4 |
| Number of observations | | 8 | 30 | 11 | 26 | 21 | 2 | 49 |

19.9 Sale volumes and prices are generally regarded as "average". Local market prices were not available in Simbo during the survey.

19.10 Table 19.5 summarises marketing problems. To the right of the table are the proportion of cases by severity of problem. These are combined with crop type in the body of the table to show the "index of severity". In this index "no problem" is weighted "0", "slight problem" is weighted "0.5", and "severe problem" is weighted "1.0". Thus if all cases registered a severe problem the index would be "1.0".

Table: 19.5
MARKETING PROBLEMS

Number of observations = 49

| | <----- crop type -----> | | | <----- severity of -----> | | |
|-----------------------------|-------------------------|---------------|----------------|---------------------------|--------|--------|
| | coconut and cocoa | root crops | other crops | none | slight | severe |
| | (index of severity) | | | (% cases) | | |
| terrain too difficult | 0.1 | 0.1 | | 82 | 10 | 8 |
| distance too great | 0.1 | 0.1 | 0.1 | 71 | 4 | 24 |
| not enough time/labour | 0.0 | 0.0 | 0.0 | 92 | 8 | |
| transport cost too high | 0.0 | 0.1 | 0.1 | 82 | 8 | 10 |
| low price at market | 0.2 | 0.1 | 0.1 | 45 | 43 | 12 |
| lack of transport | 0.0 | 0.1 | 0.1 | 80 | 2 | 18 |
| unreliable transport | 0.0 | 0.0 | 0.0 | 94 | 6 | |
| risk of not selling enough | | | | 100 | | |
| crop damage in transit | | | | 100 | | |
| administrative restrictions | | | | 100 | | |
| quarantine control | | | | 100 | | |
| other problem | | | | 100 | | |

Note: "Index of Severity is a weighted summary of severity of marketing problems.

It falls in the range 0 to 1 where 0.0 = no marketing problem

0.5 = slight marketing problem

1.0 = severe marketing problem

19.11 Marketing problems are generally slight, with most crops marketed locally or in Gizo.

Annex: 1

CROP NAMES AND CODES

A1.1 The following list describes the hierarchical coding sequence used by AES in farming systems surveys to describe crop types. The list may be added to by inserting other crops of interest within the appropriate category.

A1.2 At the garden level only broad distinctions are made between cleared land, tree crops, short term cash crops, and food crops. Only single digit numeric codes are permitted at this level and these do not distinguish between crop type or mixtures. They do, however, provide important information about the structure of the holding. Code "1" for instance specifies "tree crops".

A1.3 At the plot level alphabetical codes are used to describe crop mixtures. These are used to describe cropping patterns and the analysis of labour by crop. Letter codes are strung together so there is no pre-set limit on the complexity of mixtures described. Some simplification is introduced within the code categories themselves. The dominant crop is listed first and other crops are listed to the right in decreasing order of importance. The string code then takes the form of an alphabetical "number", where the most significant characters are to the left and the least significant to the right. For instance "a" specifies "cleared land", while "rvgf1" specifies a mixture in decreasing order of importance of "sweet potato, cassava, cabbage, beans, banana".

A1.4 At the yield and marketing levels it is necessary to specify exactly the crop under study, and so a unique three-digit numeric code is assigned to each crop. The list need not be complete and may be added to as necessary since "spare codes" are available. For instance "613" specifies "pineapple".

Table: A1.1
CROP NAMES AND CODES

| garden | | plot | yield and marketing | | scientific name |
|--------|------------|------|---------------------|---------------------|------------------------------------|
| code | name | code | code | name | |
| 0 | cleared | a | 100 | CLEARED (unplanted) | |
| 1 | tree crops | b | 200 | COCONUT | <u>Cocos nucifera</u> |
| | | | 210 | Local Tall | |
| | | | 211 | Rennel | |
| | | | 212 | Dwarf Hybrid | |
| | | | 219 | Other | |
| | | | 250 | Copra | |
| 1 | tree crops | c | 300 | COCOA | <u>Theobroma cacao</u> |
| | | | 310 | Cocoa green beans | |
| | | | 311 | Cocoa dry beans | |
| | | d | | Pasture | |
| 3 | food crops | | 400 | ROOT CROPS | |
| | | r | 410 | Sweet Potato | <u>Ipomoea batatas</u> |
| | | s | 411 | Taro Common | <u>Colocasia esculenta</u> |
| | | s | 412 | Giant | <u>Alocasia micorhiza</u> |
| | | s | 413 | Hong Kong | <u>Xanthosoma saggitifolium</u> |
| | | s | 414 | Swamp | <u>Cytosperma chamissonis</u> |
| | | t | 415 | Yam | <u>Dioscorea alata</u> |
| | | u | 416 | Pana | <u>Dioscorea esculenta</u> |
| | | v | 417 | Cassava | <u>Manihot esculenta</u> |
| | | w | 419 | Other root crop | |
| 3 | food crops | e | 430 | GRAIN CROPS | |
| | | | 431 | Corn | <u>Zea mays</u> |
| | | | 432 | Peanuts | <u>Arachis hypogaea</u> |
| | | | 439 | Other grain crop | |
| 3 | food crops | f | 440 | BEANS | |
| | | | 441 | Long bean | <u>Phaseolus vulgaris</u> |
| | | | 442 | Wing bean | <u>Psophocarpus tetragonolobus</u> |
| | | | 443 | Snake bean | <u>Trichosanthes cucumerina</u> |
| | | | 444 | Nung bean | <u>Phaseolus aureus</u> |
| | | | 445 | Pigeon pea | <u>Cajanus cajan</u> |
| | | | 449 | Other bean | |

| | | | | | |
|-----|-----------------------|---|-----|----------------------|--|
| 3 | food crops | g | 450 | CABBAGE | |
| | | | 451 | Hibiscus cabbage | <u>Hibiscus manihot</u> |
| | | | 452 | Kangkong | |
| | | | 453 | Chinese cabbage | <u>Brassica chinensis</u> |
| | | | 454 | English cabbage | <u>Brassica compestris</u> |
| | | | 455 | Watercress | |
| 3 | food crops | h | 459 | Other cabbage | |
| | | | 460 | VEGETABLE | |
| | | | 461 | Pumpkin | <u>Cucurbita maxima</u> |
| | | | 462 | Cucumber | <u>Cucumis sativus</u> |
| | | | 463 | Shallot | <u>Allium spp.</u> |
| | | | 464 | Onion | <u>Allium cepa</u> |
| | | | 465 | Tomato | <u>Lycopersicon esculentum</u> |
| | | | 466 | Okra | <u>Hibiscus esculentus</u> |
| | | | 467 | Egg plant | <u>Solanum melongena</u> |
| | | | 468 | Green pepper (sweet) | <u>Capsicum annuum</u> |
| | | | 479 | Other vegetable | |
| 2 | short term cash crops | i | 500 | SPICES | |
| | | | 511 | Chilli pepper | <u>Capsicum spp.</u> |
| | | | 512 | Pepper corn | <u>Piper nigrum</u> |
| | | | 513 | Turmeric | <u>Curcuma domestica</u> |
| | | | 514 | Cardamon | <u>Ellettaria cardamomum</u> |
| | | | 515 | Cinnamon | <u>Cinnamomum zeylanicum</u> |
| | | | 516 | Ginger | <u>Zingiber officinale</u> |
| | | | 517 | Garlic | <u>Allium sativum</u> |
| | | | 518 | Vanilla | <u>Vanilla fragrans</u> |
| | | | 529 | Other spice | |
| 2/3 | cash/food crops | j | 600 | FRUIT CROPS | |
| | | | 611 | Water melon | <u>Citrullus lanatus</u> |
| | | | 612 | Rock melon | |
| | | | 613 | Pineapple | <u>Ananas comosus</u> |
| | | | 614 | Paw Paw | <u>Carica papaya</u> |
| | | | 615 | Passion fruit | <u>Passiflora edulus f. flavicarpa</u> |
| | | | 619 | Other fruit crop | |
| 1 | tree crops | k | 620 | FRUIT TREES | |
| | | | 621 | Guava | <u>Psidium guajava</u> |
| | | | 622 | Mango | <u>Mangifera indica</u> |
| | | | 623 | Soursop | |
| | | | 624 | Local Apple | |
| | | | 625 | Malayan Apple | <u>Eugenia malaccensis</u> |
| | | | 626 | Avocado | <u>Persea americana</u> |
| | | | 629 | Other fruit tree | |

| | | | | |
|---|-----------------------|---|------------------------|-------------------------------|
| 3 | food crops | l | 630 BANANA | <u>Musa spp.</u> |
| | | | 631 Cooking banana | |
| | | | 632 Sweet banana | |
| | | | 639 Other banana | |
| 1 | tree crops | m | 640 CITRUS TREES | |
| | | | 641 Orange | <u>Citrus sinensis</u> |
| | | | 642 Lime | <u>Citrus aurantifolia</u> |
| | | | 643 Grapefruit | <u>Citrus paradisi</u> |
| | | | 644 Pomelo | <u>Citrus grandis</u> |
| | | | 649 Other citrus | |
| 1 | tree crops | n | 650 NUT TREES | |
| | | | 651 Ngali Nut | <u>Canarium spp.</u> |
| | | | 652 Cut Nut | <u>Barringtonia spp.</u> |
| | | | 653 Betel Nut | <u>Areca catechu</u> |
| | | | 654 Cashew Nut | <u>Anacardium occidentale</u> |
| | | | 655 Alite Nut | <u>Terminalia catappa</u> |
| | | | 659 Other Nut | |
| 2 | short term cash crops | o | 660 SUGAR CANE | |
| | | | 661 Sugar cane | <u>Saccharum spp.</u> |
| | | | 662 Pit Pit | <u>Saccharum edule</u> |
| | | | 669 Other | |
| 1 | tree crops | p | 700 FOOD/BUILDING TREE | |
| | | | 701 Breadfruit | <u>Artocarpus altilis</u> |
| | | | 702 Sago palm | <u>Metroxylon spp.</u> |
| | | | 703 Bamboo | <u>Nastus spp.</u> |
| | | | 709 Other tree | |
| 2 | short term cash crops | q | 800 Tobacco | <u>Nicotiana tabacum</u> |

Annex: 2

LABOUR BUDGETS

A2.1 Summmaries of labour in the main body of the report are derived from labour budgets shown in tables A2.1 to A2.9, each covering a major land or crop operation:

| <u>Table</u> | <u>Operation</u> |
|--------------|--------------------------|
| A2.1 | Land Clearance |
| A2.2 | Cultivation |
| A2.3 | Planting |
| A2.4 | Tree Crops Establishment |
| A2.5 | Tree Crops Maintenance |
| A2.6 | First Weeding |
| A2.7 | Second Weeding |
| A2.8 | Third Weeding |
| A2.9 | Harvesting |

A2.2 Each table is divided into two sub-tables, named "a" and "b". Part "a" expresses budgets in the form of labour per hectare. Part "b" converts these results to labour per holding, based on mean holding sizes previously derived.

A2.3 Tables in "part a" are divided into two main components. Part "i" expresses "labour input by main crop growing in the plot". This is the measured labour input from field data and is derived from a subsample of plot observations. To the left of the table is the main crop type, which is the dominant crop in a mixture. In the first column of the table is the number of plots on which observations were made, and in the second column is the mean area of observed plots. The third column summarises the average number of times per year that the operation is performed in a cropping sequence, and the fourth column expresses the average number of hours worked per day.

A2.4 Within the box are labour data expressed in terms of seasonal (single crop) and annual (crop sequence) labour input, broken down by men, women and paid labour. The wage cost of paid labour is shown in the right-most column. In this, hours are converted to days by dividing by the average number of hours worked per day. This then takes account of "unproductive" time such as for travel to and from the garden, and expresses labour in terms of actual time taken. It does not, however, take account of different agricultural operations which may take place on the same day for instance where a morning might be spent clearing a plot while the afternoon is spent in weeding. Commonly work is split between the cool hours of the morning and late afternoon and so such circumstances should not generally arise.

A2.5 Below is "part ii" of the table, in which the composition of labour input is shown in more detail. The first four columns show the average number of workers in each category. Within the box is a summary of the table above, in which the % contribution of men, women and paid labour is shown.

A2.6 "Part b" of the table is on the page following "part a", in which annual labour per hectare is converted to annual labour per holding based on mean holding areas recorded for each given crop and operation - since each sub-sample will differ from the others. These are shown in the upper part of the table in two forms, as work hours and as work days by category of labour. The annual wage labour cost is shown in the far right column of the table.

A2.7 Below is the labour budget expressed in terms of time per household labour unit. In this it is assumed that communal labour is reciprocated and so balances out. Total labour input may therefore be expressed simply in terms of family labour. Wage labour is external and is therefore given the adult equivalent "weighting" of 1. Family labour is weighted according to the age composition of the family, analysed in chapter 3.

A2.8 Each set of tables for an operation is accompanied by a diagram in which the annual days of labour per holding are summarised by crop and by labour category.

A2.9 Various points should be noted about the derivation of labour budgets:

i) They are expressed in the form of "models" which are based on a sub-sample of observations. These are derived from interview, not direct measurement, although care is taken to minimise recall periods. Labour budgets are built up from a mosaic of labour records.

ii) Crop categories are summaries of complex mixtures in which the crop listed is dominant. Labour data are thus compatible with cropping pattern data and represents actual field conditions. No attempt is made to restrict or control the conditions under observation.

iii) Each table shows the labour input for an operation which is conducted. The tables do not show the extent to which operations may be missed or combined. Such refinements are difficult to include without a more complex, and therefore more costly and time consuming, survey design. The analysis therefore tends to be conservative since it does not take account of possible economies in combined operations.

iv) Caution should be exercised in interpreting results from few observations since labour data on complex systems are very variable.

v) Labour, although of central importance in the agricultural economy, is not necessarily economically optimising. Often labour has an important social character in which households will group together and "share" labour. Differences in site and labour composition, together with the social character of some labour, introduce considerable variability into results.

Table: A2.1

LABOUR OPERATIONS ON LAND CLEARANCE (per hectare)

| | number of obs (plots) | mean plot area (ha) | operation times per year | average hours worked per day | <----- labour input -----> | | | | | labour cost | |
|--|--------------------------------|------------------------------|-----------------------------------|---------------------------------------|----------------------------|-------|------------------|--------|------------|----------------|-------|
| | | | | | <--- per season ---> | | <-- per year --> | | | | |
| | | | | | <----- hours/ha -----> | | hours | days | | | |
| | | | | | men | women | paid (hrs/ha) | (d/ha) | (\$/ha/yr) | | |
| i) Labour input by main crop growing in the plot | | | | | | | | | | | |
| All plots summary | : | 64 | 0.238 | 1.33 | 4.8 | 385 | 147 | 16 | 728 | 151 | 8.04 |
| Cleared land | a: | 7 | 0.031 | 1.57 | 4.3 | 341 | 40 | | 599 | 140 | |
| Coconut | b: | 10 | 1.253 | 1.00 | 6.2 | 415 | 214 | | 629 | 101 | |
| Grain Crops | e: | 1 | 0.007 | 1.00 | 2.0 | 615 | | | 615 | 308 | |
| Banana | l: | 1 | 0.055 | 1.00 | 4.8 | | | 181 | 181 | 38 | 90.42 |
| Sweet Potato | r: | 39 | 0.059 | 1.38 | 4.6 | 361 | 161 | 22 | 753 | 162 | 10.87 |
| Cassava | v: | 6 | 0.023 | 1.33 | 5.5 | 562 | 119 | | 908 | 165 | |

Note: 4.8 hours/day for banana is an assumed figure

| <- average number of workers -> | | | | | <-- % contribution --> | | |
|---------------------------------|-------|------|-------|------|------------------------|-------|------|
| men | women | paid | total | | men | women | paid |
| ii) Labour composition | | | | | | | |
| All plots summary : | 1.2 | 0.5 | 0.8 | 2.5 | 70 | 27 | 3 |
| Cleared land a: | 1.1 | 0.1 | | 1.3 | 90 | 10 | |
| Coconut b: | 1.1 | 0.3 | | 1.4 | 66 | 34 | |
| Grain Crops e: | 1.0 | | | 1.0 | 100 | | |
| Banana l: | | | 10.0 | 10.0 | | | 100 |
| Sweet Potato r: | 1.2 | 0.6 | 1.1 | 2.8 | 66 | 30 | 4 |
| Cassava v: | 1.7 | 0.3 | | 2.0 | 83 | 17 | |

Note : 1. "Operation times per year" is the average number of times the operation is performed per year.

2. "Hours per year" is the sum of hours per season multiplied by times per year.

LABOUR OPERATIONS ON LAND CLEARANCE (per holding)

i) Total time worked

| | | mean holding area (ha) | <----- work hours -----> | | | <----- work days -----> | | | | labour cost (SI\$) |
|--------------|---|---------------------------------|--------------------------|-------|------|-------------------------|-------|------|-------|--------------------------|
| | | | men | women | paid | men | women | paid | total | |
| Total | : | 0.899 | 374 | 185 | 4 | 64 | 31 | 1 | 96 | 2 |
| Cleared land | : | 0.007 | 4 | 0 | | 1 | 0 | | 1 | |
| Coconut | : | 0.727 | 302 | 156 | | 49 | 25 | | 74 | |
| Grain Crops | : | 0.000 | 0 | | | 0 | | | 0 | |
| Banana | : | 0.002 | | | 0 | | | 0 | 0 | 0 |
| Sweet Potato | : | 0.127 | 63 | 28 | 4 | 14 | 6 | 1 | 21 | 1 |
| Cassava | : | 0.006 | 4 | 1 | | 1 | 0 | | 1 | |
| Other | | 0.030 | | | | | | | | |

Derived from plot details aggregated over entire holding

ii) Time worked per labour unit

| | | <----- work hours -----> | | | <----- work days -----> | | | % contribution to family labour | |
|------------------------|--|--------------------------|-------|------|-------------------------|-------|------|------------------------------------|-------|
| | | men | women | paid | men | women | paid | men | women |
| Labour units available | | 1.86 | 1.71 | 1.00 | | | | | |
| Total | | 201 | 108 | 4 | 34 | 18 | 1 | 67 | 33 |
| Cleared land | | 2 | 0 | | 0 | 0 | | 90 | 10 |
| Coconut | | 162 | 91 | | 26 | 15 | | 66 | 34 |
| Grain Crops | | 0 | | | 0 | | | 100 | |
| Banana | | | | 0 | | | 0 | | |
| Sweet Potato | | 34 | 17 | 4 | 7 | 4 | 0 | 69 | 31 |
| Cassava | | 2 | 1 | | 0 | 0 | | 33 | 17 |

Derived from household composition labour availability

% contribution to family labour is derived from the table above

Table: A2.2

LABOUR OPERATIONS ON CULTIVATION (per hectare)

| | | | | | <----- labour input -----> | | | | | | labour |
|--|----|----|-------|------|----------------------------|-------|------------------|----------|--------|-----|------------|
| | | | | | <--- per season ---> | | <-- per year --> | | | | cost |
| | | | | | <----- hours/ha -----> | | hours | days | | | |
| | | | | | men | women | paid | (hrs/ha) | (d/ha) | | (\$/ha/yr) |
| i) Labour input by main crop growing in the plot | | | | | | | | | | | |
| All plots summary | : | 62 | 0.102 | 1.98 | 4.7 | 373 | 137 | 19 | 1049 | 224 | 8.54 |
| Cleared land | a: | | | | | | | | | | |
| Coconut | b: | 2 | 1.643 | 1.00 | 8.0 | 42 | | | 42 | 5 | |
| Grain Crops | e: | 1 | 0.007 | 1.00 | 2.0 | 308 | | | 308 | 154 | |
| Banana | l: | 1 | 0.055 | 1.00 | 4.7 | | | 181 | 181 | 39 | 90.42 |
| Sweet Potato | r: | 51 | 0.055 | 2.10 | 4.6 | 353 | 157 | 20 | 1112 | 241 | 8.61 |
| Cassava | v: | 7 | 0.024 | 1.71 | 5.3 | 675 | 66 | | 1270 | 240 | |

Note: 4.7 hours/day for banana is an assumed figure

| <- average number of workers -> | | | | | <-- % contribution --> | | | | |
|---------------------------------|--|----|-----|-----|------------------------|-------|------|----|-----|
| | | | | | men | women | paid | | |
| | | | | | men | women | paid | | |
| ii) Labour composition | | | | | | | | | |
| All plots summary | | : | 1.3 | 0.4 | 0.7 | 2.4 | 71 | 26 | 4 |
| Cleared land | | a: | | | | | | | |
| Coconut | | b: | 1.0 | | | 1.0 | 100 | | |
| Grain Crops | | e: | 1.0 | | | 1.0 | 100 | | |
| Banana | | l: | | | 10.0 | 10.0 | | | 100 |
| Sweet Potato | | r: | 1.4 | 0.5 | 0.7 | 2.5 | 67 | 30 | 4 |
| Cassava | | v: | 1.0 | 0.3 | | 1.3 | 91 | 9 | |

Note : 1. "Operation times per year" is the average number of times the operation is performed per year.

2. "Hours per year" is the sum of hours per season multiplied by times per year.

LABOUR OPERATIONS ON CULTIVATION (per holding)

i) Total time worked

| | | mean holding area (ha) | <----- work hours -----> | | | <----- work days -----> | | | | labour cost (SIS) |
|--------------|---|---------------------------------|--------------------------|-------|------|-------------------------|-------|------|-------|-------------------------|
| | | | men | women | paid | men | women | paid | total | |
| Total | : | 0.899 | 132 | 43 | 6 | 26 | 9 | 1 | 36 | 1 |
| Cleared land | : | 0.007 | | | | | | | | |
| Coconut | : | 0.727 | 31 | | | 4 | | | 4 | |
| Grain Crops | : | 0.000 | 0 | | | 0 | | | 0 | |
| Banana | : | 0.002 | | | 0 | | | 0 | 0 | 0 |
| Sweet Potato | : | 0.127 | 94 | 42 | 5 | 20 | 9 | 1 | 31 | 1 |
| Cassava | : | 0.006 | 7 | 1 | | 1 | 0 | | 1 | |
| Other | | 0.030 | | | | | | | | |

Derived from plot details aggregated over entire holding

ii) Time worked per labour unit

| | <----- work hours -----> | | | <----- work days -----> | | | % contribution to family labour | |
|------------------------|--------------------------|-------|------|-------------------------|-------|------|------------------------------------|-------|
| | men | women | paid | men | women | paid | men | women |
| Labour units available | 1.86 | 1.71 | 1.00 | | | | | |
| Total | 71 | 25 | 6 | 14 | 5 | 1 | 76 | 24 |
| Cleared land | | | | | | | | |
| Coconut | 16 | | | 2 | | | 100 | |
| Grain Crops | 0 | | | 0 | | | 100 | |
| Banana | | | 0 | | | 0 | | |
| Sweet Potato | 51 | 24 | 5 | 11 | 5 | 1 | 69 | 31 |
| Cassava | 4 | 0 | | 1 | 0 | | 91 | 9 |

Derived from household composition labour availability

% contribution to family labour is derived from the table above

Table: A2.3

LABOUR OPERATIONS ON PLANTING (per hectare)

| | number of obs (plots) | mean plot area (ha) | operation times per year | average hours worked per day | <----- labour input -----> | | | | | labour cost |
|--|--------------------------------|------------------------------|-----------------------------------|---------------------------------------|----------------------------|-------|--------------------|--------|------------|----------------|
| | | | | | <--- per season ---> | | <--- per year ---> | | | |
| | | | | | <----- hours/ha -----> | | hours | days | | |
| | | | | | men | women | paid (hrs/ha) | (d/ha) | (\$/ha/yr) | |
| i) Labour input by main crop growing in the plot | | | | | | | | | | |
| All plots summary | : | 70 | 0.222 | 1.87 | 4.9 | 281 | 258 | 3 | 1014 | 206 1.32 |
| Cleared land | a: | | | | | | | | | |
| Coconut | b: | 10 | 1.253 | 1.00 | 6.2 | 404 | 211 | | 615 | 99 |
| Grain Crops | e: | 1 | 0.007 | 1.00 | 1.0 | 154 | | | 154 | 154 |
| Banana | l: | 1 | 0.055 | 1.00 | 4.9 | | | 181 | 181 | 37 90.42 |
| Sweet Potato | r: | 51 | 0.055 | 2.08 | 4.8 | 233 | 269 | | 1043 | 216 |
| Cassava | v: | 7 | 0.024 | 1.86 | 5.0 | 503 | 315 | | 1519 | 304 |

Note: 4.9 hours/day for banana is an assumed figure

| <- average number of workers -> | | | | | <-- % contribution --> | | |
|---------------------------------|-------|------|-------|------|------------------------|-------|------|
| men | women | paid | total | | men | women | paid |
| ii) Labour composition | | | | | | | |
| All plots summary : | 0.9 | 0.7 | 0.1 | 1.8 | 52 | 48 | 0 |
| Cleared land a: | | | | | | | |
| Coconut b: | 1.1 | 0.3 | | 1.4 | 66 | 34 | |
| Grain Crops e: | 1.0 | | | 1.0 | 100 | | |
| Banana l: | | | 10.0 | 10.0 | | | 100 |
| Sweet Potato r: | 0.9 | 0.9 | | 1.8 | 46 | 54 | |
| Cassava v: | 0.9 | 0.6 | | 1.4 | 61 | 39 | |

Note : 1. "Operation times per year" is the average number of times the operation is performed per year.

2. "Hours per year" is the sum of hours per season multiplied by times per year.

LABOUR OPERATIONS ON PLANTING (per holding)

i) Total time worked

| | | mean holding area (ha) | <----- work hours -----> | | | <----- work days -----> | | | | labour cost (SIS) |
|--------------|---|---------------------------------|--------------------------|-------|------|-------------------------|-------|------|-------|-------------------------|
| | | | men | women | paid | men | women | paid | total | |
| Total | : | 0.899 | 361 | 228 | 0 | 61 | 40 | 0 | 102 | 0 |
| Cleared land | : | 0.007 | | | | | | | | |
| Coconut | : | 0.727 | 294 | 153 | | 47 | 25 | | 72 | |
| Grain Crops | : | 0.000 | 0 | | | 0 | | | 0 | |
| Banana | : | 0.002 | | | 0 | | | 0 | 0 | 0 |
| Sweet Potato | : | 0.127 | 62 | 71 | | 13 | 15 | | 27 | |
| Cassava | : | 0.006 | 6 | 4 | | 1 | 1 | | 2 | |
| Other | | 0.030 | | | | | | | | |

Derived from plot details aggregated over entire holding

ii) Time worked per labour unit

| | <----- work hours -----> | | | <----- work days -----> | | | % contribution to family labour | |
|------------------------|--------------------------|-------|------|-------------------------|-------|------|------------------------------------|-------|
| | men | women | paid | men | women | paid | men | women |
| Labour units available | 1.86 | 1.71 | 1.00 | | | | | |
| Total | 194 | 133 | 0 | 33 | 23 | 0 | 61 | 39 |
| Cleared land | | | | | | | | |
| Coconut | 158 | 90 | | 25 | 14 | | 66 | 34 |
| Grain Crops | 0 | | | 0 | | | 100 | |
| Banana | | | 0 | | | 0 | | |
| Sweet Potato | 33 | 42 | | 7 | 9 | | 46 | 54 |
| Cassava | 3 | 2 | | 1 | 0 | | 61 | 39 |

Derived from household composition labour availability

* contribution to family labour is derived from the table above

Table: A2.4

LABOUR OPERATIONS ON ESTABLISHMENT (per hectare)

| number of obs (plots) | mean plot area (ha) | operation times per year | average hours worked per day | <----- labour input -----> | | | | labour |
|--------------------------------|------------------------------|-----------------------------------|---------------------------------------|----------------------------|------------------|---------------|-------------------|--------|
| | | | | <--- per season ---> | <-- per year --> | | cost | |
| | | | | <----- hours/ha -----> | hours | days | | |
| | | | | men | women | paid (hrs/ha) | (d/ha) (\$/ha/yr) | |

i) Labour input by main crop growing in the plot

All plots summary :

Cleared land a:
Coconut b:
Grain Crops e:
Banana l:
Sweet Potato r:
Cassava v:

<- average number of workers ->
men women paid total

<-- % contribution -->
men women paid

ii) Labour composition

All plots summary :

Cleared land a:
Coconut b:
Grain Crops e:
Banana l:
Sweet Potato r:
Cassava v:

Note : 1. "Operation times per year" is the average number of times the operation is performed per year.
2. "Hours per year" is the sum of hours per season multiplied by times per year.

LABOUR OPERATIONS ON ESTABLISHMENT (per holding)

i) Total time worked

| | mean holding area (ha) | <----- work hours -----> | | | <----- work days -----> | | | | labour cost (SI\$) |
|--------------|---------------------------------|--------------------------|-------|------|-------------------------|-------|------|-------|--------------------------|
| | | men | women | paid | men | women | paid | total | |
| Total | : 0.899 | | | | | | | | |
| Cleared land | : 0.007 | | | | | | | | |
| Coconut | : 0.727 | | | | | | | | |
| Grain Crops | : 0.000 | | | | | | | | |
| Banana | : 0.002 | | | | | | | | |
| Sweet Potato | : 0.127 | | | | | | | | |
| Cassava | : 0.006 | | | | | | | | |
| Other | 0.030 | | | | | | | | |

Derived from plot details aggregated over entire holding

ii) Time worked per labour unit

| | <----- work hours -----> | | | <----- work days -----> | | | % contribution to family labour | |
|------------------------|--------------------------|-------|------|-------------------------|-------|------|------------------------------------|-------|
| | men | women | paid | men | women | paid | men | women |
| Labour units available | 1.86 | 1.71 | 1.00 | | | | | |
| Total | | | | | | | | |
| Cleared land | | | | | | | | |
| Coconut | | | | | | | | |
| Grain Crops | | | | | | | | |
| Banana | | | | | | | | |
| Sweet Potato | | | | | | | | |
| Cassava | | | | | | | | |

Derived from household composition labour availability

% contribution to family labour is derived from the table above

Table: A2.5

LABOUR OPERATIONS ON MAINTENANCE (per hectare)

| | number of obs (plots) | mean plot area (ha) | operation times per year | average hours worked per day | <----- labour input -----> | | | | | labour | |
|--|--------------------------------|------------------------------|-----------------------------------|---------------------------------------|----------------------------|-------|------------------|--------|------------|--------|------|
| | | | | | <--- per season ---> | | <-- per year --> | | cost | | |
| | | | | | <----- hours/ha -----> | | hours | days | | | |
| | | | | | men | women | paid (hrs/ha) | (d/ha) | (\$/ha/yr) | | |
| i) Labour input by main crop growing in the plot | | | | | | | | | | | |
| All plots summary | : | 18 | 1.131 | 3.67 | 4.9 | 69 | 5 | 5 | 288 | 59 | 6.15 |
| Cleared land | a: | | | | | | | | | | |
| Coconut | b: | 18 | 1.131 | 3.67 | 4.9 | 69 | 5 | 5 | 288 | 59 | 6.15 |
| Grain Crops | e: | | | | | | | | | | |
| Banana | l: | | | | | | | | | | |
| Sweet Potato | r: | | | | | | | | | | |
| Cassava | v: | | | | | | | | | | |

| | <- average number of workers -> | | | | <-- % contribution --> | | | |
|------------------------|---------------------------------|-------|------|-------|------------------------|-------|------|---|
| | men | women | paid | total | men | women | paid | |
| ii) Labour composition | | | | | | | | |
| All plots summary | : | 1.1 | 0.2 | 2.7 | 4.1 | 88 | 6 | 6 |
| Cleared land | a: | | | | | | | |
| Coconut | b: | 1.1 | 0.2 | 2.7 | 4.1 | 88 | 6 | 6 |
| Grain Crops | e: | | | | | | | |
| Banana | l: | | | | | | | |
| Sweet Potato | r: | | | | | | | |
| Cassava | v: | | | | | | | |

Note : 1. "Operation times per year" is the average number of times the operation is performed per year.

2. "Hours per year" is the sum of hours per season multiplied by times per year.

LABOUR OPERATIONS ON MAINTENANCE (per holding)

i) Total time worked

| | | mean holding area (ha) | <----- work hours -----> | | | <----- work days -----> | | | | labour cost (SIS) |
|--------------|---|---------------------------------|--------------------------|-------|------|-------------------------|-------|------|-------|-------------------------|
| | | | men | women | paid | men | women | paid | total | |
| Total | : | 0.899 | 184 | 13 | 12 | 38 | 3 | 3 | 43 | 4 |
| Cleared land | : | 0.007 | | | | | | | | |
| Coconut | : | 0.727 | 184 | 13 | 12 | 38 | 3 | 3 | 43 | 4 |
| Grain Crops | : | 0.000 | | | | | | | | |
| Banana | : | 0.002 | | | | | | | | |
| Sweet Potato | : | 0.127 | | | | | | | | |
| Cassava | : | 0.006 | | | | | | | | |
| Other | | 0.030 | | | | | | | | |

Derived from plot details aggregated over entire holding

ii) Time worked per labour unit

| | | <----- work hours -----> | | | <----- work days -----> | | | % contribution to family labour | |
|------------------------|--|--------------------------|-------|------|-------------------------|-------|------|------------------------------------|-------|
| | | men | women | paid | men | women | paid | men | women |
| Labour units available | | 1.86 | 1.71 | 1.00 | | | | | |
| Total | | 99 | 8 | 12 | 20 | 2 | 1 | 93 | 7 |
| Cleared land | | | | | | | | | |
| Coconut | | 99 | 8 | 12 | 20 | 2 | 1 | 93 | 7 |
| Grain Crops | | | | | | | | | |
| Banana | | | | | | | | | |
| Sweet Potato | | | | | | | | | |
| Cassava | | | | | | | | | |

Derived from household composition labour availability

% contribution to family labour is derived from the table above

Table: A2.6

LABOUR OPERATIONS ON FIRST WEEDING (per hectare)

| | number of obs (plots) | mean plot area (ha) | operation times per year | average hours worked per day | <----- labour input -----> | | | | labour |
|--|--------------------------------|------------------------------|-----------------------------------|---------------------------------------|----------------------------|-------|------------------|-------------------|--------|
| | | | | | <---- per season ----> | | <-- per year --> | cost | |
| | | | | | <----- hours/ha -----> | | hours | days | |
| | | | | | men | women | paid (hrs/ha) | (d/ha) (\$/ha/yr) | |
| i) Labour input by main crop growing in the plot | | | | | | | | | |
| All plots summary | : | 45 | 0.054 | 1.67 | 4.7 | 174 | 620 | 1323 | 282 |
| Cleared land | a: | | | | | | | | |
| Coconut | b: | | | | | | | | |
| Grain Crops | e: | 1 | 0.007 | 1.00 | | | | | |
| Banana | l: | 1 | 0.055 | 1.00 | 3.0 | 217 | | 217 | 72 |
| Sweet Potato | r: | 40 | 0.058 | 1.70 | 5.0 | 163 | 273 | 741 | 150 |
| Cassava | v: | 3 | 0.018 | 1.67 | 3.3 | 353 | 268 | 1035 | 311 |

| | <- average number of workers -> | | | | <-- % contribution --> | | |
|------------------------|---------------------------------|-------|------|-------|------------------------|-------|------|
| | men | women | paid | total | men | women | paid |
| ii) Labour composition | | | | | | | |
| All plots summary | : | 0.7 | 0.9 | 1.5 | 22 | 78 | |
| Cleared land | a: | | | | | | |
| Coconut | b: | | | | | | |
| Grain Crops | e: | | | | | | |
| Banana | l: | 2.0 | | 2.0 | 100 | | |
| Sweet Potato | r: | 0.7 | 0.9 | 1.6 | 37 | 63 | |
| Cassava | v: | 0.7 | 0.7 | 1.3 | 57 | 43 | |

Note : 1. "Operation times per year" is the average number of times the operation is performed per year.

2. "Hours per year" is the sum of hours per season multiplied by times per year.

LABOUR OPERATIONS ON FIRST WEEDING (per holding)

i) Total time worked

| | mean holding area (ha) | <----- work hours -----> | | | <----- work days -----> | | | | labour cost (SIS) |
|--------------|------------------------|--------------------------|-------|------|-------------------------|-------|------|-------|-------------------|
| | | men | women | paid | men | women | paid | total | |
| Total | : 0.899 | 39 | 62 | | 8 | 13 | | 21 | |
| Cleared land | : 0.007 | | | | | | | | |
| Coconut | : 0.727 | | | | | | | | |
| Grain Crops | : 0.000 | | | | | | | | |
| Banana | : 0.002 | 0 | | | 0 | | | 0 | |
| Sweet Potato | : 0.127 | 35 | 59 | | 7 | 12 | | 19 | |
| Cassava | : 0.006 | 4 | 3 | | 1 | 1 | | 2 | |
| Other | 0.030 | | | | | | | | |

Derived from plot details aggregated over entire holding

ii) Time worked per labour unit

| | <----- work hours -----> | | | <----- work days -----> | | | % contribution to family labour | |
|------------------------|--------------------------|-------|------|-------------------------|-------|------|---------------------------------|-------|
| | men | women | paid | men | women | paid | men | women |
| Labour units available | 1.86 | 1.71 | 1.00 | | | | | |
| Total | 21 | 36 | | 4 | 7 | | 39 | 61 |
| Cleared land | | | | | | | | |
| Coconut | | | | | | | | |
| Grain Crops | | | | | | | | |
| Banana | 0 | | | 0 | | | 100 | |
| Sweet Potato | 19 | 34 | | 4 | 7 | | 37 | 63 |
| Cassava | 2 | 2 | | 1 | 0 | | 57 | 43 |

Derived from household composition labour availability

% contribution to family labour is derived from the table above

Table: A2.7

LABOUR OPERATIONS ON SECOND WEEDING (per hectare)

| | | | | | <----- labour input -----> | | | | | labour |
|--|------------------------------|-----------------------------------|---------------------------------------|-----|----------------------------|-------|------------------|----------|--------|------------|
| | | | | | <---- per season ----> | | <-- per year --> | | | cost |
| | | | | | <----- hours/ha -----> | | hours | days | | |
| | | | | | men | women | paid | (hrs/ha) | (d/ha) | (\$/ha/yr) |
| number of obs (plots) | mean plot area (ha) | operation times per year | average hours worked per day | | | | | | | |
| i) Labour input by main crop growing in the plot | | | | | | | | | | |
| All plots summary : | 8 | 0.071 | 1.38 | 6.1 | 133 | 250 | | 527 | 86 | |
| Cleared land a: | | | | | | | | | | |
| Coconut b: | | | | | | | | | | |
| Grain Crops e: | | | | | | | | | | |
| Banana l: | | | | | | | | | | |
| Sweet Potato r: | 8 | 0.071 | 1.38 | 6.1 | 133 | 250 | | 527 | 86 | |
| Cassava v: | | | | | | | | | | |

| <- average number of workers -> | | | | | <-- % contribution --> | | |
|---------------------------------|-------|------|-------|-----|------------------------|-------|------|
| men | women | paid | total | | men | women | paid |
| ii) Labour composition | | | | | | | |
| All plots summary : | 0.8 | 1.1 | | 1.9 | 35 | 65 | |
| Cleared land a: | | | | | | | |
| Coconut b: | | | | | | | |
| Grain Crops e: | | | | | | | |
| Banana l: | | | | | | | |
| Sweet Potato r: | 0.8 | 1.1 | | 1.9 | 35 | 65 | |
| Cassava v: | | | | | | | |

Note : 1. "Operation times per year" is the average number of times the operation is performed per year.

2. "Hours per year" is the sum of hours per season multiplied by times per year.

LABOUR OPERATIONS ON SECOND WEEDING (per holding)

i) Total time worked

| | | mean holding area (ha) | <----- work hours -----> | | | <----- work days -----> | | | | labour cost (SI\$) |
|--------------|---|---------------------------------|--------------------------|-------|------|-------------------------|-------|------|-------|--------------------------|
| | | | men | women | paid | men | women | paid | total | |
| Total | : | 0.899 | 23 | 44 | | 4 | 7 | | 11 | |
| Cleared land | : | 0.007 | | | | | | | | |
| Coconut | : | 0.727 | | | | | | | | |
| Grain Crops | : | 0.000 | | | | | | | | |
| Banana | : | 0.002 | | | | | | | | |
| Sweet Potato | : | 0.127 | 23 | 44 | | 4 | 7 | | 11 | |
| Cassava | : | 0.006 | | | | | | | | |
| Other | | 0.030 | | | | | | | | |

Derived from plot details aggregated over entire holding

ii) Time worked per labour unit

| | | <----- work hours -----> | | | <----- work days -----> | | | % contribution to family labour | |
|------------------------|--|--------------------------|-------|------|-------------------------|-------|------|------------------------------------|-------|
| | | men | women | paid | men | women | paid | men | women |
| Labour units available | | 1.86 | 1.71 | 1.00 | | | | | |
| Total | | 12 | 26 | | 2 | 4 | | 35 | 65 |
| Cleared land | | | | | | | | | |
| Coconut | | | | | | | | | |
| Grain Crops | | | | | | | | | |
| Banana | | | | | | | | | |
| Sweet Potato | | 12 | 26 | | 2 | 4 | | 35 | 65 |
| Cassava | | | | | | | | | |

Derived from household composition labour availability

% contribution to family labour is derived from the table above

LABOUR OPERATIONS ON THIRD WEEDING (per holding)

i) Total time worked

| | | mean holding area (ha) | <----- work hours -----> | | | <----- work days -----> | | | | labour cost (SIS) |
|--------------|---|---------------------------------|--------------------------|-------|------|-------------------------|-------|------|-------|-------------------------|
| | | | men | women | paid | men | women | paid | total | |
| Total | : | 0.899 | 11 | 18 | | 2 | 3 | | 4 | |
| Cleared land | : | 0.007 | | | | | | | | |
| Coconut | : | 0.727 | | | | | | | | |
| Grain Crops | : | 0.000 | | | | | | | | |
| Banana | : | 0.002 | | | | | | | | |
| Sweet Potato | : | 0.127 | 11 | 18 | | 2 | 3 | | 4 | |
| Cassava | : | 0.006 | | | | | | | | |
| Other | | 0.030 | | | | | | | | |

Derived from plot details aggregated over entire holding

ii) Time worked per labour unit

| | | <----- work hours -----> | | | <----- work days -----> | | | % contribution to family labour | |
|------------------------|--|--------------------------|-------|------|-------------------------|-------|------|------------------------------------|-------|
| | | men | women | paid | men | women | paid | men | women |
| Labour units available | | 1.86 | 1.71 | 1.00 | | | | | |
| Total | | 6 | 11 | | 1 | 2 | | 38 | 62 |
| Cleared land | | | | | | | | | |
| Coconut | | | | | | | | | |
| Grain Crops | | | | | | | | | |
| Banana | | | | | | | | | |
| Sweet Potato | | 6 | 11 | | 1 | 2 | | 38 | 62 |
| Cassava | | | | | | | | | |

Derived from household composition labour availability

% contribution to family labour is derived from the table above

Table: A2.9

LABOUR OPERATIONS ON HARVESTING (per hectare)

| | | | | | <div> <div><----- labour input -----></div> <div> <div><--- per season ----></div> <div><--- hours/ha ----></div> <div>men</div> </div> <div> <div><-- per year --></div> <div>hours</div> <div>paid (hrs/ha)</div> </div> <div> <div>days</div> <div>(d/ha)</div> <div>(\$/ha/yr)</div> </div> </div> | | | | | labour cost |
|--|-----------------------|---------------------|--------------------------|------------------------------|--|-----|--|------|------|-------------|
| | number of obs (plots) | mean plot area (ha) | operation times per year | average hours worked per day | | | | | | |
| i) Labour input by main crop growing in the plot | | | | | | | | | | |
| All plots summary : | 49 | 0.431 | 4.27 | 3.3 | 171 | 261 | | 1843 | 557 | |
| Cleared land a: | | | | | | | | | | |
| Coconut b: | 15 | 1.257 | 4.80 | 6.3 | 32 | 25 | | 274 | 44 | |
| Grain Crops e: | | | | | | | | | | |
| Banana l: | 1 | 0.055 | 8.00 | 2.0 | 36 | | | 288 | 144 | |
| Sweet Potato r: | 33 | 0.067 | 3.91 | 2.0 | 238 | 377 | | 2404 | 1202 | |
| Cassava v: | | | | | | | | | | |

| | | | | | <div> <div><-- % contribution --></div> <div>men</div> <div>women</div> <div>paid</div> </div> | | |
|------------------------|-----|---------------------------------|-------|-------|--|----|--|
| | | <- average number of workers -> | | | | | |
| | | men | women | total | | | |
| ii) Labour composition | | | | | | | |
| All plots summary : | | 1.0 | 1.0 | 2.0 | 40 | 60 | |
| Cleared land a: | | | | | | | |
| Coconut b: | 2.0 | 1.0 | | 3.0 | 56 | 44 | |
| Grain Crops e: | | | | | | | |
| Banana l: | 1.0 | | | 1.0 | 100 | | |
| Sweet Potato r: | 0.5 | 1.0 | | 1.5 | 39 | 61 | |
| Cassava v: | | | | | | | |

Note : 1. "Operation times per year" is the average number of times the operation is performed per year.

2. "Hours per year" is the sum of hours per season multiplied by times per year.

LABOUR OPERATIONS ON HARVESTING (per holding)

i) Total time worked

| | | mean holding area (ha) | <----- work hours -----> | | | <----- work days -----> | | | | labour cost (SIS) |
|--------------|---|---------------------------------|--------------------------|-------|------|-------------------------|-------|------|-------|-------------------------|
| | | | men | women | paid | men | women | paid | total | |
| Total | : | 0.899 | 230 | 274 | | 77 | 108 | | 185 | |
| Cleared land | : | 0.007 | | | | | | | | |
| Coconut | : | 0.727 | 112 | 87 | | 18 | 14 | | 32 | |
| Grain Crops | : | 0.000 | | | | | | | | |
| Banana | : | 0.002 | 1 | | | 0 | | | 0 | |
| Sweet Potato | : | 0.127 | 118 | 187 | | 59 | 94 | | 153 | |
| Cassava | : | 0.006 | | | | | | | | |
| Other | : | 0.030 | | | | | | | | |

Derived from plot details aggregated over entire holding

ii) Time worked per labour unit

| | | <----- work hours -----> | | | <----- work days -----> | | | % contribution to family labour | |
|------------------------|--|--------------------------|-------|------|-------------------------|-------|------|------------------------------------|-------|
| | | men | women | paid | men | women | paid | men | women |
| Labour units available | | 1.86 | 1.71 | 1.00 | | | | | |
| Total | | 124 | 160 | | 41 | 63 | | 46 | 54 |
| Cleared land | | | | | | | | | |
| Coconut | | 60 | 51 | | 10 | 8 | | 56 | 44 |
| Grain Crops | | | | | | | | | |
| Banana | | 0 | | | 0 | | | 100 | |
| Sweet Potato | | 64 | 109 | | 32 | 55 | | 39 | 61 |
| Cassava | | | | | | | | | |

Derived from household composition labour availability

% contribution to family labour is derived from the table above

LAND CLEARANCE

Annual Labour per Holding




Diagram: A2.1

CULTIVATION

Annual Labour per Holding




Diagram: A2.2

PLANTING

Annual Labour per Holding




Diagram: A2.3

CROPS ESTABLISHMENT

Annual Labour per Holding




Diagram: A2.4

CROPS MAINTENANCE

Annual Labour per Holding




Diagram: A2.5

FIRST WEEDING

Annual Labour per Holding




Diagram: A2.6

SECOND WEEDING

Annual Labour per Holding




Diagram: A2.7

THIRD WEEDING

Annual Labour per Holding




Diagram: A2.8

HARVESTING

Annual Labour per Holding




Diagram: A2.9

Annex: 3

CROP DAMAGE

A3.1 The following analysis of crop damage is based on observations of crop mixtures at the plot level. Tables show the dominant crop growing in the mixture, but damage encountered may refer to other crops in the plot. In the present analysis it is possible only to present results at the plot level, and not at the crop level.

Table: A3.1a

CROP DAMAGE DUE TO INSECTS - AFFECTING LEAVES

i) Frequency of plots damaged

| extent of damage: | little | consid- erable | severe | crop I devastatedI | total # plots | % affected | % unaffected |
|-------------------|--------|-------------------|--------|-----------------------|------------------|---------------|-----------------|
| all plots | 5 | 6 | 2 | 3 I | 150 | 11 | 89 |
| cleared land a | | | | I | 8 | | 100 |
| coconut b | | | | I | 27 | | 100 |
| coconut + cocoa z | | | | I | 1 | | 100 |
| Grain crops e | | | | I | 1 | | 100 |
| banana l | | | | I | 1 | | 100 |
| sweet potato r | 5 | 6 | 2 | 2 I | 102 | 15 | 85 |
| yam t | | | | I | 1 | | 100 |
| cassava v | | | | 1 I | 9 | 11 | 89 |

ii) % crop area affected

| extent of damage: | little | consid- erable | severe | crop I devastatedI | % affected | % unaffected |
|----------------------|--------|-------------------|--------|-----------------------|---------------|-----------------|
| % total cropped area | | | | I | | 100 |
| cleared land a | | | | I | | 100 |
| coconut b | | | | I | | 100 |
| coconut + cocoa z | | | | I | | 100 |
| Grain crops e | | | | I | | 100 |
| banana l | | | | I | | 100 |
| sweet potato r | | | | I | | 100 |
| yam t | | | | I | | 100 |
| cassava v | | | | I | | 100 |

Note: The table of % area is only approximate due to rounding small numbers

Table: A3.1b

CROP DAMAGE DUE TO INSECTS - AFFECTING FRUITS

i) Frequency of plots damaged

| extent of damage: | little | considerable | severe | crop I devastatedI | total # plots | % affected | % unaffected |
|-------------------|--------|--------------|--------|--------------------|---------------|------------|--------------|
| all plots | 20 | 5 | 1 | 1 I | 150 | 18 | 32 |
| cleared land a | | | | I | 8 | | 100 |
| coconut b | 6 | 3 | | I | 27 | 33 | 67 |
| coconut + cocoa z | | | | I | 1 | | 100 |
| Grain crops e | | | | I | 1 | | 100 |
| banana l | | | | I | 1 | | 100 |
| sweet potato r | 14 | 2 | 1 | I | 102 | 17 | 83 |
| yam t | | | | 1 I | 1 | 100 | |
| cassava v | | | | I | 9 | | 100 |

ii) % crop area affected

| extent of damage: | little | considerable | severe | crop I devastatedI | % affected | % unaffected |
|----------------------|--------|--------------|--------|--------------------|------------|--------------|
| % total cropped area | 20 | 6 | | I | 26 | 74 |
| cleared land a | | | | I | | 100 |
| coconut b | 21 | 7 | | I | 28 | 72 |
| coconut + cocoa z | | | | I | | 100 |
| Grain crops e | | | | I | | 100 |
| banana l | | | | I | | 100 |
| sweet potato r | 20 | | | I | 20 | 80 |
| yam t | | | | I | | 100 |
| cassava v | | | | I | | 100 |

Note: The table of % area is only approximate due to rounding small numbers

Table: A3.1c
CROP DAMAGE DUE TO INSECTS - AFFECTING ROOTS

i) Frequency of plots damaged

| extent of damage: | little | consid- erable | severe | crop I devastatedI | total # plots | % affected | % unaffected |
|-------------------|--------|-------------------|--------|-----------------------|------------------|---------------|-----------------|
| all plots | 6 | 8 | | I | 150 | 9 | 91 |
| cleared land a | | | | I | 8 | | 100 |
| coconut b | | | | I | 27 | | 100 |
| coconut + cocoa z | | | | I | 1 | | 100 |
| Grain crops e | | | | I | 1 | | 100 |
| banana l | | | | I | 1 | | 100 |
| sweet potato r | 6 | 8 | | I | 102 | 14 | 86 |
| yam t | | | | I | 1 | | 100 |
| cassava v | | | | I | 9 | | 100 |

ii) % crop area affected

| extent of damage: | little | consid- erable | severe | crop I devastatedI | % affected | % unaffected |
|----------------------|--------|-------------------|--------|-----------------------|---------------|-----------------|
| % total cropped area | 3 | 3 | | I | 6 | 94 |
| cleared land a | | | | I | | 100 |
| coconut b | | | | I | | 100 |
| coconut + cocoa z | | | | I | | 100 |
| Grain crops e | | | | I | | 100 |
| banana l | | | | I | | 100 |
| sweet potato r | 20 | 20 | | I | 40 | 60 |
| yam t | | | | I | | 100 |
| cassava v | | | | I | | 100 |

Note: The table of % area is only approximate due to rounding small numbers

Table: A3.2a
CROP DAMAGE DUE TO DISEASE - AFFECTING LEAVES

i) Frequency of plots damaged

| extent of damage: | little | consid- erable | severe | crop I devastatedI | total # plots | % affected | % unaffected |
|-------------------|--------|-------------------|--------|-----------------------|------------------|---------------|-----------------|
| all plots | 2 | 1 | | I | 150 | 2 | 98 |
| cleared land | a | | | I | 8 | | 100 |
| coconut | b | | | I | 27 | | 100 |
| coconut + cocoa | z | | | I | 1 | | 100 |
| Grain crops | e | | | I | 1 | | 100 |
| banana | l | | | I | 1 | | 100 |
| sweet potato | r | 2 | 1 | I | 102 | 3 | 97 |
| yam | t | | | I | 1 | | 100 |
| cassava | v | | | I | 9 | | 100 |

ii) % crop area affected

| extent of damage: | little | consid- erable | severe | crop I devastatedI | % affected | % unaffected |
|----------------------|--------|-------------------|--------|-----------------------|---------------|-----------------|
| % total cropped area | | | | I | | 100 |
| cleared land | a | | | I | | 100 |
| coconut | b | | | I | | 100 |
| coconut + cocoa | z | | | I | | 100 |
| Grain crops | e | | | I | | 100 |
| banana | l | | | I | | 100 |
| sweet potato | r | | | I | | 100 |
| yam | t | | | I | | 100 |
| cassava | v | | | I | | 100 |

Note: The table of % area is only approximate due to rounding small numbers

Table: A3.2a
CROP DAMAGE DUE TO DISEASE - AFFECTING FRUITS

i) Frequency of plots damaged

| extent of damage: | little | consid- erable | severe | crop I devastatedI | total # plots | % affected | % unaffected |
|-------------------|--------|-------------------|--------|-----------------------|------------------|---------------|-----------------|
| all plots | 11 | 2 | | I | 150 | 9 | 91 |
| cleared land a | | | | I | 8 | | 100 |
| coconut b | 2 | 2 | | I | 27 | 15 | 85 |
| coconut + cocoa z | | | | I | 1 | | 100 |
| Grain crops e | | | | I | 1 | | 100 |
| banana l | | | | I | 1 | | 100 |
| sweet potato r | 9 | | | I | 102 | 9 | 91 |
| yam t | | | | I | 1 | | 100 |
| cassava v | | | | I | 9 | | 100 |

ii) % crop area affected

| extent of damage: | little | consid- erable | severe | crop I devastatedI | % affected | % unaffected |
|----------------------|--------|-------------------|--------|-----------------------|---------------|-----------------|
| % total cropped area | 9 | 3 | | I | 11 | 89 |
| cleared land a | | | | I | | 100 |
| coconut b | 10 | 3 | | I | 14 | 86 |
| coconut + cocoa z | | | | I | | 100 |
| Grain crops e | | | | I | | 100 |
| banana l | | | | I | | 100 |
| sweet potato r | | | | I | | 100 |
| yam t | | | | I | | 100 |
| cassava v | | | | I | | 100 |

Note: The table of % area is only approximate due to rounding small numbers

Table: A3.2c

CROP DAMAGE DUE TO DISEASE - AFFECTING ROOTS

i) Frequency of plots damaged

| extent of damage: | little | considerable | severe | crop I devastatedI | total # plots | % affected | % unaffected |
|-------------------|--------|--------------|--------|--------------------|---------------|------------|--------------|
| all plots | 2 | | | I | 150 | 1 | 99 |
| cleared land | a | | | I | 8 | | 100 |
| coconut | b | | | I | 27 | | 100 |
| coconut + cocoa | z | | | I | 1 | | 100 |
| Grain crops | e | | | I | 1 | | 100 |
| banana | l | | | I | 1 | | 100 |
| sweet potato | r | 2 | | I | 102 | 2 | 98 |
| yam | t | | | I | 1 | | 100 |
| cassava | v | | | I | 9 | | 100 |

ii) % crop area affected

| extent of damage: | little | considerable | severe | crop I devastatedI | % affected | % unaffected |
|----------------------|--------|--------------|--------|--------------------|------------|--------------|
| % total cropped area | | | | I | | 100 |
| cleared land | a | | | I | | 100 |
| coconut | b | | | I | | 100 |
| coconut + cocoa | z | | | I | | 100 |
| Grain crops | e | | | I | | 100 |
| banana | l | | | I | | 100 |
| sweet potato | r | | | I | | 100 |
| yam | t | | | I | | 100 |
| cassava | v | | | I | | 100 |

Note: The table of % area is only approximate due to rounding small numbers

Table: A3.3
CROP DAMAGE DUE TO HUMANS

i) Frequency of plots damaged

| extent of damage: | little | consid- erable | severe | crop I devastatedI | total # plots | % affected | % unaffected |
|-------------------|--------|-------------------|--------|-----------------------|------------------|---------------|-----------------|
| all plots | | | | I | 150 | | 100 |
| cleared land a | | | | I | 8 | | 100 |
| coconut b | | | | I | 27 | | 100 |
| coconut + cocoa z | | | | I | 1 | | 100 |
| Grain crops e | | | | I | 1 | | 100 |
| banana l | | | | I | 1 | | 100 |
| sweet potato r | | | | I | 102 | | 100 |
| yam t | | | | I | 1 | | 100 |
| cassava v | | | | I | 9 | | 100 |

ii) % crop area affected

| extent of damage: | little | consid- erable | severe | crop I devastatedI | % affected | % unaffected |
|----------------------|--------|-------------------|--------|-----------------------|---------------|-----------------|
| % total cropped area | | | | I | | 100 |
| cleared land a | | | | I | | 100 |
| coconut b | | | | I | | 100 |
| coconut + cocoa z | | | | I | | 100 |
| Grain crops e | | | | I | | 100 |
| banana l | | | | I | | 100 |
| sweet potato r | | | | I | | 100 |
| yam t | | | | I | | 100 |
| cassava v | | | | I | | 100 |

Note: The table of % area is only approximate due to rounding small numbers

Table: A3.4
CROP DAMAGE DUE TO FIRE

i) Frequency of plots damaged

| extent of damage: | little | considerable | severe | crop I devastatedI | total # plots | % affected | % unaffected |
|-------------------|--------|--------------|--------|--------------------|---------------|------------|--------------|
| all plots | | | | I | 150 | | 100 |
| cleared land a | | | | I | 8 | | 100 |
| coconut b | | | | I | 27 | | 100 |
| coconut + cocoa z | | | | I | 1 | | 100 |
| Grain crops e | | | | I | 1 | | 100 |
| banana l | | | | I | 1 | | 100 |
| sweet potato r | | | | I | 102 | | 100 |
| yam t | | | | I | 1 | | 100 |
| cassava v | | | | I | 9 | | 100 |

ii) % crop area affected

| extent of damage: | little | considerable | severe | crop I devastatedI | % affected | % unaffected |
|----------------------|--------|--------------|--------|--------------------|------------|--------------|
| % total cropped area | | | | I | | 100 |
| cleared land a | | | | I | | 100 |
| coconut b | | | | I | | 100 |
| coconut + cocoa z | | | | I | | 100 |
| Grain crops e | | | | I | | 100 |
| banana l | | | | I | | 100 |
| sweet potato r | | | | I | | 100 |
| yam t | | | | I | | 100 |
| cassava v | | | | I | | 100 |

Note: The table of % area is only approximate due to rounding small numbers

Table: A3.5
CROP DAMAGE DUE TO FLOOD

i) Frequency of plots damaged

| extent of damage: | little | considerable | severe | crop I devastatedI | total # plots | % affected | % unaffected |
|-------------------|--------|--------------|--------|--------------------|---------------|------------|--------------|
| all plots | | | | I | 150 | | 100 |
| cleared land a | | | | I | 8 | | 100 |
| coconut b | | | | I | 27 | | 100 |
| coconut + cocoa z | | | | I | 1 | | 100 |
| Grain crops e | | | | I | 1 | | 100 |
| banana l | | | | I | 1 | | 100 |
| sweet potato r | | | | I | 102 | | 100 |
| yam t | | | | I | 1 | | 100 |
| cassava v | | | | I | 9 | | 100 |

ii) % crop area affected

| extent of damage: | little | considerable | severe | crop I devastatedI | % affected | % unaffected |
|----------------------|--------|--------------|--------|--------------------|------------|--------------|
| % total cropped area | | | | I | | 100 |
| cleared land a | | | | I | | 100 |
| coconut b | | | | I | | 100 |
| coconut + cocoa z | | | | I | | 100 |
| Grain crops e | | | | I | | 100 |
| banana l | | | | I | | 100 |
| sweet potato r | | | | I | | 100 |
| yam t | | | | I | | 100 |
| cassava v | | | | I | | 100 |

Note: The table of % area is only approximate due to rounding small numbers

Table: A3.6
CROP DAMAGE DUE TO WIND

i) Frequency of plots damaged

| extent of damage: | | little | consid- erable | severe | crop I devastatedI | total # plots | % affected | % unaffected |
|-------------------|---|--------|-------------------|--------|-----------------------|------------------|---------------|-----------------|
| all plots | | | | | I | 150 | | 100 |
| cleared land | a | | | | I | 8 | | 100 |
| coconut | b | | | | I | 27 | | 100 |
| coconut + cocoa | z | | | | I | 1 | | 100 |
| Grain crops | e | | | | I | 1 | | 100 |
| banana | l | | | | I | 1 | | 100 |
| sweet potato | r | | | | I | 102 | | 100 |
| yam | t | | | | I | 1 | | 100 |
| cassava | v | | | | I | 9 | | 100 |

ii) % crop area affected

| extent of damage: | | little | consid- erable | severe | crop I devastatedI | % affected | % unaffected |
|----------------------|---|--------|-------------------|--------|-----------------------|---------------|-----------------|
| % total cropped area | | | | | I | | 100 |
| cleared land | a | | | | I | | 100 |
| coconut | b | | | | I | | 100 |
| coconut + cocoa | z | | | | I | | 100 |
| Grain crops | e | | | | I | | 100 |
| banana | l | | | | I | | 100 |
| sweet potato | r | | | | I | | 100 |
| yam | t | | | | I | | 100 |
| cassava | v | | | | I | | 100 |

Note: The table of % area is only approximate due to rounding small numbers

Table: A3.7
CROP DAMAGE DUE TO RATS

i) Frequency of plots damaged

| extent of damage: | little | considerable | severe | crop devastated | I | total # plots | % affected | % unaffected |
|-------------------|--------|--------------|--------|-----------------|---|---------------|------------|--------------|
| all plots | 2 | 1 | | | I | 150 | 2 | 98 |
| cleared land | a | | | | I | 8 | | 100 |
| coconut | b | 2 | | | I | 27 | 7 | 93 |
| coconut + cocoa | z | | | | I | 1 | | 100 |
| Grain crops | e | | | | I | 1 | | 100 |
| banana | l | | | | I | 1 | | 100 |
| sweet potato | r | 1 | | | I | 102 | 1 | 99 |
| yam | t | | | | I | 1 | | 100 |
| cassava | v | | | | I | 9 | | 100 |

ii) % crop area affected

| extent of damage: | little | considerable | severe | crop devastated | I | % affected | % unaffected |
|----------------------|--------|--------------|--------|-----------------|---|------------|--------------|
| % total cropped area | 6 | | | | I | 6 | 94 |
| cleared land | a | | | | I | | 100 |
| coconut | b | 7 | | | I | 7 | 93 |
| coconut + cocoa | z | | | | I | | 100 |
| Grain crops | e | | | | I | | 100 |
| banana | l | | | | I | | 100 |
| sweet potato | r | | | | I | | 100 |
| yam | t | | | | I | | 100 |
| cassava | v | | | | I | | 100 |

Note: The table of % area is only approximate due to rounding small numbers

Table: A3.8
CROP DAMAGE DUE TO BIRDS

i) Frequency of plots damaged

| extent of damage: | little | considerable | severe | crop I devastatedI | total # plots | % affected | % unaffected |
|-------------------|--------|--------------|--------|--------------------|---------------|------------|--------------|
| all plots | 18 | 10 | 1 | I | 150 | 19 | 81 |
| cleared land a | | | | I | 8 | | 100 |
| coconut b | 3 | | | I | 27 | 11 | 89 |
| coconut + cocoa z | | | | I | 1 | | 100 |
| Grain crops e | | | | I | 1 | | 100 |
| banana l | | | | I | 1 | | 100 |
| sweet potato r | 15 | 10 | 1 | I | 102 | 25 | 75 |
| yam t | | | | I | 1 | | 100 |
| cassava v | | | | I | 9 | | 100 |

ii) % crop area affected

| extent of damage: | little | considerable | severe | crop I devastatedI | % affected | % unaffected |
|----------------------|--------|--------------|--------|--------------------|------------|--------------|
| % total cropped area | 11 | | | I | 11 | 89 |
| cleared land a | | | | I | | 100 |
| coconut b | 10 | | | I | 10 | 90 |
| coconut + cocoa z | | | | I | | 100 |
| Grain crops e | | | | I | | 100 |
| banana l | | | | I | | 100 |
| sweet potato r | 20 | | | I | 20 | 80 |
| yam t | | | | I | | 100 |
| cassava v | | | | I | | 100 |

Note: The table of % area is only approximate due to rounding small numbers

Table: A3.9
CROP DAMAGE DUE TO BATS

i) Frequency of plots damaged

| extent of damage: | | little | consid- erable | severe | crop I devastatedI | total # plots | % affected | % unaffected |
|-------------------|---|--------|-------------------|--------|-----------------------|------------------|---------------|-----------------|
| all plots | | 3 | | | I | 150 | 2 | 98 |
| cleared land | a | | | | I | 8 | | 100 |
| coconut | b | 2 | | | I | 27 | 7 | 93 |
| coconut + cocoa | z | | | | I | 1 | | 100 |
| Grain crops | e | | | | I | 1 | | 100 |
| banana | l | 1 | | | I | 1 | 100 | |
| sweet potato | r | | | | I | 102 | | 100 |
| yam | t | | | | I | 1 | | 100 |
| cassava | v | | | | I | 9 | | 100 |

ii) % crop area affected

| extent of damage: | | little | consid- erable | severe | crop I devastatedI | % affected | % unaffected |
|----------------------|---|--------|-------------------|--------|-----------------------|---------------|-----------------|
| % total cropped area | | 6 | | | I | 6 | 94 |
| cleared land | a | | | | I | | 100 |
| coconut | b | 7 | | | I | 7 | 93 |
| coconut + cocoa | z | | | | I | | 100 |
| Grain crops | e | | | | I | | 100 |
| banana | l | | | | I | | 100 |
| sweet potato | r | | | | I | | 100 |
| yam | t | | | | I | | 100 |
| cassava | v | | | | I | | 100 |

Note: The table of % area is only approximate due to rounding small numbers

Table: A3.10
CROP DAMAGE DUE TO LIVESTOCK

i) Frequency of plots damaged

| extent of damage: | little | considerable | severe | crop devastated | I | total # plots | % affected | % unaffected |
|-------------------|--------|--------------|--------|-----------------|---|---------------|------------|--------------|
| all plots | | | | | I | 150 | | 100 |
| cleared land | a | | | | I | 8 | | 100 |
| coconut | b | | | | I | 27 | | 100 |
| coconut + cocoa | z | | | | I | 1 | | 100 |
| Grain crops | e | | | | I | 1 | | 100 |
| banana | l | | | | I | 1 | | 100 |
| sweet potato | r | | | | I | 102 | | 100 |
| yam | t | | | | I | 1 | | 100 |
| cassava | v | | | | I | 9 | | 100 |

ii) % crop area affected

| extent of damage: | little | considerable | severe | crop devastated | I | % affected | % unaffected |
|----------------------|--------|--------------|--------|-----------------|---|------------|--------------|
| % total cropped area | | | | | I | | 100 |
| cleared land | a | | | | I | | 100 |
| coconut | b | | | | I | | 100 |
| coconut + cocoa | z | | | | I | | 100 |
| Grain crops | e | | | | I | | 100 |
| banana | l | | | | I | | 100 |
| sweet potato | r | | | | I | | 100 |
| yam | t | | | | I | | 100 |
| cassava | v | | | | I | | 100 |

Note: The table of % area is only approximate due to rounding small numbers

Table: A3.11
CROP DAMAGE DUE TO OTHER FACTORS

i) Frequency of plots damaged

| extent of damage: | little | consid- erable | severe | crop I devastatedI | total # plots | % affected | % unaffected |
|-------------------|--------|-------------------|--------|-----------------------|------------------|---------------|-----------------|
| all plots | 5 | 11 | 1 | I | 150 | 11 | 89 |
| cleared land a | | | | I | 8 | | 100 |
| coconut b | 1 | | | I | 27 | 4 | 96 |
| coconut + cocoa z | | | | I | 1 | | 100 |
| Grain crops e | | | | I | 1 | | 100 |
| banana l | | | | I | 1 | | 100 |
| sweet potato r | 4 | 10 | | I | 102 | 14 | 86 |
| yam t | | | 1 | I | 1 | 100 | |
| cassava v | | 1 | | I | 9 | 11 | 89 |

Note: Damage to coconuts is coconut crabs

Damage to sweet potato is slugs; other crops is soil erosion (1) and dog (1)

ii) % crop area affected

| extent of damage: | little | consid- erable | severe | crop I devastatedI | % affected | % unaffected |
|----------------------|--------|-------------------|--------|-----------------------|---------------|-----------------|
| % total cropped area | 3 | | | I | 3 | 97 |
| cleared land a | | | | I | | 100 |
| coconut b | 3 | | | I | 3 | 97 |
| coconut + cocoa z | | | | I | | 100 |
| Grain crops e | | | | I | | 100 |
| banana l | | | | I | | 100 |
| sweet potato r | | | | I | | 100 |
| yam t | | | | I | | 100 |
| cassava v | | | | I | | 100 |

Note: The table of % area is only approximate due to rounding small numbers

Annex: 4
References

- 1 Statistics Office (1988)
Statistical Bulletin 3/88
"Solomon Islands Population Census.
Report 1: Population by Sex, Age and Ward"
Ministry of Finance.
- 2 Statistics Office (1988)
Statistical Bulletin 12/88
"Solomon Islands Population Census.
Report 1 (Supplement): Summary of Population
by Socio-Economic Characteristics"
Ministry of Finance.
- 3 Statistics Office (1987)
National Accounts Discussion Document No 2
"Rural Household Income and Expenditure Survey 1982"
Ministry of Finance.
- 4 Statistics Office (1986)
"Cattle Census 1985"
Statistical Bulletin 17/86
Ministry of Finance.
- 5 Statistics Office (1978)
"1974-75 Agricultural Statistics Survey"
Ministry of Finance.
- 6 Coconut Development Project (1985)
"Coconut Survey"
Ministry of Agriculture and Lands.
- 7 Statistics Office (1986)
"Sample Survey of Smallholder Coconuts, 1985"
Statistical Bulletin 18/86
Ministry of Finance.
- 8 S.Ilala, E.C. Mackey (1988)
"CEMA Trade and Marketing Project"
Commodities Export and Marketing Authority,
Rural Services Project, MAL.

- 9 R.J. Cheatle, V.P. Redfern (eds) (1988)
"Guide to the Soils, Land Resources and Land Use of
Guadalcanal"
Ministry of Agriculture and Lands.
- 10 J.R.F. Hansell, J.R.D. Wall (1976)
Land Resource Study 18
"Land Resources of the Solomon Islands"
Ministry of Overseas Development (U.K.).
- 11 Statistics Office (1987)
"Provincial Statistics"
Statistical Bulletin 15/87
Ministry of Finance.
- 12 Agricultural Economics Section (1988)
"Yield Measurement for Agricultural Economics Surveys"
Rural Services Project,
Ministry of Agriculture and Lands.
- 13 Research Department (1987)
"Annual Report 1985"
Agriculture Division,
Ministry of Agriculture and Lands.
- 14 Research Department (1986)
"Annual Report 1984"
Agriculture Division,
Ministry of Agriculture and Lands.
- 15 I.L. Frazer (1973)
"North Malaita Report"
Department of Geography, Victoria University,
New Zealand.
- 16 D.E. Gollifer (1972)
"Effect of Applications of Potassium on Annual Crops Grown
on Soils of the Dala Series in Malaita, British Solomon
Islands"
Tropical Agriculture (Trinidad) Vol.49, No. 3.

- 17 D.E. Gollifer (1969)
"Shifting Cultivation and Soil Exhaustion in West Kwara'ae,
Malaita"
Report of the Interdepartmental Committee, Honiara.
- 18 M.A. Bathgate (1973)
"A Study of Economic Change and Development in the Indigenous
Sector, West Guadalcanal"
Department of Geography, Victoria University,
New Zealand.
- 19 M. Chapman, P. Pirie (1974)
"Tasi Mauri, A Report on Population and Resources of the
Guadalcanal Weather Coast"
University of Hawaii, U.S.A.
- 20 E.C. Mackey (1987)
"Inception Report"
Agricultural Economics Section, Rural Services Project,
Ministry of Agriculture and Lands.
- 21 Agricultural Economics Section (1987)
"Farming Systems Survey, Field Survey Manual"
Rural services Project,
Ministry of Agriculture and Lands.
22. Agricultural Economics Section (1988)
"Crop Production Study"
Rural Services Project,
Ministry of Agriculture and Lands.
23. A.E. Charles (1980)
"Constraints on the Use of High Yielding Varieties
by Small Coconut Farmers"
Department of Primary Industry,
Papua New Guinea.
24. L.H. Patten, E.M. Flemming (1988)
"Farm Management Handbook for Solomon Islands - Draft"
South Pacific Smallholder Project.
25. K.Tioti (1967)
"Taro Cultivation in the Solomon Islands"
Pacific Root Crops Field Interchange.

26. D.E. Gollifer (1971)
"Preliminary Observations on the Performance of Cultivars
of Taro in the British Solomon Islands"
DCRS Library.
27. L. Maeinia (undated)
"Yam and Pana Growing in Malaita Island"
Agricultural Training college,
Solomon Islands.
28. Dodo Creek Research Station (1982)
"Dala - Cassava Germplasm Collection Trial"
Ministry of Home Affairs and National Development..
29. S.Flemming (1987)
"Socio-Economic Statistics on Women:
Five Case Studies in the Pacific"
South Pacific Commission.
30. Agricultural Economics Section (1989)
"Selected Indicators From Ten Survey Areas of
the 1987-89 RSP Farming Systems Survey"
Ministry of Agriculture and Lands.